Bibliography

[1] F. E. Cohen, M. J. E. Sternberg, and W. R. Taylor. Analysis and prediction of the stacking of β-pleated sheets. In R. Jainikie, editor, *Protein Folding*, pages 131–148. Elsivier, Amsterdam, 1980.

[2] F. E. Cohen, M. J. E. Sternberg, and W. R. Taylor. Analysis and prediction of protein β-sheet structures by a combinatorial approach. *Nature*, 285:378–382, 1980.

[3] F. E. Cohen, M. J. E. Sternberg, and W. R. Taylor. Analysis of the tertiary structure of protein β-sheet sandwiches. *J. Molec. Biol.*, 148:253–272, 1981.

[4] W. R. Taylor. *Analysis and Prediction of Protein Structure*. PhD thesis, Department of Zoology (Lab. of Molecular Biophysics), University of Oxford, 1981.

[5] M. J. E. Sternberg, F. E. Cohen, W. R. Taylor, and R. J. Feldmann. Analysis and prediction of structural motifs in the glycolytic enzymes. *Proc. Roy. Soc. Lond. B*, 293:177–189, 1981.

[6] F. E. Cohen, M. J. E. Sternberg, and W. R. Taylor. Analysis and prediction of the packing of α-helices against a β-sheet in the tertiary structure of globular proteins. *J. Molec. Biol.*, 156:821–862, 1982.

[7] M. J. E. Sternberg, F. E. Cohen, and W. R. Taylor. A combinatorial approach to the prediction of the tertiary fold of globular proteins. *Biochem. Soc. Trans.*, 10, 1982.

[8] W. R. Taylor and J. M. Thornton. Prediction of super-secondary structure in proteins. *Nature*, 301:540–542, 1983.

[9] W. R. Taylor, J. M. Thornton, and W. G. Turnell. A ellipsoidal approximation of protein shape. *J. Molec. Graphics*, 1:30–38, 1983.

[10] M. J. E. Sternberg and W. R. Taylor. Modelling the ATP-binding site of oncogene products. *FEBS Lett.*, 175:387–392, 1984.

[11] W. R. Taylor. An algorithm to compare secondary structure predictions. *J. Molec. Biol.*, 173:513–514, 1984. (appendix).

[12] W. R. Taylor and J. M. Thornton. Recognition of super-secondary structure in proteins. *J. Molec. Biol.*, 173:487–514, 1984.

[13] J. M. Thornton, B. L. Sibanda, and W. R. Taylor. Variability, modelling and prediction of β-hairpins with reference to the immunoglobulin fold. In E. Reid, G. M. W. Cook, and D. J. Morre, editors, *Investigation and exploitation of antibody combining sites*, pages 23–31. Plenum Pub. Corp., N.Y., 1985.

[14] R. C. Garratt, W. R. Taylor, and J. M. Thornton. The influence of tertiary structure on secondary structure prediction: accessibility versus predictability for beta-structure. *FEBS Lett.*, 188:59–62, 1985.

[15] M. J. E. Sternberg and W. R. Taylor. Modelling SRC and the EGF receptors by computer graphics. *Brit. J. Cancer*, 52:411, 1985. (abstract).

[16] M. J. E. Sternberg, W. R. Taylor, J. Nyakairu, J. Fox, and C. J. Rawlings. Reasoning about protein topology using the logic programming language PROLOG. *J. Molec. Graph.*, 3:108–109, 1985. (abstract).

[17] C. J. Rawlings, W. R. Taylor, J. Nyakairu, J. Fox, and M. J. E. Sternberg. Reasoning about protein topology using the logic programming language PROLOG. *J. Molec. Graph.*, 3:151–157, 1985.

[18] J. M. Thornton, M. S. Edwards, W. R. Taylor, and D. J. Barlow. Location of 'continuous' antigenic determinants in the protuding regions of proteins. *EMBO J.*, 5:409–413, 1986.

[19] N. M. Green, W. R. Taylor, C. J. Brandl, B. Korczak, and D. H. A. MacLennan. Structural and mechanistic implications of the amino acid sequence of calcium transporting ATPases. In C. Evered, editor, *Calcium and the Cell*, volume 122 of *Ciba Found. Symp.*, pages 93–113. J. Wiley and Son, 1986.

[20] J. B. Rothbard, A. Townsend, M. Edwards, and W. R. Taylor. Pattern recognition among T-cell epitopes. In *Modern trends in human leukemia*, volume VII. Elsevier, Amsterdam, 1986.

[21] T. J. Knott, R. J. Pease, L. M. Powell, S. C. Wallis, S. C. Rall, T. L. Innerarity, B. Blackhart, W. R. Taylor, A. J. Lusis, B. J. McCarthy, R. W. Mahley, B. Levy-Wilson, and J. Scott. Human apolipoprotein B: complete cDNA sequence and idenification of structural domains in the protein. *Nature*, 323:734–738, 1986. (Taylor, W. R. is misprinted as Taylor, W. H. in the journal).

[22] I. Nikas, J. McLauchlan, A. J. Davison, W. R. Taylor, and J. B. Clemments. Predicted structural features of ribonucleotide reductase. *Proteins*, 1, 1986.

[23] T. L. Blundell, D. Barlow, B. L. Sibanda, J. M. Thornton, W. R. Taylor, I. J. Tickle, M. J. E. Sternberg, J. E. Pitts, I. Haneef, and A. M. Hemmings. Three-dimensional structural aspects of the design of new proteins. *Phil. Trans. Roy. Soc. (Lond.)*, A317:333–344, 1986.

[24] D. J. Barlow, T. L. Blundell, M. S. Edwards, B. L. Sibanda, M. J. E. Sternberg, W. R. Taylor, and J. M. Thornton. The analysis of homologous tertiary structures and the design of novel proteins. In M. Inouye and R. Sarma, editors, *Protein Engineering: Applications in Science, Medicine, and Industry*, chapter 3, pages 29–40. Academic Press (Inc.), Orlando, USA, 1986.

[25] W. R. Taylor. Identification of protein sequence homology by consensus template alignment. *J. Molec. Biol.*, 188:233–258, 1986.

[26] C. J. Rawlings, W. R. Taylor, J. Nyakairu, J. Fox, and M. J. E. Sternberg. Using PROLOG to represent and reason about protein structure. *Lecture Notes in Computer Science*, 1986.

[27] W. R. Taylor. The classification of amino acid conservation. *J. Theor. Biol.*, 119:205–218, 1986.

[28] W. R. Taylor. Toward a practical grammar of protein structure: protein structure prediction by template fitting. In R. Fletterick and M. Zoller, editors, *Computer Graphics and Molecular Modeling*, Current Communications in Molecular Biology, chapter 14, pages 77–84. Cold Spring Harbor Laboratory, New-York, 1986.

[29] W. R. Taylor. A general algorithm for the recognition of sequence patterns in globular proteins. *J. Molec. Biol.*, 188:254–258, 1986. (appendix).

[30] M. J. Zvelebil, G. J. Barton, W. R. Taylor, and M. J. E. Sternberg. Prediction of protein secondary structure and active sites using the alignment of homologous sequences. *J. Molec. Biol.*, 195:957–961, 1987.

[31] W. R. Taylor. Multiple sequence alignment by a pairwise algorithm. *Comp. App. Bio. Sci.*, 3:81–87, 1987.

[32] M. J. Geisow, J. H. Walker, C. Boustead, and W. R. Taylor. Anexins — a new family of Ca^{2+}-regulated phospholipid-binding proteins. *Bioscience Reports*, 7:289–298, 1987.

[33] W. R. Taylor and M. J. Geisow. A predicted structure for the calcium dependant membrane binding proteins p32, p35 and p36. *Prot. Eng.*, 1:183–187, 1987.

[34] M. Bajaj, M. Waterfield, J. Schlessinger, W. R. Taylor, and T. L. Blundell. On the tertiary structures of the extracellular domains of the EGF and insulin receptors. *Biochim. Biophys. Acta*, 916:220–226, 1987.

[35] L. H. Pearl and W. R. Taylor. Sequence specificity of retroviral proteases. *Nature*, 328:482, 1987. (Communication).

[36] J. Engel, W. R. Taylor, M. Paulsson, H. Sage, and B. Hogan. Calcium binding domains and calcium induced conformational transition of SPARC/BM-40/osteonectin, an extracellular glycoprotein expressed in mineralized and nonmineralized tissues. *Biochemistry*, 26:6958–6965, 1987.

[37] L. H. Pearl and W. R. Taylor. A structural model for the retroviral proteases. *Nature*, 329:351–354, 1987.

[38] N. M. Green, W. R. Taylor, and D. H. A. MacLennan. A consensus structure for cation pumps. In W. D. Stein and S. J. D. Karlish, editors, *Ion Pumps*, Prog. Clin. Biol. Res., pages 15–24. Alan R. Liss, New York, 1988.

[39] V. Rodrigues, M. Chaudhri, M. Knight, H. Meadows, A. E. Chambers, W. R. Taylor, C. Kelly, and A. J. G. Simpson. Predicted structure of a major *Schistosoma mansoni* eggshell protein. *Molec. Biochem. Parasitology*, 32:7–14, 1988.

[40] S. A. Taylor, J. Lewis, J. Pacy, W. R. Taylor, and R. G. Price. Glomerular basement membrane thickness in male and female rats fed sucrose-rich diets. In M. C. Gubler and M. Sternberg, editors, *Progress in Basement Membrane Research: Renal and related aspects in health and disease*, pages 205–209. John Libbey, Eurotext Ltd., 1988.

[41] J. B. Rothbard, R. I. Lechler, K. Howland, V. Bal, D. D. Eckels, R. Sekaly, E. O. Long, W. R. Taylor, and J. R. Lamb. A structural model of HLA-DR1 restricted T-cell antigen recognition. *Cell*, 52:515–523, 1988.

[42] W. R. Taylor. A flexible method to align large numbers of biological sequences. *J. Molec. Evol.*, 28:161–169, 1988. The correct year is 1989.

[43] J. B. Rothbard and W. R. Taylor. A sequence pattern common to T-cell epitopes. *EMBO J.*, 7:93–100, 1988.

[44] W. R. Taylor. Pattern matching methods in protein sequence comparison and structure prediction. *Prot. Engng.*, 2:77–86, 1988.

[45] W. R. Taylor. Macromolecular structure and specificity. *Speculations in Science and Technology*, 11:79–80, 1988. (book review).

[46] W. R. Taylor. A template based method of pattern matching in protein sequences. *Prog. Biophys. Molec. Biol.*, 54:159–252, 1989.

[47] W. R. Taylor and C. A. Orengo. Protein structure alignment. *J. Molec. Biol.*, 208:1–22, 1989.

[48] J. B. Rothbard, R. Busch, K. Howland, V. Bal, C. Fenton, W. R. Taylor, and J. R. Lamb. Structural analysis of a peptide – HLA class II complex: identification of critical interaactions for its formation and recognition by T-cell receptor. *Int. Immunology*, 1:479–486, 1989.

[49] J. M. Thornton and W. R. Taylor. Protein structure prediction. In J. B. C. Findlay and M. J. Geisow, editors, *Protein Sequencing: A Practical Approach*, chapter 7, pages 147–190. IRL Press, Oxford, 1989.

[50] J. B. Rothbard, H. C. Bodmer, K. Howland, R. M. Pemberton, B. E. Askonas, and W. R. Taylor. T-cell recognition of a peptide/H2-Kd complex. *EMBO J.*, 8:2321–2328, 1989.

[51] W. R. Taylor and C. A. Orengo. A holistic approach to protein structure comparison. *Prot. Eng.*, 2:505–519, 1989.

[52] W. R. Taylor and N. M. Green. The predicted secondary structures of the nucleotide-binding sites of six cation-transporting ATPases lead to a probable tertiary fold. *Eur. J. Biochem.*, 179:241–248, 1989.

[53] W. R. Taylor, C. A. Orengo, and L. H. Pearl. Comparison of predicted and X-ray crystal structures of retroviral proteases. In M. Ikehara, editor, *Protein engineering: protein design in basic research, medicine, and industry*, pages 21–27. Japan Scientific Press, Tokyo; Springer-Verlag, Berlin, 1990.

[54] C. Kelly, P. Evans, J. K. C. Ma, L. A. Bergmeier, W. R. Taylor, L. J. Brady, S. F. Lee, A. S. Bleiweis, and T. Lehner. Sequencing and characterization of the 185 KDa cell-surface antigen of *Streptococcus mutans*. *Archives of Oral Biology*, 35 S, 1990.

[55] W. R. Taylor. Hierarchical method to align large numbers of biological sequences. In R. F. Doolittle, editor, *Molecular Evolution: computer analysis of protein and nucleic acid sequences*, volume 183 of *Meth. Enzymol.*, chapter 29, pages 456–474. Academic Press, San Diego, CA, USA., 1990.

[56] C. A. Orengo and W. R. Taylor. A rapid method for protein structure alignment. *J. Theor. Biol.*, 147:517–551, 1990.

[57] W. R. Taylor. Comparison of predicted and X-ray crystal structures of retroviral proteases. *Prot. Engng.*, 3:282, 1990. (abstract).

[58] R. Garratt, J. M. Thornton, and W. R. Taylor. An extension of secondary structure prediction towards the prediction of tertiary structure. *FEBS Lett.*, 208:141–146, 1991.

[59] W. R. Taylor and D. T. Jones. Templates, consensus patterns and motifs. *Current Opinion in Struct. Biol.*, 1:327–333, 1991.

[60] F. Rippmann and W. R. Taylor. Visualization of structural similarity in proteins. *J. Molec. Graph.*, 9:3–16, 1991.

[61] W. R. Taylor. Sequence analysis: spinning in hyperspace. *Nature*, 353:388–389, 1991. (News and Views).

[62] W. R. Taylor. Towards protein tertiary fold prediction using distance and motif constraints. *Prot. Engng.*, 4:853–870, 1991.

[63] R. J. La Polla, J. A. Haron, C. G. Kelly, W. R. Taylor, Bohart C., M. Hendricks, J. Pyati, R. T. Graff, J. K. C. Ma, and T. Lehner. Sequence and structural analysis of surface protein antigen-I/II (SPAA) of *Streptococcus sobrinus. Infection and Immunity;*, 59:2677–2685, 1991.

[64] F. Rippmann, W. R. Taylor, J. B. Rothbard, and N. M. Green. A hypothetical model for the peptide binding domain of hsp70 based on the peptide binding domain of HLA. *EMBO Journal*, 10:5–10, 1991.

[65] C. A. Orengo, N. P. Brown, and W. R. Taylor. Fast protein structure comparison for databank searching. *Prot. Struct. Funct. Genet.*, 14:139–167, 1992.

[66] W. R. Taylor, editor. *Patterns in Protein sequence and Structure*, volume 7 of *Springer series in Biophysics (ed. Bayley, P. M.)*. Springer-Verlag, Heidelberg, 1992.

[67] D. T. Jones, W. R. Taylor, and J. M. Thornton. The rapid generation of mutation data matrices from protein sequences. *Comp. App. Bio. Sci.*, 8:275–282, 1992.

[68] D. T. Jones, W. R. Taylor, and J. M. Thornton. A new approach to protein fold recognition. *Nature*, 358:86–89, 1992.

[69] W. R. Taylor. Patterns, predictions and problems (introduction). In W. R. Taylor, editor, *Patterns in Protein sequence and Structure*, volume 7 of *Springer series in Biophysics (ed. Bayley, P. M.)*, pages 1–9. Springer-Verlag, Heidelberg, 1992.

[70] W. R. Taylor. New paths from dead ends. *Nature*, 356:478–479, 1992. (News and Views).

[71] W. R. Taylor. Sequencing and computer time. *Science*, 258:1421, 1992. (Letter).

[72] N. B. LaThangue and W. R. Taylor. A structural similarity between mammalian and yeast transcription factors for cell-cycle-regulated genes. *Trends in Cell Biol.*, 3:75–76, 1993.

[73] C. A. Orengo, T. P. Flores, D. T. Jones, W. R. Taylor, and J. M. Thornton. Recurring structural motifs in proteins with different functions. *Current Biology*, 3:131–139, 1993.

[74] W. R. Taylor and D. T. Jones. Deriving an amino acid distance matrix. *J. Theor. Biol.*, 164:65–83, 1993.

[75] A. Aszódi and W. R. Taylor. Connection topology of proteins. *Comp. App. Bio. Sci.*, 9:523–529, 1993.

[76] D. T. Jones, C. A. Orengo, W. R. Taylor, and J. M. Thornton. Progress towards recognising protein folds from amino acid sequence. *Prot. Engng.*, 6 (supplement):124, 1993. (abstract).

[77] W. R. Taylor. Protein fold refinement: building models from idealised folds using motif constraints and multiple sequence data. *Prot. Engng.*, 6:593–604, 1993.

[78] W. R. Taylor, D. T. Jones, and A. W. Segal. A structural model for the nucleotide binding domain of the cytochrome b_{-245} β-chain. *Protein Science*, 2:1675–1685, 1993.

[79] W. R. Taylor. Modelling protein structure from remote sequence similarity: an approach to tertiary structure prediction. In S. Suhai, editor, *Computational methods in genome research*, pages 317–328. Plenum Pub. Corp., 1993.

[80] C. A. Orengo and W. R. Taylor. A local alignment method for protein structure motifs. *J. Molec. Biol.*, 233:488–497, 1993.

[81] C. A. Orengo, T. P. Flores, W. R. Taylor, and J. M. Thornton. Identification and classification of protein fold families. *Prot. Engng.*, 6:485–500, 1993.

[82] W. R. Taylor. Modelling protein structure from remote sequence similarity. In R. Lavery and E. Westhof, editors, *Molecular modelling and graphics applied to structure-function relationships*. INSERM, Paris, 1993.

[83] W. R. Taylor. Protein structure prediction from sequence. *Computers and Chem.*, 17:117–122, 1993.

[84] D. L. Stokes, W. R. Taylor, and N. M. Green. Structure, transmembrane topology and helix packing of P-type ion pumps. *FEBS Lett.*, 346:32–38, 1994.

[85] S. Bhattacharya, N. Navaratnam, J. R. Morrison, J. Scott, and W. R. Taylor. Cytosine nucleoside/nucleotide deaminases and apolipoprotein B mRNA editing. *TIBS*, pages 105–106, 1994.

[86] J. M. Thornton, C. M. Orengo, D. T. Jones, and W. R. Taylor. Protein motifs and folding recognition. *Biophys. J.*, page 241, 1994. (abstract).

[87] C. Chothia and W. R. Taylor. Sequences and topology. *Curr. Op. Struct. Biol.*, 4:381–382, 1994. (editorial overview).

[88] K. Hatrick and W. R. Taylor. Sequence conservation and correlation measures in protein structure prediction. *Computers Chem.*, 18:245–250, 1994.

[89] W. R. Taylor. Protein structure modelling from remote sequence similarity. *J. Biotechnology*, 12:281–291, 1994. Special issue: *Genome Research/Molecular Biotechnology*, Part 1. ed., Helmut Blöcker.

[90] W. R. Taylor, D. T. Jones, and N. M. Green. A method for α-helical integral membrane protein fold prediction. *Prot. Struct. Funct. Genet.*, 18:281–294, 1994.

[91] D. T. Jones, W. R. Taylor, and J. M. Thornton. A mutation data matrix for transmembrane proteins. *FEBS Lett.*, pages 269–275, 1994.

[92] C. A. Orengo, T. P. Flores, W. R. Taylor, and J. M. Thornton. Protein fold families and structural motifs. In *Proceedings of the NATO ARW workshop on statistical mechanics, protein structure and protein substrate interactions*, 1994.

[93] A. Aszódi and W. R. Taylor. Folding polypeptide α-carbon backbones by distance geometry methods. *Biopolymers*, 34:489–506, 1994.

[94] A. Aszódi and W. R. Taylor. Secondary structure formation in model polypeptide chains. *Prot. Engng.*, 7:633–644, 1994.

[95] D. T. Jones, W. R. Taylor, and J. M. Thornton. A model recognition approach to the prediction of all-helical membrane protein structure and topology. *Biochemistry*, 33:3038–3049, 1994.

[96] W. R. Taylor and A. Aszódi. Building protein folds using distance geometry: towards a general modeling and prediction method. In K. M. Merz and S. M. LeGrand, editors, *The protein folding problem and tertiary structure prediction*, chapter 6, pages 165–192. Birkhäuser (Springer-Verlag), Boston, MA., USA, 1994.

[97] W. R. Taylor. Remotely related sequences and structures: analysis and predictive modelling. *Trends Biotech.*, 12:154–157, 1994.

[98] W. R. Taylor and K. Hatrick. Compensating changes in protein multiple sequence alignments. *Prot. Engng.*, 7:341–348, 1994.

[99] W. R. Taylor. Motif-biased protein sequence alignment. *J. Comp. Biol.*, 1:297–311, 1994.

[100] A. Aszódi and W. R. Taylor. Modelling secondary structure formation by distance geometry techniques. In H. Bohr and S. Brunak, editors, *Distance based approaches to protein structure determination*, pages 222–236. IOS press, Elsevier (Amsterdam), 1994.

[101] W. R. Taylor, T. P. Flores, and C. A. Orengo. Multiple protein structure alignment. *Prot. Sci.*, 3:1858–1870, 1994.

[102] W. R. Taylor and A. Aszódi. Modelling and predicting protein structure using distance geometry. In H. Bohr and S. Brunak, editors, *Distance based approaches to protein structure determination*, pages 213–221. IOS press, Elsevier (Amsterdam), 1994.

[103] W. R. Taylor. An investigation of conservation-biased gap-penalties for multiple protein sequence alignment. *Gene*, 165:GC27–35, 1995. Internet journal Gene Combis: `http://www.elsevier.nl/locate/genecombis`.

[104] W. R. Taylor and D. T. Jones. Modelling and predicting α-helical transmembrane structures. In H. Bohr and S. Brunak, editors, *Protein Folds: A Distance Based Approach*, pages 283–293. CRC Press Inc., Boca Raton, Florida, U.S.A., 1995.

[105] A. Aszódi and W. R. Taylor. Estimating polypeptide α-carbon distances from multiple sequence alignments. *J. Math. Chem.*, 17:167–184, 1995.

[106] W. R. Taylor. Sequence alignment of proteins and nucleic acids. In R. A. Meyers, editor, *Molecular Biology and Biotechnology: comprehensive desk reference*, pages 856–859. VCH, New York, USA, 1995.

[107] A. Aszódi, M. J. Gradwell, and W. R. Taylor. Protein fold determination using a small number of distance restraints. In H. Bohr and S. Brunak,

editors, *Protein Folds: A Distance Based Approach*, pages 85–97. CRC Press Inc., Boca Raton, Florida, U.S.A., 1995.

[108] W. R. Taylor and N. M. Green. *Structure in Protein Chemistry* (by J. Kyte). *Nature*, 375:372, 1995. (book review).

[109] A. Aszódi, M. J. Gradwell, and W. R. Taylor. Global fold determination from a small number of distance restraints. *J. Molec. Biol.*, 251:308–326, 1995.

[110] N. P. Brown, C. A. Orengo, and W. R. Taylor. A protein structure comparison methodology. *Computers Chem.*, 20:359–380, 1996.

[111] C. A. Orengo and W. R. Taylor. SSAP: sequential structure alignment program for protein structure comparison. In R. F. Doolittle, editor, *Computer methods for macromolecular sequence analysis*, volume 266 of *Meth. Enzymol.*, pages 617–635. Academic Press, Orlando, FA, USA., 1996.

[112] A. Aszódi and W. R. Taylor. Homology modelling by distance geometry. *Folding & Design*, 1:325–334, 1996.

[113] W. R. Taylor. A non-local gap-penaly for profile alignment. *Bull. Math. Biol.*, 58:1–18, 1996.

[114] E. Werner, A. A. Holder, A. Aszódi, and W. R. Taylor. A novel 11-residue coilled-coil motif predicts a histidine zipper. *Prot. Pept. Lett.*, 3:139–146, 1996.

[115] W. R. Taylor. Multiple protein sequence alignment: algorithms for gap insertion. In R. F. Doolittle, editor, *Computer methods for macromolecular sequence analysis*, volume 266 of *Meth. Enzymol.*, pages 343–367. Academic Press, Orlando, FA, USA., 1996.

[116] W. R. Taylor. Sequence alignment of proteins and nucleic acids. In R. A. Meyers, editor, *Encyclopedia of Molecular Biology and Molecular Medicine*, volume 5, pages 419–428. VCH, New York, USA, 1997.

[117] J. Heringa and W. R. Taylor. Three-dimensional domain duplication, swapping and stealing. *Curr. Op. Struct. Biol.*, 7:416–421, 1997.

[118] D. D. Pollock and W. R. Taylor. Effectiveness of correlation analysis in identifying protein residues undergoing correlated evolution. *Prot. Engng.*, 10:647–657, 1997.

[119] W. R. Taylor and C. A. Orengo. Protein fold topology and structural families. In G. Allen, editor, *Protein: a comprehensive treatise*, pages 143–169. JAI Press Inc., U.S.A., 1997.

[120] A. Aszódi and W. R. Taylor. Hierarchical inertial projection: a fast distance matrix embedding algorithm. *Computers Chem.*, 21:13–23, 1997.

[121] A. Aszódi, R. E. J. Munro, and W. R. Taylor. Distance based comparative modelling. *Folding & Design*, 2, suppl.:S3–S6, 1997.

[122] W. R. Taylor. Random models for double dynamic score normalisation. *J. Molec. Evol.*, 44:S174–S180, 1997. Special issue in memory of Kimura.

[123] W. R. Taylor. Evolution and relationships of protein families. In M. J. Bishop and C. J. Rawlings, editors, *Nucleic acid and protein sequence analysis: a practical approach (second edition)*, Practical approach (eds. Rickwood, D. and Hames, B. D.), pages 313–340. IRL Press, Oxford, 1997.

[124] W. R. Taylor and R. E. J. Munro. Multiple sequence threading: Conditional gap placement. *Folding & Design*, 2, suppl.:S33–S39, 1997.

[125] A. Aszódi, R. E. J. Munro, and W. R. Taylor. Protein modelling by multiple sequence threading and distance geometry. *Proteins*, pages 38–42, 1997.

[126] W. R. Taylor. Multiple sequence threading: an analysis of alignment quality and stability. *J. Molec. Biol.*, 269:902–943, 1997.

[127] W. R. Taylor. Residual colours: a proposal for aminochromography. *Prot. Engng.*, 10:743–746, 1997. (Forum section).

[128] D. G. Higgins and W. R. Taylor. Multiple sequence alignment. In M. Crochemore and D. Gusfield, editors, *Protein Sequence and Structure*, volume 807 of *Lecture Notes in Computer Science*, pages 237–244. Springer-Verlag, Berlin, 1998.

[129] E. Werner, W. R. Taylor, and Holder. A *plasmodium chabaudi* protein contains a repetitive region with a predicted spectrin-like structure. *Molec. Biochem. Parisitology.*, 94:185–196, 1998.

[130] D. T. Jones and W. R. Taylor. Towards structural genomics for transmembrane proteins. *Biochem. Soc. Trans.*, 26:429–438, 1999.

[131] K. Rittinger, W. R. Taylor, S. J. Smerdon, and S. J. Gamblin. Support for shared ancestry of gaps. *Nature*, 392:448, 1998.

[132] W. R. Taylor. Dynamic databank searching with templates and multiple alignment. *J. Molec. Biol.*, 280:375–406, 1998.

[133] R. E. J. Munro and W. R. Taylor. Structure prediction and molecular modelling. In R. E. Reid, editor, *Peptide and Protein drug analysis*, pages 115–132. Marcel Dekker, Inc., 1999.

[134] I. Jonassen, I. Eidhammer, and W. R. Taylor. Discovery of local packing motifs in protein structures. *Proteins: struc. funct. gene.*, 34:206–219, 1999.

[135] D. D. Pollock, W. R. Taylor, and N. Goldman. Coevolving protein residues: maximum likelihood identification and relationship to structure. *J. Molec. Biol.*, 287:187–198, 1999.

[136] W. R. Taylor and N. P. Brown. Iterated sequence databank search methods. *Comp. Chem.*, 23:365–385, 1999.

[137] W. R. Taylor. Protein structure alignment using iterated double dynamic programming. *Prot. Sci*, 8:654–665, 1999.

[138] W. R. Taylor. Protein structure domain identification. *Prot. Engng.*, 12:203–216, 1999.

[139] W. R. Taylor and N. P. Brown. QUEST: an iterated sequence databank search method. In S. Suhai, editor, *Genomics and Proteonomics: functional and computational aspects*, pages 67–82. Kluwer Acad./Plenum Pub. Corp., 2000.

[140] W. R. Taylor. The properties of amino acids in sequences. In M. J. Bishop, editor, *Nucleic acid and protein databases: a practical approach (second edition)*, pages 81–103. Academic Press, 1999. Chapter 5.

[141] W. R. Taylor, G. Sælensminde, and I. Eidhammer. Multiple protein structure alignment using double-dynamic programming. *Comp. Chem.*, 24:3–12, 2000.

[142] I. Eidhammer, I. Jonassen, and W. R. Taylor. Structure comparison and structure patterns. *J. Compu. Biol.*, 7:658–716, 2000.

[143] I. Jonassen, I. Eidhammer, S. H. Grindhaug, and W. R. Taylor. Searching the protein structure databank with weak sequence patterns and structural constraints. *J. Molec. Biol.*, 304:599–619, 2000.

[144] W. R. Taylor. Searching for the ideal forms of proteins. *Biochem. Soc. Trans.*, 28:264–269, 2000.

[145] D. G. Higgins and W. R. Taylor. Preface. In D. Higgins and W. Taylor, editors, *Bioinformatics: Sequence structure and databases*, pages v–ix. Oxford University Press, 2000.

[146] W. R. Taylor. A deeply knotted protein and how it might fold. *Nature*, 406:916–919, 2000.

[147] D. G. Higgins and W. R. Taylor. Multiple sequence alignment. In D. M. Webster, editor, *Protein structure prediction*, volume 143 of *Methods in Molecular Biology (ed. J. M. Walker)*, pages 1–18. Humana Press, Totowa, New Jersey, USA, 2000.

[148] W. R. Taylor. Protein structure. In D. J. Balding et al., editor, *Handbook of Statistical genetics*, pages 209–235. John Wiley and Sons Ltd., 2000.

[149] W. R. Taylor. Protein structure comparison using SAP. In D. M. Webster, editor, *Protein structure prediction*, volume 143 of *Methods in Molecular Biology (ed. J. M. Walker)*, pages 19–32. Humana Press, Totowa, New Jersey, USA, 2000.

[150] M. Ogun, M. Grainger, W. R. Taylor, and A. A. Holder. The merozoite surface protein-6 gene codes for a 36 kDa-protein associated with the *plasmodium falciparum* merozoite surface protein-1 complex. *Mol. Biochem. Parasitology*, 112:91–101, 2001.

[151] W. R. Taylor. Defining linear segments in protein structure. *J. Molec. Biol.*, 310:1135–1150, 2001.

[152] W. R. Taylor, A. C. W. May, N. P. Brown, and A. Aszódi. Protein structure: Geometry, topology and classification. *Rep. Prog. Phys.*, 64:517–590, 2001.

[153] I. Jonassen, I. Eidhammer, D. Conklin, and W. R. Taylor. Structure motif discovery and mining the PDB. *Bioinformatics*, 18:362–367, 2002.

[154] D. Conklin, I. Jonassen, R. Aasland, and W. R. Taylor. Association of nucleotide patterns with gene function classes: application to human 3' untranslated sequences. *Bioinformatics*, 18:182–189, 2002.

[155] W. R. Taylor. A periodic table for protein structure. *Nature*, 416:657–660, 2002.

[156] K. Lin, A. C. May, and W. R. Taylor. Amino acid substitution matrices from an artificial neural network model. *J. Comput Biol.*, 8:471–481, 2002.

[157] W. R. Taylor, J. Heringa, F. Baud, and T. P. Flores. A Fourier analysis of symmetry in protein structure. *Protein Eng.*, 15:79–89, 2002.

[158] J. W. Saldanha, P. E. Czabotar, A. J. Hay, and W. R. Taylor. A model for the cytoplasmic domain of the influenza A virus M2 channel by analogy to the HIV-1 Vpu protein. *Protein Peptide Letts.*, 9:495–502, 2002.

[159] W. R. Taylor. Protein structure comparison using bipartite graph matching. *Mol. Cell. Proteomics*, 1:334–339, 2002.

[160] K. Lin, A. C. May, and W. R. Taylor. Threading using neural networks (TUNE): the measure of protein sequence-structure compatibility. *Bioinformatics*, 18:1350–1357, 2002.

[161] W. R. Taylor. Comparing secondary structure 'stick' models of proteins using graph matching with double dynamic programming. In H. Seidel H.-W. Mewes, B. Weiss, editor, *Bioinformatics and Genome Analysis*, chapter 7, pages 133–148. Springer-Verlag, Berlin/Heidelberg, 2002. Ernst Schering Research Foundation Workshop Volume 38.

[162] K. Lin, A. C. May, and W. R. Taylor. Amino acid encoding schemes from protein structural alignments: multidimensional vectors to describe residue types. *J. Theor. Biol.*, 221:361–365, 2002.

[163] K. Petersen and W. R. Taylor. Modelling zinc-binding proteins with GADGET: Genetic algorithm and distance geometry for exploring topology. *J. Molec. Biol.*, 325:1039–1059, 2003.

[164] E. Mombelli, R. Morris, W. R. Taylor, and F. Fraternali. Hydrogen-bonding propensities of sphingomyelin in solution and in a bilayer assembly: a molecular dynamics study. *Biophys. J.*, 84:1507–1517, 2003.

[165] W. R. Taylor, B. Xiao, S. J. Gamblin, and K. Lin. A knot or not a knot? SETting the record 'straight' on proteins. *Comp. Biol. Chem.*, 27:11–15, 2003.

[166] K. Lin, W. R. Taylor, J. Klienjung, and J. Heringa. CAO matrices from an artificial neural network model. *J. Compu. Biol. Chem.*, 27:93–102, 2003.

[167] W. R. Taylor and K. Lin. A tangled problem. *Nature*, 421:25, 2003. (concept).

[168] W. R. Taylor, R. E. J. Munro, K. Petersen, and R. P. Bywater. *Ab initio* modelling of the N-terminal domain of the secretin receptors. *Comp. Biol. Chem.*, 27:103–114, 2003.

[169] L. O. Johannissen and W. R. Taylor. Protein fold comparison by the alignment of topological strings. *Prot. Engng.*, 16:949–955, 2004.

[170] I. Eidhammer, I. Jonassen, and W. R. Taylor. *Protein Bioinformatics: an algorithmic approach to sequence and structure analysis*. J. Wiley, London, 2004. ISBN: 0-470-84839-1.

[171] K. B. Murray, W. R. Taylor, and J. M. Thornton. Towards the detection and validation of repeats in protein structure. *Proteins: struct. funct. bioinfo.*, 57:365–380, 2004.

[172] A. Stevens, , M. Bock, S. Ellis, P. Le Tissier, K. N. Bishop, W. R. Taylor, and J. P. Stoye. Retroviral capsid determinants of the Fv1 NB- and NR-tropism. *J. Virology*, 78:9592–9598, 2004.

[173] W. R. Taylor and I. Jonassen. A structural pattern-based method for protein fold recognition. *Proteins: struc. funct. bioinf.*, 56:222–234, 2004.

[174] W. R. Taylor. A molecular model for transcription in the RNA world based on the ribosome large subunit. *Comp. Biol. Chem.*, 28:313–319, 2004.

[175] W. R. Taylor and J. P. Stoye. Consensus molecular models for the amino terminal domain of the retrovirus restriction gene *fv1* and the murine leukaemia virus capsid proteins. *JMC Struc. Biology*, 4:1–15, 2004.

[176] K. Lin, V. A. Simossis, W. R. Taylor, and J. Heringa. A simple and fast secondary structure prediction method using hidden neural networks. *Bioinformatics*, 21:152–159, 2005.

[177] W. R. Taylor and A. Aszódi. *Protein Geometry, Classification, Topology and Symmetry*. Institute of Physics, 2005. Currently published by CRC Press.

[178] D. Baker and W. R. Taylor. *Ab initio* structure prediction. In S. Subramanian, editor, *Encyclopedia of genetics, genomics, proteonomics and bioinformatics*, volume 7–bioinformatics, pages 3245–3251. John Wiley and Sons Ltd., Chichester, U.K., 2005.

[179] W. R. Taylor. Stirring the primordial soup. *Nature*, 434:705, 2005.

[180] W. R. Taylor. Modelling molecular stability in the RNA world. *Computational Biology and Chemistry*, 29:259–272, 2005.

[181] W. R. Taylor. Protein folds, knots and tangles. In J. Calvo, K. Millett, E. Rawdon, and A. Stasiak, editors, *Physical and Numerical Models in Knot Theory*, Series on Knots and Everything — Vol. 36, chapter 10, pages 171–202. World Scientific, Singapore, 2005. ISBN: 981-256-187-0.

[182] W. R. Taylor. Protein structure analysis and prediction. In S. Subramanian, editor, *Encyclopedia of genetics, genomics, proteonomics and bioinformatics*, volume 7–bioinformatics, pages 3245–3251. John Wiley and Sons Ltd., Chichester, U.K., 2005. Introductory review to section 6 (ed.: W.R.Taylor).

[183] E. A. Snell, N. M. Brooke, W. R. Taylor, D. Casane, H. Philippe, and P. W. H. Holland. An unusual choanoflagellate protein released by hedgehog autocatalytic processing. 273:401–407, 2006.

[184] J. Vesterstrom and W. R. Taylor. Flexible secondary structure based protein structure comparison applied to the detection of circular permutation. *J. Compu. Biol.*, 13:43–62, 2006.

[185] I. Jonassen, D. Klose, and W. R. Taylor. Protein model refinement using structural fragment tessellation. *Comp. Chem. Bioinformatics*, 30:360–366, 2006.

[186] W. R. Taylor, K. Lin, D. Klose, F. Fraternali, and I. Jonassen. Dynamic domain threading. *Proteins, Struct. Funct. Bioinfo.*, 64:601–614, 2006.

[187] W. R. Taylor. Decoy models for protein structure score normalisation. *J. Molec. Biol.*, 357:676–699, 2006.

[188] W. R. Taylor. Transcription and translation in an RNA world. *Phil. Trans. R. Soc. B*, 361:1751–1760, 2006.

[189] W. R. Taylor. A molecular model for the origin of protein translation in an RNA world. *J. Theor. Biol.*, 243:393–406, 2006.

[190] W. R. Taylor. Topological accessibility shows a distinct asymmetry in the folds of $\beta\alpha$ proteins. *FEBS Lett.*, 580:5263–5267, 2006.

[191] G. J. Bartlett and W. R. Taylor. Using scores derived from statistical coupling analysis to distinguish correct and incorrect folds in *de-novo* protein structure prediction. *Proteins: struct. funct. bioinfo.*, 71:950–959, 2007.

[192] D. Klose and W. R. Taylor. Protein structure prediction. In D. J. Balding et al., editor, *Handbook of Statistical genetics*, chapter 10, pages 327–344. John Wiley and Sons Ltd., 2007. Second edition.

[193] W. R. Taylor. Protein knots and fold complexity: some new twists. *Comp. Biol. Chem.*, 31:151–162, 2007. doi:10.1016/j.compbiolchem.2007.03.002.

[194] W. R. Taylor. Evolutionary transitions in protein fold space. *Curr. Opin. Str. Biol.*, 17:354–361, 2007.

[195] S. M. Hollup, W. R. Taylor, and I. Jonassen. Structural fragments in protein model refinement. *Prot. Peptide Lett.*, 15:964–71, 2008.

[196] V. Chelliah and W. R. Taylor. Functional site prediction selects correct protein models. *BMC Bioinormatics funct. bioinfo.*, 9(Suppl.1):S13, 2008.

[197] W. R. Taylor, G. J. Bartlett, V. Chelliah, D. Klose, K. Lin, T. Sheldon, and I. Jonassen. Prediction of protein structure from ideal forms. *Proteins: struct., funct., bioinfo.*, 70:1610–1619, 2008.