≡BlazeMeter

LOAD TEST REPORT
Jenkins Build 254

B

Report created by Rasmus Leseberg.
Date of Run: Thu, 05/25/2023 - 16:24
Duration: 20 minutes

DESCRIPTIVE SUMMARY / CONCLUSIONS

Filtered By:

Scenarios: **All**

Locations: **All**

This report is displayed in milliseconds (ms)

Average Throughput	Avg. Response Time	90% Response Time	Error Rate
238.7	**8**	**13**	**0.03**
Hits/s	Milliseconds	Milliseconds	%

TOP 5 SLOWEST RESPONSES (BY AVG. RESPONSE TIME)   (5)

Request	# Samples	Avg Time	90% Time	Max Time
/address	46889	13 ms	17 ms	794 ms
/customers /57a98d98e4b00679b...	23483	13 ms	17 ms	819 ms
/category.html?tags=...	24	10 ms	8 ms	119 ms
/category.html?tags=...	442	10 ms	11 ms	657 ms
/category.html?tags=...	69	10 ms	12 ms	170 ms

TOP 5 ERRORS   (5)

| Error Code	Error Message	% of executions	Count
500	Remote end closed connection without response	0.01%	38
500	[Errno 104] Connection reset by peer	0.01%	34

TEST SETUP DETAILS   ✏...

🔗	Link to the report	https://a.blazemeter.com/app/executive-summary/index.html?master_id=68048890& selectedTimeMeasure=milliseconds#/
👤	Executed By	Rasmus Leseberg (rasmus.leseberg@student.pxl.be)
📍	Locations Used	External
📦	Test Types	External
🚩	Test Started	Thu, 05/25/2023 - 16:24
🚩	Test Finished	Thu, 05/25/2023 - 16:44
🕐	Elapsed	20 minutes

TIMELINE GRAPHS
Concurrent Users and Hits/s

TIMELINE GRAPHS
Concurrent Users and Response Time

AGGREGATE REPORT

AGGREGATE REPORT

Label	# Samples	Average	90% Line	99% Line	Error %	Hits/s
ALL	286459	8 ms	13 ms	71 ms	0.025%	238.72
/address	46889	13 ms	17 ms	88 ms	0.036%	39.07
/category.html	5765	7 ms	10 ms	71 ms	0.017%	4.80
/category.htm... size=2	17533	7 ms	10 ms	66 ms	0.04%	14.61
/category.htm... size=4	17673	7 ms	10 ms	68 ms	0.017%	14.73
/category.htm... size=6	17633	7 ms	10 ms	68 ms	0.028%	14.69
/category.htm...	227	7 ms	10 ms	48 ms	0%	0.19
/category.htm...	410	6 ms	10 ms	59 ms	0%	0.34
/category.htm...	552	7 ms	10 ms	72 ms	0%	0.46
/category.htm...	158	7 ms	10 ms	65 ms	0%	0.13
/category.htm...	406	6 ms	9 ms	52 ms	0%	0.34
/category.htm...	219	8 ms	10 ms	82 ms	0%	0.18
/category.htm...	531	7 ms	10 ms	59 ms	0.188%	0.44
/category.htm...	310	7 ms	10 ms	70 ms	0%	0.26
/category.htm...	342	7 ms	9 ms	60 ms	0%	0.28
/category.htm...	621	8 ms	11 ms	90 ms	0%	0.52
/category.htm...	452	7 ms	10 ms	69 ms	0%	0.38
/category.htm...	360	6 ms	9 ms	40 ms	0%	0.30
/category.htm...	492	9 ms	8 ms	107 ms	0%	0.41
/category.htm...	291	7 ms	10 ms	75 ms	0%	0.24
/category.htm...	365	7 ms	10 ms	85 ms	0%	0.30
/category.htm...	406	7 ms	10 ms	56 ms	0%	0.34
/category.htm...	334	8 ms	9 ms	61 ms	0%	0.28
/category.htm...	583	7 ms	10 ms	72 ms	0%	0.49
/category.htm...	321	7 ms	10 ms	79 ms	0.312%	0.27
/category.htm...	358	7 ms	10 ms	56 ms	0%	0.30
/category.htm...	285	7 ms	10 ms	73 ms	0%	0.24
/category.htm...	290	7 ms	11 ms	66 ms	0%	0.24
/category.htm...	318	7 ms	10 ms	68 ms	0%	0.27
/category.htm...	440	6 ms	9 ms	53 ms	0%	0.37
/category.htm...	594	7 ms	9 ms	74 ms	0%	0.49
/category.htm...	649	6 ms	9 ms	51 ms	0%	0.54
/category.htm...	317	8 ms	12 ms	77 ms	0%	0.27
/category.htm...	308	7 ms	11 ms	59 ms	0%	0.26
/category.htm...	170	6 ms	9 ms	63 ms	0%	0.14
/category.htm...	510	7 ms	10 ms	66 ms	0%	0.42
/category.htm...	735	7 ms	10 ms	66 ms	0%	0.61
/category.htm...	272	7 ms	11 ms	68 ms	0%	0.23
/category.htm...	547	7 ms	10 ms	90 ms	0%	0.46
/category.htm...	250	7 ms	10 ms	56 ms	0%	0.21
/category.htm...	183	9 ms	9 ms	93 ms	0%	0.15
/category.htm...	27	5 ms	8 ms	22 ms	0%	0.02
/category.htm...	373	6 ms	9 ms	44 ms	0%	0.31
/category.htm...	355	6 ms	10 ms	76 ms	0%	0.30
/category.htm...	85	6 ms	10 ms	63 ms	0%	0.07
/category.htm...	605	8 ms	10 ms	99 ms	0%	0.51

/category.htm…	229	6 ms	9 ms	61 ms	0%	0.19
/category.htm…	100	8 ms	7 ms	87 ms	0%	0.08
/category.htm…	247	7 ms	9 ms	78 ms	0%	0.21
/category.htm…	76	7 ms	10 ms	79 ms	0%	0.06
/category.htm…	520	6 ms	9 ms	60 ms	0%	0.43
/category.htm…	203	6 ms	10 ms	38 ms	0%	0.17
/category.htm…	348	9 ms	10 ms	196 ms	0%	0.29
/category.htm…	195	5 ms	8 ms	18 ms	0%	0.16
/category.htm…	24	10 ms	8 ms	119 ms	0%	0.02
/category.htm…	156	6 ms	10 ms	57 ms	0%	0.13
/category.htm…	412	7 ms	11 ms	73 ms	0%	0.34
/category.htm…	272	6 ms	10 ms	64 ms	0%	0.23
/category.htm…	240	8 ms	8 ms	74 ms	0%	0.20
/category.htm…	280	6 ms	10 ms	53 ms	0%	0.24
/category.htm…	274	6 ms	11 ms	49 ms	0%	0.23
/category.htm…	159	6 ms	9 ms	69 ms	0%	0.13
/category.htm…	146	9 ms	12 ms	87 ms	0%	0.12
/category.htm…	97	8 ms	9 ms	262 ms	0%	0.08
/category.htm…	144	5 ms	10 ms	18 ms	0%	0.12
/category.htm…	442	10 ms	11 ms	135 ms	0%	0.37
/category.htm…	424	6 ms	9 ms	53 ms	0%	0.35
/category.htm…	239	7 ms	12 ms	87 ms	0%	0.20
/category.htm…	409	6 ms	10 ms	53 ms	0%	0.34
/category.htm…	142	7 ms	9 ms	64 ms	0%	0.12
/category.htm…	69	10 ms	12 ms	170 ms	0%	0.06
/category.htm…	363	6 ms	10 ms	52 ms	0%	0.30
/category.htm…	459	6 ms	10 ms	55 ms	0%	0.38
/category.htm…	64	5 ms	8 ms	34 ms	0%	0.05
/category.htm…	218	6 ms	9 ms	53 ms	0%	0.18
/category.htm…	209	7 ms	10 ms	66 ms	0%	0.17
/category.htm…	268	10 ms	11 ms	221 ms	0%	0.22
/category.htm…	245	7 ms	9 ms	97 ms	0%	0.20
/category.htm…	46	8 ms	10 ms	83 ms	0%	0.04
/category.htm…	78	6 ms	9 ms	33 ms	0%	0.07
/category.htm…	252	8 ms	10 ms	85 ms	0%	0.21
/category.htm…	275	8 ms	12 ms	87 ms	0%	0.23
/category.htm…	307	6 ms	10 ms	43 ms	0%	0.26
/category.htm…	359	6 ms	10 ms	51 ms	0.557%	0.30
/category.htm…	528	7 ms	11 ms	57 ms	0%	0.44
/category.htm…	132	6 ms	11 ms	49 ms	0%	0.11
/category.htm…	547	6 ms	10 ms	50 ms	0%	0.46
/category.htm…	380	7 ms	9 ms	87 ms	0%	0.32
/category.htm…	206	9 ms	11 ms	113 ms	0%	0.17
/category.htm…	156	6 ms	9 ms	44 ms	0%	0.13
/category.htm…	125	5 ms	10 ms	16 ms	0%	0.10
/category.htm…	155	8 ms	11 ms	79 ms	0%	0.13
/category.htm…	238	8 ms	8 ms	93 ms	0%	0.20
/category.htm…	599	6 ms	9 ms	72 ms	0%	0.50

/category.htm...	263	5 ms	8 ms	20 ms	0%	0.22
/category.htm...	392	7 ms	10 ms	86 ms	0%	0.33
/category.htm...	627	7 ms	10 ms	66 ms	0%	0.52
/category.htm...	600	7 ms	10 ms	79 ms	0%	0.50
/category.htm...	173	6 ms	9 ms	52 ms	0%	0.14
/category.htm...	487	7 ms	10 ms	59 ms	0%	0.41
/category.htm...	121	6 ms	10 ms	63 ms	0%	0.10
/category.htm...	236	9 ms	10 ms	56 ms	0%	0.20
/category.htm...	278	6 ms	10 ms	61 ms	0.36%	0.23
/category.htm...	274	6 ms	9 ms	47 ms	0%	0.23
/category.htm...	107	9 ms	11 ms	45 ms	0%	0.09
/category.htm...	218	8 ms	10 ms	111 ms	0%	0.18
/category.htm...	471	6 ms	9 ms	49 ms	0%	0.39
/category.htm...	481	6 ms	10 ms	60 ms	0%	0.40
/category.htm...	309	9 ms	11 ms	82 ms	0%	0.26
/category.htm...	446	7 ms	11 ms	84 ms	0%	0.37
/category.htm...	814	7 ms	10 ms	61 ms	0%	0.68
/category.htm...	242	7 ms	10 ms	59 ms	0%	0.20
/category.htm...	131	6 ms	8 ms	40 ms	0%	0.11
/category.htm...	157	5 ms	9 ms	26 ms	0%	0.13
/category.htm...	373	7 ms	10 ms	73 ms	0%	0.31
/category.htm...	395	8 ms	10 ms	93 ms	0%	0.33
/category.htm...	594	6 ms	10 ms	47 ms	0%	0.49
/category.htm...	409	7 ms	9 ms	42 ms	0%	0.34
/category.htm...	335	8 ms	12 ms	68 ms	0%	0.28
/category.htm...	450	7 ms	9 ms	63 ms	0%	0.38
/category.htm...	297	7 ms	11 ms	67 ms	0%	0.25
/category.htm...	858	7 ms	10 ms	72 ms	0%	0.71
/category.htm...	369	7 ms	10 ms	64 ms	0.271%	0.31
/category.htm...	285	7 ms	11 ms	55 ms	0%	0.24
/category.htm...	362	6 ms	8 ms	57 ms	0%	0.30
/category.htm...	264	7 ms	10 ms	64 ms	0%	0.22
/category.htm...	457	6 ms	10 ms	55 ms	0%	0.38
/category.htm...	433	9 ms	12 ms	118 ms	0%	0.36
/category.htm...	489	7 ms	11 ms	68 ms	0%	0.41
/category.htm...	298	5 ms	9 ms	47 ms	0%	0.25
/category.htm...	352	8 ms	9 ms	69 ms	0%	0.29
/category.htm...	284	7 ms	10 ms	93 ms	0%	0.24
/category.htm...	703	7 ms	11 ms	68 ms	0.142%	0.59
/category.htm...	539	6 ms	9 ms	47 ms	0%	0.45
/category.htm...	701	7 ms	10 ms	57 ms	0%	0.58
/category.htm...	287	6 ms	8 ms	49 ms	0%	0.24
/category.htm...	575	7 ms	9 ms	59 ms	0%	0.48
/category.htm...	411	7 ms	10 ms	48 ms	0%	0.35
/category.htm...	413	8 ms	10 ms	59 ms	0%	0.35
/category.htm...	470	6 ms	10 ms	51 ms	0%	0.39
/category.htm...	428	7 ms	8 ms	94 ms	0%	0.36
/category.htm...	183	6 ms	9 ms	71 ms	0%	0.15
/category.htm...	48	7 ms	15 ms	55 ms	0%	0.04

/category.htm...	90	6 ms	8 ms	59 ms	0%	0.08
/category.htm...	304	7 ms	10 ms	59 ms	0%	0.25
/category.htm...	377	8 ms	10 ms	73 ms	0%	0.31
/category.htm...	151	8 ms	9 ms	55 ms	0%	0.13
/category.htm...	454	6 ms	10 ms	44 ms	0%	0.38
/category.htm...	141	7 ms	10 ms	79 ms	0%	0.12
/category.htm...	681	7 ms	10 ms	93 ms	0%	0.57
/category.htm...	288	8 ms	10 ms	114 ms	0%	0.24
/category.htm...	416	6 ms	10 ms	41 ms	0%	0.35
/category.htm...	328	7 ms	11 ms	55 ms	0%	0.27
/category.htm...	168	9 ms	12 ms	78 ms	0.595%	0.14
/category.htm...	460	6 ms	10 ms	43 ms	0%	0.38
/category.htm...	641	7 ms	10 ms	60 ms	0%	0.53
/category.htm...	566	6 ms	10 ms	48 ms	0%	0.47
/category.htm...	351	8 ms	11 ms	78 ms	0%	0.29
/category.htm...	303	6 ms	9 ms	44 ms	0%	0.25
/category.htm...	552	7 ms	10 ms	64 ms	0%	0.46
/category.htm...	304	8 ms	11 ms	85 ms	0%	0.25
/category.htm...	630	7 ms	10 ms	64 ms	0%	0.53
/category.htm...	286	7 ms	9 ms	80 ms	0%	0.24
/category.htm...	384	7 ms	10 ms	80 ms	0%	0.32
/category.htm...	771	8 ms	9 ms	81 ms	0%	0.64
/category.htm...	406	8 ms	10 ms	115 ms	0%	0.34
/category.htm...	163	6 ms	9 ms	19 ms	0%	0.14
/category.htm...	210	6 ms	11 ms	28 ms	0%	0.17
/customers /57a98d98e4b...	23483	13 ms	17 ms	84 ms	0.026%	19.57
/detail.html?i... 1896-4ce8- bd69- b798f85c6e0b	4925	7 ms	10 ms	65 ms	0%	4.10
/detail.html?i... 2d88-40de- b95f- e00e1502085b	4815	7 ms	10 ms	71 ms	0.042%	4.01
/detail.html?i... 8e83-4193- b483- e27e09ddc34d	4912	7 ms	10 ms	61 ms	0.02%	4.09
/detail.html?i... 4c25- a9b9-6612e8f2...	4875	7 ms	10 ms	70 ms	0%	4.06
/detail.html?i... 8b7e-4f6d- 811f-69353491...	4931	7 ms	10 ms	64 ms	0.061%	4.11
/detail.html?i... 4c1f-9abc- bace40296bac	4888	7 ms	10 ms	64 ms	0.02%	4.07
/detail.html?i... b040-410d- 8ead-4de0446...	4763	7 ms	10 ms	64 ms	0%	3.97
/detail.html?i... ad8e-49df- bbd7-3167f7ef...	4782	6 ms	9 ms	60 ms	0.021%	3.98
/detail.html?i... b040-410d- 8ead-4de0446...	4912	7 ms	10 ms	58 ms	0.041%	4.09
/index.html	58259	7 ms	10 ms	69 ms	0.026%	48.55

ERROR REPORT

Error	Count	URLs
500 Remote end closed connection without res	38	
500 [Errno 104] Connection reset by peer	34	

GLOSSARY

Throughput
Number of requests completed in a time interval.

Response Time
The time that passed to perform the request and receive full response.

Latency
The time from sending the request, processing it on the server side, to the time the client received the first byte.

ABOUT BLAZEMETER

BlazeMeter offers a cross-enterprise test automation framework for the entire technical team throughout the product development lifecycle. Developers, DevOps, Ops and QA Engineers can run Continuous or "On Demand" testing for APIs, mobile apps and websites.

For more information, visit: *http://www.blazemeter.com*