≡BlazeMeter

LOAD TEST REPORT
Jenkins Build 255

Report created by Rasmus Leseberg.
Date of Run: Thu, 05/25/2023 - 16:51
Duration: 20 minutes

DESCRIPTIVE SUMMARY / CONCLUSIONS

Filtered By:

Scenarios: **All**

Locations: **All**

This report is displayed in milliseconds (ms)

Average Throughput	Avg. Response Time	90% Response Time	Error Rate
273.3	**10**	**14**	**0.03**
Hits/s	Milliseconds	Milliseconds	%

TOP 5 SLOWEST RESPONSES (BY AVG. RESPONSE TIME)   (5)

Request	# Samples	Avg Time	90% Time	Max Time
/category.html?tags=…	56	18 ms	57 ms	210 ms
/address	68885	14 ms	18 ms	461 ms
/customers /57a98d98e4b00679b…	36637	14 ms	18 ms	451 ms
/category.html?tags=…	89	12 ms	22 ms	229 ms
/category.html?tags=…	134	12 ms	10 ms	351 ms

TOP 5 ERRORS   (5)

Error Code	Error Message	% of executions	Count
500	Remote end closed connection without response	0.01%	49
500	[Errno 104] Connection reset by peer	0.01%	30
500	Internal Server Error for url: /address	0.00%	2
500	[Errno 111] Connection refused	0.00%	1
500	Internal Server Error for url: /customers /57a98d98e4b00679b4a830b2	0.00%	1

TEST SETUP DETAILS ✏️...

|		
🔗	Link to the report	https://a.blazemeter.com/app/executive-summary/index.html?master_id=68049188&selectedTimeMeasure=milliseconds#/
👤	Executed By	Rasmus Leseberg (rasmus.leseberg@student.pxl.be)
📍	Locations Used	External
📦	Test Types	External
🚩	Test Started	Thu, 05/25/2023 - 16:51
🚩	Test Finished	Thu, 05/25/2023 - 17:12
🕐	Elapsed	20 minutes

TIMELINE GRAPHS
Concurrent Users and Hits/s

TIMELINE GRAPHS
Concurrent Users and Response Time

AGGREGATE REPORT

Label	# Samples	Average	90% Line	99% Line	Error %	Hits/s
ALL	327690	10 ms	14 ms	112 ms	0.025%	273.30
/address	68885	14 ms	18 ms	128 ms	0.028%	57.45
/category.html	24109	8 ms	11 ms	107 ms	0.037%	20.11
/category.htm... size=2	4069	9 ms	11 ms	111 ms	0.025%	3.39
/category.htm... size=4	4009	8 ms	11 ms	97 ms	0.025%	3.34
/category.htm... size=6	4105	8 ms	11 ms	94 ms	0.024%	3.42
/category.htm...	158	8 ms	11 ms	106 ms	0%	0.13
/category.htm...	202	5 ms	9 ms	26 ms	0%	0.17
/category.htm...	510	9 ms	10 ms	107 ms	0%	0.43
/category.htm...	278	8 ms	12 ms	58 ms	0%	0.23
/category.htm...	133	11 ms	17 ms	79 ms	0%	0.11
/category.htm...	291	10 ms	12 ms	137 ms	0%	0.24
/category.htm...	126	7 ms	9 ms	66 ms	0.794%	0.11
/category.htm...	323	9 ms	13 ms	119 ms	0%	0.27
/category.htm...	175	8 ms	13 ms	99 ms	0%	0.15
/category.htm...	441	11 ms	11 ms	148 ms	0%	0.37
/category.htm...	233	7 ms	10 ms	77 ms	0%	0.19
/category.htm...	218	8 ms	12 ms	91 ms	0%	0.18
/category.htm...	296	10 ms	12 ms	118 ms	0%	0.25
/category.htm...	20	7 ms	11 ms	24 ms	0%	0.02
/category.htm...	278	8 ms	11 ms	83 ms	0%	0.23
/category.htm...	221	9 ms	11 ms	109 ms	0%	0.18
/category.htm...	523	8 ms	10 ms	113 ms	0%	0.44
/category.htm...	118	9 ms	11 ms	76 ms	0%	0.10
/category.htm...	500	9 ms	12 ms	105 ms	0%	0.42
/category.htm...	89	12 ms	22 ms	229 ms	0%	0.07
/category.htm...	309	8 ms	11 ms	91 ms	0%	0.26
/category.htm...	374	8 ms	11 ms	102 ms	0%	0.31
/category.htm...	362	9 ms	10 ms	102 ms	0%	0.30
/category.htm...	420	9 ms	12 ms	103 ms	0.238%	0.35
/category.htm...	181	7 ms	8 ms	87 ms	0%	0.15
/category.htm...	122	7 ms	10 ms	48 ms	0%	0.10
/category.htm...	117	6 ms	8 ms	42 ms	0%	0.10
/category.htm...	361	9 ms	13 ms	89 ms	0%	0.30
/category.htm...	210	9 ms	11 ms	92 ms	0%	0.18
/category.htm...	340	9 ms	11 ms	104 ms	0%	0.28
/category.htm...	320	9 ms	11 ms	121 ms	0%	0.27
/category.htm...	625	10 ms	13 ms	134 ms	0%	0.52
/category.htm...	152	7 ms	13 ms	82 ms	0.658%	0.13
/category.htm...	214	7 ms	11 ms	81 ms	0%	0.18
/category.htm...	41	8 ms	8 ms	91 ms	0%	0.04
/category.htm...	127	9 ms	10 ms	95 ms	0%	0.11
/category.htm...	67	9 ms	11 ms	150 ms	0%	0.06
/category.htm...	233	7 ms	12 ms	84 ms	0.429%	0.19
/category.htm...	313	8 ms	10 ms	88 ms	0%	0.26
/category.htm...	187	8 ms	11 ms	83 ms	0.535%	0.16

/category.htm...	123	9 ms	10 ms	108 ms	0%	0.10
/category.htm...	428	10 ms	11 ms	157 ms	0%	0.36
/category.htm...	413	8 ms	10 ms	85 ms	0.242%	0.34
/category.htm...	579	8 ms	10 ms	104 ms	0%	0.48
/category.htm...	287	8 ms	13 ms	89 ms	0%	0.24
/category.htm...	531	8 ms	10 ms	130 ms	0%	0.44
/category.htm...	542	10 ms	13 ms	118 ms	0%	0.45
/category.htm...	18	5 ms	8 ms	13 ms	0%	0.02
/category.htm...	467	7 ms	10 ms	92 ms	0%	0.39
/category.htm...	134	12 ms	10 ms	338 ms	0%	0.11
/category.htm...	194	10 ms	11 ms	361 ms	0%	0.16
/category.htm...	41	11 ms	18 ms	89 ms	0%	0.03
/category.htm...	56	18 ms	57 ms	210 ms	0%	0.05
/category.htm...	200	8 ms	11 ms	83 ms	0%	0.17
/category.htm...	94	6 ms	10 ms	70 ms	0%	0.08
/category.htm...	58	9 ms	10 ms	128 ms	0%	0.05
/category.htm...	255	7 ms	9 ms	103 ms	0%	0.21
/category.htm...	246	8 ms	13 ms	93 ms	0%	0.21
/category.htm...	183	10 ms	15 ms	165 ms	0%	0.15
/category.htm...	124	8 ms	11 ms	60 ms	0%	0.10
/category.htm...	352	8 ms	10 ms	90 ms	0%	0.29
/category.htm...	277	10 ms	14 ms	150 ms	0%	0.23
/category.htm...	265	7 ms	10 ms	129 ms	0%	0.22
/category.htm...	262	9 ms	10 ms	122 ms	0%	0.22
/category.htm...	198	10 ms	13 ms	123 ms	0%	0.17
/category.htm...	176	9 ms	12 ms	157 ms	0%	0.15
/category.htm...	150	7 ms	10 ms	64 ms	0%	0.13
/category.htm...	176	8 ms	9 ms	114 ms	0%	0.15
/category.htm...	209	8 ms	13 ms	107 ms	0%	0.17
/category.htm...	687	9 ms	10 ms	108 ms	0.146%	0.57
/category.htm...	130	6 ms	9 ms	76 ms	0%	0.11
/category.htm...	390	7 ms	12 ms	64 ms	0%	0.33
/category.htm...	266	8 ms	9 ms	107 ms	0%	0.22
/category.htm...	402	8 ms	11 ms	95 ms	0%	0.34
/category.htm...	251	7 ms	11 ms	83 ms	0%	0.21
/category.htm...	359	8 ms	11 ms	114 ms	0%	0.30
/category.htm...	461	8 ms	10 ms	106 ms	0%	0.38
/category.htm...	452	9 ms	14 ms	97 ms	0%	0.38
/category.htm...	366	9 ms	11 ms	101 ms	0%	0.31
/category.htm...	328	8 ms	11 ms	85 ms	0%	0.27
/category.htm...	451	8 ms	11 ms	102 ms	0%	0.38
/category.htm...	212	8 ms	10 ms	99 ms	0%	0.18
/category.htm...	304	9 ms	13 ms	100 ms	0%	0.25
/category.htm...	261	8 ms	11 ms	85 ms	0%	0.22
/category.htm...	148	5 ms	9 ms	20 ms	0%	0.12
/category.htm...	247	7 ms	9 ms	107 ms	0%	0.21
/category.htm...	404	7 ms	11 ms	73 ms	0%	0.34
/category.htm...	132	8 ms	10 ms	89 ms	0%	0.11

/category.htm...	151	8 ms	10 ms	104 ms	0%	0.13
/category.htm...	334	10 ms	12 ms	179 ms	0.299%	0.28
/category.htm...	498	9 ms	11 ms	106 ms	0%	0.42
/category.htm...	463	8 ms	11 ms	101 ms	0%	0.39
/category.htm...	397	9 ms	15 ms	89 ms	0%	0.33
/category.htm...	289	8 ms	10 ms	92 ms	0%	0.24
/category.htm...	452	9 ms	10 ms	95 ms	0%	0.38
/category.htm...	274	9 ms	11 ms	130 ms	0%	0.23
/category.htm...	407	9 ms	10 ms	115 ms	0%	0.34
/category.htm...	649	8 ms	11 ms	99 ms	0%	0.54
/category.htm...	412	8 ms	10 ms	97 ms	0%	0.34
/category.htm...	212	10 ms	11 ms	164 ms	0%	0.18
/category.htm...	225	8 ms	11 ms	77 ms	0%	0.19
/category.htm...	621	8 ms	11 ms	87 ms	0%	0.52
/category.htm...	232	9 ms	11 ms	82 ms	0%	0.19
/category.htm...	220	7 ms	10 ms	85 ms	0%	0.18
/category.htm...	112	11 ms	14 ms	119 ms	0%	0.09
/category.htm...	241	8 ms	13 ms	86 ms	0%	0.20
/category.htm...	247	9 ms	12 ms	112 ms	0.405%	0.21
/category.htm...	329	9 ms	11 ms	93 ms	0%	0.27
/category.htm...	287	9 ms	10 ms	175 ms	0%	0.24
/category.htm...	251	8 ms	10 ms	90 ms	0%	0.21
/category.htm...	164	9 ms	12 ms	115 ms	0%	0.14
/category.htm...	489	9 ms	10 ms	198 ms	0%	0.41
/category.htm...	488	9 ms	13 ms	115 ms	0%	0.41
/category.htm...	127	6 ms	10 ms	50 ms	0%	0.11
/category.htm...	422	11 ms	14 ms	117 ms	0%	0.35
/category.htm...	112	8 ms	13 ms	76 ms	0%	0.09
/category.htm...	234	8 ms	11 ms	96 ms	0%	0.20
/category.htm...	171	6 ms	10 ms	43 ms	0%	0.14
/category.htm...	109	11 ms	14 ms	146 ms	0%	0.09
/category.htm...	138	7 ms	11 ms	59 ms	0%	0.12
/category.htm...	337	7 ms	11 ms	72 ms	0%	0.28
/category.htm...	521	7 ms	11 ms	75 ms	0%	0.43
/category.htm...	528	8 ms	11 ms	89 ms	0%	0.44
/category.htm...	417	7 ms	11 ms	75 ms	0%	0.35
/category.htm...	332	8 ms	11 ms	120 ms	0%	0.28
/category.htm...	384	8 ms	11 ms	120 ms	0%	0.32
/category.htm...	257	10 ms	13 ms	155 ms	0%	0.21
/category.htm...	115	9 ms	12 ms	83 ms	0%	0.10
/category.htm...	412	9 ms	11 ms	120 ms	0%	0.34
/category.htm...	353	9 ms	10 ms	141 ms	0%	0.29
/category.htm...	142	8 ms	12 ms	88 ms	0%	0.12
/category.htm...	215	11 ms	14 ms	140 ms	0%	0.18
/category.htm...	126	9 ms	12 ms	107 ms	0%	0.11
/category.htm...	186	7 ms	10 ms	103 ms	0%	0.16
/category.htm...	235	8 ms	10 ms	95 ms	0%	0.20
/category.htm...	414	8 ms	11 ms	101 ms	0%	0.35
/category.htm...	179	8 ms	10 ms	94 ms	0%	0.15

/category.htm...	236	9 ms	12 ms	122 ms	0%	0.20
/category.htm...	237	9 ms	11 ms	145 ms	0%	0.20
/category.htm...	363	9 ms	13 ms	103 ms	0%	0.30
/category.htm...	578	8 ms	11 ms	82 ms	0%	0.48
/category.htm...	392	7 ms	10 ms	65 ms	0%	0.33
/category.htm...	110	12 ms	19 ms	105 ms	0%	0.09
/category.htm...	175	10 ms	13 ms	124 ms	0%	0.15
/category.htm...	127	8 ms	14 ms	78 ms	0%	0.11
/category.htm...	115	11 ms	15 ms	169 ms	0%	0.10
/category.htm...	128	10 ms	11 ms	100 ms	0%	0.11
/category.htm...	401	8 ms	11 ms	82 ms	0%	0.33
/category.htm...	190	9 ms	11 ms	118 ms	0%	0.16
/category.htm...	137	11 ms	14 ms	136 ms	0%	0.11
/category.htm...	117	7 ms	8 ms	76 ms	0%	0.10
/category.htm...	261	9 ms	13 ms	87 ms	0%	0.22
/category.htm...	425	9 ms	13 ms	96 ms	0%	0.35
/category.htm...	110	7 ms	8 ms	71 ms	0%	0.09
/category.htm...	140	6 ms	9 ms	31 ms	0%	0.12
/category.htm...	338	9 ms	11 ms	116 ms	0.296%	0.28
/category.htm...	251	10 ms	10 ms	146 ms	0%	0.21
/category.htm...	290	8 ms	10 ms	86 ms	0.345%	0.24
/category.htm...	149	8 ms	13 ms	81 ms	0%	0.12
/category.htm...	484	7 ms	10 ms	86 ms	0%	0.41
/category.htm...	246	9 ms	12 ms	128 ms	0%	0.21
/customers /57a98d98e4b...	36637	14 ms	18 ms	124 ms	0.022%	30.56
/detail.html?i... 1896-4ce8- bd69- b798f85c6e0b	6717	9 ms	11 ms	99 ms	0.03%	5.60
/detail.html?i... 2d88-40de- b95f- e00e1502085b	6723	9 ms	11 ms	121 ms	0.015%	5.61
/detail.html?i... 8e83-4193- b483- e27e09ddc34d	6857	9 ms	11 ms	103 ms	0.015%	5.72
/detail.html?i... 4c25- a9b9-6612e8f2...	6584	8 ms	11 ms	105 ms	0%	5.49
/detail.html?i... 8b7e-4f6d- 811f-69353491...	6676	8 ms	11 ms	99 ms	0.015%	5.57
/detail.html?i... 4c1f-9abc- bace40296bac	6824	8 ms	11 ms	101 ms	0.029%	5.69
/detail.html?i... b040-410d- 8ead-4de0446...	6651	9 ms	11 ms	99 ms	0%	5.55
/detail.html?i... ad8e-49df- bbd7-3167f7ef...	6792	8 ms	11 ms	100 ms	0.015%	5.66
/detail.html?i... b040-410d- 8ead-4de0446...	6722	8 ms	11 ms	101 ms	0.03%	5.61
/index.html	80923	8 ms	11 ms	106 ms	0.028%	67.49

ERROR REPORT

Error	Count	URLs
500 Remote end closed connection without res	49	
500 [Errno 104] Connection reset by peer	30	
500 Internal Server Error for url: /address	2	
500 Internal Server Error for url: /customers/57	1	
500 [Errno 111] Connection refused	1	

GLOSSARY

Throughput
Number of requests completed in a time interval.

Response Time
The time that passed to perform the request and receive full response.

Latency
The time from sending the request, processing it on the server side, to the time the client received the first byte.

ABOUT BLAZEMETER

BlazeMeter offers a cross-enterprise test automation framework for the entire technical team throughout the product development lifecycle. Developers, DevOps, Ops and QA Engineers can run Continuous or "On Demand" testing for APIs, mobile apps and websites.

For more information, visit: *http://www.blazemeter.com*