

LOAD TEST REPORT

Jenkins Build 256



Report created by Rasmus Leseberg.
Date of Run: Thu, 05/25/2023 - 17:13
Duration: 20 minutes

DESCRIPTIVE SUMMARY / CONCLUSIONS

Filtered By:

Scenarios: All

Locations: All

This report is displayed in milliseconds (ms)



Average Throughput

307.0

Hits/s



Avg. Response Time

10

Milliseconds



90% Response Time

13

Milliseconds



Error Rate

0.02

%

TOP 5 SLOWEST RESPONSES (BY AVG. RESPONSE TIME)

5

Request	# Samples	Avg Time	90% Time	Max Time
/customers /57a98d98e4b00679b...	17697	15 ms	17 ms	400 ms
/address	70088	14 ms	17 ms	397 ms
/category.html?tags=...	128	12 ms	14 ms	231 ms
/category.html?tags=...	282	11 ms	13 ms	145 ms
/category.html?tags=...	123	11 ms	12 ms	219 ms

TOP 5 ERRORS

5

Error Code	Error Message	% of executions	Count
500	Remote end closed connection without response	0.01%	46
500	[Errno 104] Connection reset by peer	0.01%	44


TEST SETUP DETAILS



	Link to the report	https://a.blazemeter.com/app/executive-summary/index.html?master_id=68049510&selectedTimeMeasure=milliseconds#/
	Executed By	Rasmus Leseberg (rasmus.leseberg@student.pxl.be)
	Locations Used	External
	Test Types	External
	Test Started	Thu, 05/25/2023 - 17:13
	Test Finished	Thu, 05/25/2023 - 17:34
	Elapsed	20 minutes


TIMELINE GRAPHS

Concurrent Users and Hits/s



TIMELINE GRAPHS

Concurrent Users and Response Time



AGGREGATE REPORT



Label	# Samples	Average	90% Line	99% Line	Error %	Hits/s
ALL	368400	10 ms	13 ms	108 ms	0.024%	307.00
/address	70088	14 ms	17 ms	124 ms	0.03%	58.41
/category.html	79141	8 ms	10 ms	103 ms	0.025%	65.95
/category.htm... size=2	1447	8 ms	10 ms	86 ms	0.069%	1.21
/category.htm... size=4	1531	8 ms	11 ms	94 ms	0%	1.28
/category.htm... size=6	1488	8 ms	10 ms	96 ms	0.134%	1.24
/category.htm...	155	7 ms	9 ms	81 ms	0%	0.13
/category.htm...	113	8 ms	10 ms	60 ms	0%	0.09
/category.htm...	327	8 ms	11 ms	86 ms	0%	0.27
/category.htm...	218	8 ms	11 ms	114 ms	0%	0.18
/category.htm...	183	8 ms	10 ms	94 ms	0%	0.15
/category.htm...	76	10 ms	14 ms	138 ms	0%	0.06
/category.htm...	126	7 ms	11 ms	65 ms	0%	0.11
/category.htm...	268	8 ms	11 ms	88 ms	0%	0.23
/category.htm...	187	7 ms	10 ms	83 ms	0%	0.16
/category.htm...	164	8 ms	10 ms	94 ms	0%	0.14
/category.htm...	182	9 ms	9 ms	100 ms	0%	0.15
/category.htm...	119	8 ms	9 ms	100 ms	0.84%	0.10
/category.htm...	115	6 ms	9 ms	40 ms	0%	0.10
/category.htm...	280	8 ms	10 ms	94 ms	0%	0.23
/category.htm...	124	8 ms	13 ms	94 ms	0%	0.11
/category.htm...	71	8 ms	9 ms	90 ms	0%	0.06
/category.htm...	372	8 ms	11 ms	101 ms	0%	0.31
/category.htm...	256	6 ms	9 ms	53 ms	0%	0.21
/category.htm...	282	11 ms	13 ms	139 ms	0%	0.23
/category.htm...	42	8 ms	10 ms	111 ms	0%	0.04
/category.htm...	79	7 ms	9 ms	125 ms	0%	0.07
/category.htm...	128	7 ms	10 ms	66 ms	0%	0.11
/category.htm...	567	9 ms	11 ms	116 ms	0.176%	0.47
/category.htm...	281	9 ms	10 ms	141 ms	0%	0.23
/category.htm...	188	8 ms	10 ms	149 ms	0%	0.16
/category.htm...	36	8 ms	17 ms	39 ms	0%	0.03
/category.htm...	188	8 ms	10 ms	120 ms	0%	0.16
/category.htm...	168	8 ms	11 ms	112 ms	0%	0.14
/category.htm...	307	8 ms	11 ms	93 ms	0.326%	0.26
/category.htm...	301	9 ms	11 ms	111 ms	0%	0.25
/category.htm...	253	7 ms	9 ms	84 ms	0%	0.21
/category.htm...	498	8 ms	12 ms	96 ms	0%	0.41
/category.htm...	461	9 ms	11 ms	142 ms	0%	0.38
/category.htm...	243	7 ms	9 ms	75 ms	0%	0.20
/category.htm...	253	10 ms	10 ms	113 ms	0%	0.21
/category.htm...	160	6 ms	9 ms	66 ms	0%	0.13
/category.htm...	616	8 ms	11 ms	88 ms	0%	0.51
/category.htm...	352	8 ms	11 ms	113 ms	0%	0.29
/category.htm...	330	9 ms	10 ms	103 ms	0%	0.28
/category.htm...	351	8 ms	10 ms	101 ms	0%	0.29

/category.htm...	444	10 ms	15 ms	112 ms	0%	0.37
/category.htm...	319	9 ms	11 ms	137 ms	0%	0.27
/category.htm...	324	9 ms	15 ms	101 ms	0%	0.27
/category.htm...	315	8 ms	12 ms	107 ms	0%	0.26
/category.htm...	436	8 ms	11 ms	94 ms	0%	0.36
/category.htm...	298	8 ms	11 ms	101 ms	0%	0.25
/category.htm...	549	9 ms	10 ms	88 ms	0%	0.46
/category.htm...	410	10 ms	11 ms	119 ms	0%	0.34
/category.htm...	338	8 ms	11 ms	124 ms	0%	0.28
/category.htm...	250	7 ms	10 ms	80 ms	0.4%	0.21
/category.htm...	292	8 ms	12 ms	94 ms	0%	0.24
/category.htm...	298	9 ms	12 ms	141 ms	0%	0.25
/category.htm...	272	8 ms	11 ms	79 ms	0%	0.23
/category.htm...	307	7 ms	9 ms	66 ms	0%	0.26
/category.htm...	152	10 ms	13 ms	131 ms	0%	0.13
/category.htm...	119	9 ms	9 ms	103 ms	0%	0.10
/category.htm...	197	8 ms	11 ms	91 ms	0%	0.16
/category.htm...	238	9 ms	10 ms	105 ms	0%	0.20
/category.htm...	244	10 ms	10 ms	136 ms	0%	0.20
/category.htm...	350	7 ms	10 ms	80 ms	0%	0.29
/category.htm...	618	9 ms	11 ms	110 ms	0%	0.52
/category.htm...	604	8 ms	10 ms	101 ms	0%	0.50
/category.htm...	237	9 ms	10 ms	115 ms	0%	0.20
/category.htm...	480	8 ms	10 ms	97 ms	0%	0.40
/category.htm...	140	7 ms	9 ms	73 ms	0%	0.12
/category.htm...	305	8 ms	10 ms	101 ms	0%	0.25
/category.htm...	443	8 ms	11 ms	93 ms	0%	0.37
/category.htm...	373	8 ms	10 ms	97 ms	0%	0.31
/category.htm...	219	9 ms	12 ms	86 ms	0%	0.18
/category.htm...	21	5 ms	8 ms	13 ms	0%	0.02
/category.htm...	339	10 ms	11 ms	113 ms	0.295%	0.28
/category.htm...	123	11 ms	12 ms	128 ms	0%	0.10
/category.htm...	359	8 ms	10 ms	101 ms	0%	0.30
/category.htm...	336	7 ms	9 ms	91 ms	0%	0.28
/category.htm...	336	7 ms	10 ms	71 ms	0%	0.28
/category.htm...	230	10 ms	10 ms	198 ms	0%	0.19
/category.htm...	362	9 ms	12 ms	92 ms	0%	0.30
/category.htm...	125	11 ms	13 ms	141 ms	0%	0.11
/category.htm...	91	8 ms	10 ms	146 ms	0%	0.08
/category.htm...	362	9 ms	11 ms	134 ms	0%	0.30
/category.htm...	246	7 ms	9 ms	70 ms	0%	0.21
/category.htm...	170	6 ms	10 ms	63 ms	0%	0.14
/category.htm...	291	8 ms	11 ms	109 ms	0%	0.24
/category.htm...	285	8 ms	11 ms	84 ms	0%	0.24
/category.htm...	62	6 ms	9 ms	85 ms	0%	0.05
/category.htm...	101	11 ms	10 ms	120 ms	0%	0.08
/category.htm...	410	9 ms	11 ms	104 ms	0%	0.34
/category.htm...	248	7 ms	9 ms	113 ms	0%	0.21
/	---	-	-	---	---	---

/category.htm...	335	9 ms	11 ms	128 ms	0%	0.28
/category.htm...	382	9 ms	11 ms	158 ms	0%	0.32
/category.htm...	253	7 ms	9 ms	88 ms	0%	0.21
/category.htm...	253	8 ms	10 ms	153 ms	0%	0.21
/category.htm...	114	8 ms	9 ms	73 ms	0%	0.10
/category.htm...	270	9 ms	12 ms	121 ms	0%	0.23
/category.htm...	335	8 ms	11 ms	98 ms	0%	0.28
/category.htm...	127	9 ms	11 ms	69 ms	0%	0.11
/category.htm...	121	6 ms	8 ms	49 ms	0%	0.10
/category.htm...	128	12 ms	14 ms	153 ms	0%	0.11
/category.htm...	229	9 ms	11 ms	114 ms	0%	0.19
/category.htm...	183	9 ms	12 ms	112 ms	0%	0.15
/category.htm...	57	6 ms	12 ms	38 ms	0%	0.05
/category.htm...	120	11 ms	12 ms	139 ms	0%	0.10
/category.htm...	317	9 ms	10 ms	123 ms	0%	0.26
/category.htm...	488	8 ms	11 ms	97 ms	0%	0.41
/category.htm...	162	8 ms	12 ms	94 ms	0%	0.14
/category.htm...	278	7 ms	10 ms	78 ms	0%	0.23
/category.htm...	630	7 ms	10 ms	76 ms	0%	0.53
/category.htm...	354	7 ms	9 ms	94 ms	0%	0.29
/category.htm...	292	9 ms	10 ms	99 ms	0%	0.24
/category.htm...	491	8 ms	11 ms	90 ms	0%	0.41
/category.htm...	113	9 ms	11 ms	101 ms	0%	0.09
/category.htm...	252	8 ms	10 ms	77 ms	0%	0.21
/category.htm...	690	8 ms	10 ms	122 ms	0%	0.57
/category.htm...	605	10 ms	11 ms	128 ms	0%	0.51
/category.htm...	178	7 ms	9 ms	81 ms	0%	0.15
/category.htm...	293	6 ms	10 ms	72 ms	0.341%	0.25
/category.htm...	307	8 ms	11 ms	75 ms	0%	0.26
/category.htm...	52	6 ms	10 ms	57 ms	0%	0.04
/category.htm...	191	7 ms	11 ms	73 ms	0%	0.16
/category.htm...	397	9 ms	12 ms	100 ms	0%	0.33
/category.htm...	364	8 ms	11 ms	94 ms	0%	0.30
/category.htm...	485	9 ms	11 ms	120 ms	0%	0.40
/category.htm...	488	8 ms	11 ms	85 ms	0%	0.41
/category.htm...	169	9 ms	11 ms	125 ms	0%	0.14
/category.htm...	139	6 ms	10 ms	92 ms	0%	0.12
/category.htm...	228	7 ms	10 ms	59 ms	0%	0.19
/category.htm...	59	11 ms	30 ms	87 ms	0%	0.05
/category.htm...	47	7 ms	12 ms	61 ms	0%	0.04
/category.htm...	376	9 ms	13 ms	92 ms	0%	0.31
/category.htm...	157	7 ms	11 ms	80 ms	0%	0.13
/category.htm...	441	9 ms	13 ms	111 ms	0%	0.37
/category.htm...	313	8 ms	11 ms	113 ms	0%	0.26
/category.htm...	794	9 ms	12 ms	129 ms	0%	0.66
/category.htm...	292	8 ms	10 ms	98 ms	0%	0.24
/category.htm...	130	8 ms	10 ms	111 ms	0%	0.11
/category.htm...	168	6 ms	10 ms	75 ms	0.595%	0.14
/category.htm...	236	7 ms	10 ms	89 ms	0%	0.20

/category.htm...	108	6 ms	10 ms	45 ms	0%	0.09
/category.htm...	121	8 ms	10 ms	81 ms	0%	0.10
/category.htm...	112	9 ms	9 ms	91 ms	0%	0.09
/category.htm...	233	10 ms	11 ms	101 ms	0%	0.19
/category.htm...	733	9 ms	11 ms	112 ms	0%	0.61
/category.htm...	94	6 ms	9 ms	61 ms	0%	0.08
/category.htm...	256	7 ms	10 ms	110 ms	0%	0.21
/category.htm...	526	8 ms	10 ms	120 ms	0%	0.44
/category.htm...	259	9 ms	10 ms	105 ms	0%	0.22
/category.htm...	426	8 ms	12 ms	97 ms	0%	0.35
/category.htm...	180	8 ms	11 ms	91 ms	0%	0.15
/category.htm...	372	8 ms	11 ms	89 ms	0%	0.31
/category.htm...	268	7 ms	10 ms	77 ms	0%	0.22
/category.htm...	356	9 ms	11 ms	125 ms	0%	0.30
/category.htm...	288	10 ms	12 ms	183 ms	0%	0.24
/category.htm...	387	7 ms	11 ms	85 ms	0%	0.32
/category.htm...	115	6 ms	11 ms	57 ms	0%	0.10
/category.htm...	234	6 ms	9 ms	82 ms	0%	0.20
/category.htm...	218	8 ms	10 ms	85 ms	0%	0.18
/category.htm...	233	8 ms	12 ms	73 ms	0%	0.19
/category.htm...	352	7 ms	10 ms	85 ms	0%	0.29
/category.htm...	127	7 ms	10 ms	62 ms	0%	0.11
/category.htm...	224	8 ms	10 ms	74 ms	0%	0.19
/category.htm...	253	8 ms	11 ms	116 ms	0.395%	0.21
/customers /57a98d98e4b...	17697	15 ms	17 ms	127 ms	0.045%	14.75
/detail.html?i... 1896-4ce8- bd69- b798f85c6e0b	7400	8 ms	10 ms	103 ms	0.027%	6.17
/detail.html?i... 2d88-40de- b95f- e00e1502085b	7311	8 ms	10 ms	101 ms	0.014%	6.09
/detail.html?i... 8e83-4193- b483- e27e09ddc34d	7229	8 ms	11 ms	100 ms	0.028%	6.02
/detail.html?i... 4c25- a9b9-6612e8f2...	7312	8 ms	10 ms	104 ms	0.014%	6.09
/detail.html?i... 8b7e-4f6d- 811f-69353491...	7304	8 ms	11 ms	100 ms	0.014%	6.09
/detail.html?i... 4c1f-9abc- bace40296bac	7306	8 ms	11 ms	102 ms	0.041%	6.09
/detail.html?i... b040-410d- 8ead-4de0446...	7367	8 ms	11 ms	103 ms	0.014%	6.14
/detail.html?i... ad8e-49df- bbd7-3167f7ef...	7187	8 ms	10 ms	101 ms	0.014%	5.99
/detail.html?i... b040-410d- 8ead-4de0446...	7226	8 ms	10 ms	100 ms	0%	6.02
/index.html	87520	8 ms	10 ms	101 ms	0.021%	72.93

ERROR REPORT



Error	Count	URLs
500 Remote end closed connection without res	46	
500 [errno 104] Connection reset by peer	44	

GLOSSARY



Throughput
Number of requests completed in a time interval.



Response Time
The time that passed to perform the request and receive full response.



Latency
The time from sending the request, processing it on the server side, to the time the client received the first byte.



ABOUT BLAZEMETER

BlazeMeter offers a cross-enterprise test automation framework for the entire technical team throughout the product development lifecycle. Developers, DevOps, Ops and QA Engineers can run Continuous or “On Demand” testing for APIs, mobile apps and websites.

For more information, visit: <http://www.blazemeter.com>