1.2.3 โปรแกรมเค้งขึ้นมา



1.2.4 มีคำสั่งของ git ขึ้นมา

```
MINGW64:/c/Users/admin
                                                                                                                                                                                                                       _ _
usage: git [-v | --version] [-h | --help] [-C <path>] [-c <name>=<value>]
[--exec-path[=xpath>]] [--html-path] [--man-path] [--info-path]
[-p | --paginate | -P | --no-pager] [--no-replace-objects] [--bare]
[--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
            [--super-prefix=<path>] [--config-env=<name>=<envvar>]
            <command> [<args>]
These are common Git commands used in various situations:
start a working area (see also: git help tutorial)
  clone Clone a repository into a new directory
init Create an empty Git repository or reinitialize an existing one
work on the current change (see also: git help everyday)
            Add file contents to the index
             Move or rename a file, a directory, or a symlink
  restore Restore working tree files
             Remove files from the working tree and from the index
examine the history and state (see also: git help revisions)
  bisect Use binary search to find the commit that introduced a bug
             Show changes between commits, commit and working tree, etc
             Print lines matching a pattern
  grep
             Show commit logs
  log
  show
              Show various types of objects
             Show the working tree status
 row, mark and tweak your common history
  branch List, create, or delete branches
  commit Record changes to the repository
             Join two or more development histories together
  merge
            Reapply commits on top of another base tip
  rebase
             Reset current HEAD to the specified state
             Switch branches
  switch
             Create, list, delete or verify a tag object signed with GPG
 collaborate (see also: git help workflows)
            Download objects and refs from another repository
  pull
             Fetch from and integrate with another repository or a local branch
             Update remote refs along with associated objects
'git help -a' and 'git help -g' list available subcommands and some
concept guides. See 'git help <command>' or 'git help <concept>'
to read about a specific subcommand or concept.
 ee 'git help git' for an overview of the system.
```


1.2.5 บอกให้ git รู้จักชื่อ username และตรวจสอบ username

```
MINGW64:/c/Users/admin
                                                                                                                                                                                            - □ ×
These are common Git commands used in various situations:
start a working area (see also: git help tutorial)
 clone Clone a repository into a new directory
  init Create an empty Git repository or reinitialize an existing one
work on the current change (see also: git help everyday)
       Add file contents to the index
           Move or rename a file, a directory, or a symlink
  restore Restore working tree files
           Remove files from the working tree and from the index
examine the history and state (see also: git help revisions)
  bisect Use binary search to find the commit that introduced a bug
           Show changes between commits, commit and working tree, etc
  grep
           Print lines matching a pattern
           Show commit logs
           Show various types of objects
  status Show the working tree status
row, mark and tweak your common history
 branch List, create, or delete branches
  commit Record changes to the repository
  merge Join two or more development histories together
  rebase Reapply commits on top of another base tip
          Reset current HEAD to the specified state
  reset
          Create, list, delete or verify a tag object signed with GPG
collaborate (see also: git help workflows)
  fetch Download objects and refs from another repository
           Fetch from and integrate with another repository or a local branch
  pull
           Update remote refs along with associated objects
'git help -a' and 'git help -g' list available subcommands and some
concept guides. See 'git help <command>' or 'git help <concept>'
to read about a specific subcommand or concept.
See 'git help git' for an overview of the system.
  min@DESKTOP-1301-33 MINGW64 ~
git config --global user.name "ratchanon busaracome"
 min@DESKTOP-1301-33 MINGW64 ~
git config user.name
ratchanon busaracome
   in@DESKTOP-1301-33 MINGW64 ~
```

1.2.6 บอกให้ git รู้จัก email และตรวจสอบ email

```
MINGW64:/c/Users/admin
                                                                                                                                                                                              - □ X
          Create an empty Git repository or reinitialize an existing one
work on the current change (see also: git help everyday)
         Add file contents to the index
            Move or rename a file, a directory, or a symlink
  restore Restore working tree files
           Remove files from the working tree and from the index
examine the history and state (see also: git help revisions)
  bisect Use binary search to find the commit that introduced a bug
  diff
            Show changes between commits, commit and working tree, etc
  grep
            Print lines matching a pattern
            Show commit logs
            Show various types of objects
          Show the working tree status
 row, mark and tweak your common history
  branch List, create, or delete branches
           Record changes to the repository
            Join two or more development histories together
           Reapply commits on top of another base tip
           Reset current HEAD to the specified state
  reset
  switch Switch branches
           Create, list, delete or verify a tag object signed with GPG
collaborate (see also: git help workflows)
           Download objects and refs from another repository
           Fetch from and integrate with another repository or a local branch
           Update remote refs along with associated objects
'git help -a' and 'git help -g' list available subcommands and some
concept guides. See 'git help <command>' or 'git help <concept>'
to read about a specific subcommand or concept.
 ee 'git help git' for an overview of the system.
  min@DESKTOP-1301-33 MINGW64 ~
$ gitgit config --global user.name "RatchanonBusaracome"
bash: gitgit: command not found
  min@DESKTOP-1301-33 MINGW64 ~
 git config user.name
RatchanonBusaracome
 dmin@DESKTOP-1301-33 MINGW64 ~
$ git config user.email
64030165@kmitl.ac.th
  min@DESKTOP-1301-33 MINGW64 ~
```

1.3 สร้าง repository



1.4 สร้างรายการไฟล์ขึ้นมาโดยใช้คำสั่ง Is

```
MINGW64:/c/Users/admin
                                                                                                                                                                                                                         - □ ×
    branch its, create, or delete branches commit Becord changes to the repository merge Join two or more development histories together rebase Repolly commits on top of another base tip reset Reset current HEAD to the specified state switch Switch Panches
                     Create, list, delete or verify a tag object signed with GPG
  ollaborate (see also: git help workflows)
fetch Download objects and refs from another repository
pull Fetch from and integrate with another repository or a local branch
push Update remote refs along with associated objects
'git help -a' and 'git help -g' list available subcommands and some concept guides. See 'git help scommands' or 'git help sconcept>' to read about a specific subcommand or concept.
See 'git help git' for an overview of the system.
admin@DESKTOP-1301-33 MINGW64 ~
$ gitgit config --global user.name "RatchanonBusaracome"
$ git config user.name
$ git config user.email
64030165@kmitl.ac.th
   Application Data's
Contacts/
Cookies@
Desktop/
Documents/
Downloads/
    ntelGraphicsProfiles/
    inks/
.ocal Settings'@
icrosoftEdgeBackups/
   Music/
My Documents'@
  NTUSER.DAT
NTUSER.DAT{f2c8a32a-7e8e-11e9-8f18-8cec4bce8ca1}.TM.b]f
```

สร้างโฟล์เดอสำหรับเก็บงานชื่อ CL2565 ตำแหน่ง CL2565

```
MINGW64:/c/Users/admin/d/Github-CompLabl/CL2565
                                                                         - □ ×
dmin@DESKTOP-1301-33 MINGW64
dmin@DESKTOP-1301-33 MINGW64 ~/d
cd Github-CompLabI/
```

โคลน repository มาใช้ในเครื่อง

```
- □ ×
MINGW64:/c/Users/admin/d/Github-CompLabl/CL2565
  mkdir Github-CompLabI
  min@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565
git clone https://github.com/RatchanonBusaracome/CL65-01.git
 loning into 'CL65-01'...
stal: protocol 'https' is not supported
  min@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565
git clone https://github.com/RatchanonBusaracome/CL65-01.git
   ning: You appear to have cloned an empty repository.
     BDESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565
```

เรียกดูตำแหน่งใฟล์ CL65-01 จะอยู่ในไฟล์ CL2565

```
- 🗆 ×
MINGW64:/c/Users/admin/d/Github-CompLabl/CL2565/CL65-01
cd Github-CompLabI/
mkdir CL2565
git clone https://github.com/RatchanonBusaracome/CL65-01.git
 rning: You appear to have cloned an empty repository.
   n@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
```


Push ใฟล์ README.md เข้าสู่ sever

```
MINGW64:/c/Users/admin/d/Github-CompLabl/CL2565/CL65-01
                                                                                                                                                                                                            - D X
  mkdir CL2565
       n@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI
  git clone https://github.com/RatchanonBusaracome/CL65-01.git
 loning into 'CL65-01'...
atal: protocol 'https' is not supported
   rning: You appear to have cloned an empty repository.
       n@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565
 dmin@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main) cho "# CL65-01" >> README.md
     ning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
 dminaDESKTOP-1301-33 MINGW64 -/d/Github-CompLabI/CL2565/CL65-01 (main)
git commit -m "first commit"
main (root-commit) 2c7s49] first commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
 git remote add origin https://github.com/RatchanonBusaracome/CL65-01.git
  ror: remote origin already exists.
fatal: Missing 'state' in resremote: Support for password authentication was removed on August 13, 2021.
remote: Please see https://docs.github.com/en/pet-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls
or information on currently recommended modes of authentication.
fatal: Authentication failed for 'https://github.com/RatchanonBusaracome/CL65-01.git/'
git push -u origin main
 numerating objects: 3, done.
counting objects: 100% (3/3), done.
Counting objects: 100% (3/3), dome.

witting objects: 100% (3/3), 228 bytes | 228.00 KiB/s, dome.
fotal 3 (delta 0), reused 0 (delta 0), pack-reused 0
fothiss;/igithub.com/RatchanosBuseracome/CL65-01.git

[new branch] main - main
ranch 'main' set up to track' origin/main'.
```


ส่งไฟล์ README.md ขึ้นไปที่ github



เปิดไฟล์ README.md



พิมพ์ My name is Ratchanon Busaracome เข้าไปใน ไฟล์ README.md



Git ติดตามการเปลี่ยนแปลงของไฟส์ README.md และ แนะนำให้อัพเดตการเปลี่ยนแปลง

```
MINGW64:/c/Users/admin/d/Github-CompLabl/CL2565/CL65-01
                                                                                                                                                                                                       - 🗆 ×
     ning: You appear to have cloned an empty repository.
      n@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565
      n@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565
 dmin@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
echo "# CL65-01" >> README.md
      nitialized existing Git repository in C:/Users/admin/d/Github-CompLabI/CL2565/CL65-01/.git/
    ning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
 commingues (OP-1301-33 MINGWO -/0/GTTNUD-C
git commit -m "first commit"
main (root-commit) 2c75a59] First commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
      n@DESKTOP-1301-33 MTNGW64 ~/d/Github-ComplabT/CL2565/CL65-01 (main)
  git branch -M main
 git remote add origin https://github.com/RatchanonBusaracome/CL65-01.git
rror: remote origin already exists.
derindDisk(IDP-1301-13 MINGM64 -/JA)TKINDF-COMPLADY/CL295/PCL9-32 (Main);
git push -u origin main
'atal: Missing 'state' in reserente: Support for password authentication was removed on August 13, 2021.
emote: Please see https://docs.github.com/en/get-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls 'urinoration on currently recommended modes of authentication.
'atal' Authentication failed for 'https://github.com/deatchanombusaracome/CL65-01.git/'
    in@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
 git push -u origin main
  onte.

inting objects: 100% (3/3), 228 bytes | 228.00 Ki8/s, done.

inting objects: 100% (3/3), 228 bytes | 228.00 Ki8/s, done.

tal 3 (delta 0), reused 0 (delta 0), pack-reused 0

bittps://github.com/RatchanonBusaracome/CL65-01.git

[new branch] main -> main
  anch 'main' set up to track 'origin/main'.
  notepad README.md
 our branch is up to date with 'origin/main'.
  nanges not staged for commit:
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
  changes added to commit (use "git add" and/or "git commit -a")
```

เพิ่มไฟล์ README.md ใน commit

```
MINGW64:/c/Users/admin/d/Github-CompLabl/CL2565/CL65-01
                                                                                                                                                                                      - □ ×
   initialized existing Git repository in C:/Users/admin/d/Github-CompLabI/CL2565/CL65-01/.git/
   rning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
adminBDESKTDP-1301-33 MINOR64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
§ git commit = "first commit"
[main (root-commit) 2c7539] first commit
1 file changed, 1 insertion(+)
create mode 100644 MEADME.and
  git branch -M main
 dmin0DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
git remote add origin https://github.com/RatchanonBusaracome/CL65-01.git
rror: remote origin already exists.
 git push -u origin main
atal: Missing 'state' in resremote: Support for password authentication was removed on August 13, 2021.
 emote: Please see https://docs.github.com/en/get-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls r information on currently recommended modes of authentication.
  stal: Authentication failed for 'https://github.com/RatchanonBusaracome/CL65-01.git/'
S git push -u origin main Enumerating objects: 3, done. Enumerating objects: 3, done. Counting objects: 100% (3/3), done. Counting objects: 100% (3/3), 288 bytes | 228.00 Ki8/s, done. Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 To https://github.com/RatchanomBusaracome/CL65-01.git
 * [new branch] main -> main
ranch 'main' set up to track 'origin/main'.
  our branch is up to date with 'origin/main'.
 hanges not staged for commit:
(use "git add <file..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
   changes added to commit (use "git add" and/or "git commit -a")
   rning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
 our branch is up to date with 'origin/main'.
 hanges to be committed:
  (use "git restore --staged <file>..." to unstage)
```


Commit README.md เข้าสู่ repository

```
- 🗆 ×
MINGW64:/c/Users/admin/d/Github-CompLabl/CL2565/CL65-01
 1 file changed, 1 insertion(
create mode 100644 README.md
 git remote add origin https://github.com/RatchanonBusaracome/CL65-01.git
rror: remote origin already exists.
     in@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
 gort pusm -u origin main attal. In resremote: Support for password authentication was removed on August 13, 2021. 
emote: Please see https://docs.github.com/en/got-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls 
information on currently recommended modes of authentication. 
atal: Authentication failed for 'https://github.com/katchanonBusaracome/CL65-01.git/'
 git push -u origin main
 yn push -u o'nyn main'
numerating objects: 3, done.
ounting objects: 100% (3/3), done.
hriting objects: 100% (3/3), 228 bytes | 228.00 KiB/s, done.
otal 3 (delta O), reused O (delta O), pack-reused O
  https://github.com/RatchanonBusaracome/CL65-01.git
[new branch] main -> main
anch 'main' set up to track 'origin/main'.
  notepad README.md
 git status
Your branch is up to date with 'origin/main'.
 hanges not staged for commit:
(use "git add <files..." to update what will be committed)
(use "git restore <files..." to discard changes in working directory)
  changes added to commit (use "git add" and/or "git commit -a")
 'our branch is up to date with 'origin/main'.
  (use "git restore --staged <file>..." to unstage)
                                                               -CompLabI/CL2565/CL65-01 (main)
$ git commit -m "Edited by Ratchanon Busaracome"
 main f266a57] Edited by Ratchanon Busaracome
1 file changed, 3 insertions(+)
     in@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
  our branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)
  thing to commit, working tree clean
      n@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
```


Push ใฟล์ README.md เข้าสู่ sever

```
MINGW64:/c/Users/admin/d/Github-CompLabl/CL2565/CL65-01
                                                                                                                                                                                                           - □ ×
1 git push -u origin main
fatal: Missing 'state' in resremote: Support for password authentication was removed on August 13, 2021.
remote: Please see https://docs.github.com/en/get-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls
or information on currently recommended modes of authentication.
fatal: Authentication failed for 'https://github.com/RatchanonBusaracome/CL65-01.git/'
   numerating Objects: 3, done.
ounting objects: 100% (3/3), done.
riting objects: 100% (3/3), 228 bytes | 228.00 KiB/s, done.
otal 3 (delta 0), reused 0 (delta 0), pack-reused 0
   o https://github.com/RatchanonBusaracome/CL65-01.git
" [new branch] main -> main
ranch 'main' set up to track 'origin/main'.
    notepad README.md
      in@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
  on branch main
Your branch is up to date with 'origin/main'.
   hanges not staged for commit:
   (use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
   o changes added to commit (use "git add" and/or "git commit -a")
  git add README.md
   arning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
        n@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
  On branch main
Your branch is up to date with 'origin/main'.
  hanges to be committed:
    (use "git restore --staged <file>..." to unstage)
  git commit -m "Edited by Ratchanon Busaracome"
[main f266a57] Edited by Ratchanon Busaracome
  git status
  our branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)
   othing to commit, working tree clean
      nin@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
 Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
  Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
 compressing objects: 100% (2/2), done.
writing objects: 100% (3/3), 330 bytes | 330.00 KiB/s, done.
fotal 3 (delta 0), reused 0 (delta 0), pack-reused 0
fo https://github.com/RatchanonBusaracome/CL65-01.git
2c75a59..f266a57 main -> main
```


ใฟล์ README.md ได้รับการอัพเดต



เพิ่มข้อความโดยใช้ github text editor



เพิ่มข้อความในช่อง commit change




ดึงไฟล์ README.md เข้ามาที่เครื่อง


```
MINGW64:/c/Users/admin/d/Github-CompLabl/CL2565/CL65-01
                                                                                                                                                                                                                                      - □ ×
  our branch is up to date with 'origin/main'.
   hanges not staged for commit:
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
  o changes added to commit (use "git add" and/or "git commit -a")
      in@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
     rning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
 On branch main
Your branch is up to date with 'origin/main'.
 hanges to be committed:
   (use "git restore --staged <file>..." to unstage)
$ git commit -m "Edited by Ratchanon Busaracome"
[main f266a57] Edited by Ratchanon Busaracome
1 file changed, 3 insertions(+)
  our branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)
   othing to commit, working tree clean
     min@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
 $ git push
$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compression objects: 100% (3/2), done.
Writing objects: 100% (3/2), done.
Writing objects: 100% (3/2), done.
Writing objects: 100% (3/2), done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/RatchanonBusaracome/CL65-01.git
2c7s499.7266837 main -> main
$ git status
On branch main
Your branch is up to date with 'origin/main'.
   othing to commit, working tree clean
adminu0e.ski0P-1301-33 MINGM64 ~/d/Github-CompLabI/CL2565/CL65-
5 git pull
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
unpacking objects: 100% (3/3), 735 bytes | 18.00 Ki8/s, done.
From https://github.com/RatchanonBusaracome/CL65-01
f266a57.28d533 amin -> origin/main
lpdating f266a57..28d53c3
ast-forward
 pust-forward
README.md | 4 +++-
1 file changed, 3 insertions(+), 1 deletion(-)
        n@DESKTOP-1301-33 MINGW64 ~/d/Github-CompLabI/CL2565/CL65-01 (main)
```

เปิดไฟล์ README.md เพื่อตรวจสอบความเปลี่ยนแปลง





ดูประวัติการแก้ไขไฟล์ README.md



ตรวจสอบว่าไฟล์ README.md ถูกแก้ไขตรงส่วนใหน

