

YOUR PRODUCT PACKAGE

Actually

Interactive Product Can Hero

Your product becomes the stage: a living 3D object, a pointer that opens a window into the brand, and scroll that reveals all, your product and presentation - restage it for any offer.

WHAT IS INSIDE

- 3D mesh, labels, HDRI, and React source in the files zip
- A ready prompt for Cursor, Claude, Grok Build, Lovable, Codex, Bolt or any smart AI
- Simple ways to ask your AI to restage brand, mesh, and formula

You do not need to know how to program. Your AI does the technical work.

www.ClickMotion.dev

Start here (about 10 minutes)

Follow these steps in order. If you get stuck, paste the error message into the same AI and ask it to fix the project for you.

Step 1

Unzip the files zip next to your app. You should see START-HERE.md at the top level.

Step 2

Open the AI tool you already use.

Step 3

Find that tool's section in this PDF (or "Your Smart AI Agent" if your tool is not listed by name). Select the whole prompt under "Copy this into [tool]". Copy it.

Step 4

Paste it into a new chat or project in that tool and run it. Tell it to use the source and assets in the zip.

Step 5

When the preview looks absolutely stunning, ask your AI: "Explain in plain language how I open and share this site."

Step 6

To change labels, wording, colors, or branding, use the "Ask your AI to change..." lines later in this PDF.

CLIENT VESSEL MESH (REPLACE WITH YOUR PRODUCT)

<https://www.ClickMotion.dev/models/can.glb>

Offline files: can.glb, three label PNGs, studio HDRI. Copy as START-HERE.md describes. Never use a storefront preview as rebuild media.

Your product pack

Rebuild Actually! from the files zip: mesh plus labels plus ActuallyHero. Never use a storefront recording as a hero film.

DEFAULT VESSEL IN THE CATALOG

<https://www.ClickMotion.dev/models/can.glb>

File name: can.glb

Client media is the 3D product pack (can mesh, label textures, studio HDRI) in the files zip. There is no background film. Scroll aims the reveal. The page stays still until the viewing ends, then the pin releases. After release the page owns until dock.

Tell your AI: "Use the files zip. Copy assets/can.glb to public/models/can.glb. Prefer source/ActuallyHero.tsx. Keep No Scroller and pin freeing. Do not install lenis."

Copy this into Cursor

Select everything in the box area below (all parts if more than one page). Copy, then paste into Cursor. You do not need to understand the technical lines. Your AI does.

You are building production UI in my coding editor (Cursor). Create the files I need and keep the solution clean and complete.

Build a premium full-viewport website HERO for a CPG / beverage brand called Actually! (buyer will rebrand).

Prefer the files in the pack. Integrate source/ActuallyHero.tsx. Copy assets/can.glb to public/models/can.glb, labels to public/textures/labels/, HDRI to public/hdri/.

This is a PRODUCT-FIRST HERO. Bone paper (#efede6) over ink (#1a1b1d). Giant wordmark ACTUALLY. Pointer circle window into a React Three Fiber can under studio HDRI. Scroll aims the reveal. Mobile stacks wordmark, can (drag to spin), and formula.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 1.2. Wheel / trackpad / touch / keys add deltaPx / (1.2 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for pointer, clip, and support tweens only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)

- Labels: still-01-clear-2.png (and dawn / dusk)

- HDRI: studio_small_03_1k.hdr

SIGNATURES: pointer window, living 3D can, scroll reveal (clip expand, lock, dolly, formula after g 0.58).

TECHNICAL:

React + TypeScript. Virtual progress. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ACTU01. data-actually-drive=pin. After release data-actually-owns=page.

ACCESSIBILITY:

Semantic section#hero. Wordmark aria-label. Loader role=status. Arrow / Page / Space drive g while the pin owns. Never trap Tab.

Reduced motion: static product pose.

CONFIRM:

Page scrollY stays 0 while a 1080px flick on a 900px viewport reaches g=1. One more down-scroll moves the page. After release, scrolling up moves the page, not the reveal.

QUALITY BAR:

Quiet tasting room. Pointer invites. Scroll completes. Never restore lenis. Never add PSAVE.

When done: I should see the Actually! hero from the files zip (pointer window, living can, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE.

Copy this into Claude

Select everything in the box area below (all parts if more than one page). Copy, then paste into Claude. You do not need to understand the technical lines. Your AI does.

You are my coding assistant. Build a complete, production-ready solution I can use. Explain briefly what you created after you finish, in plain language.

Build a premium full-viewport website HERO for a CPG / beverage brand called Actually! (buyer will rebrand).

Prefer the files in the pack. Integrate source/ActuallyHero.tsx. Copy assets/can.glb to public/models/can.glb, labels to public/textures/labels/, HDRI to public/hdri/.

This is a PRODUCT-FIRST HERO. Bone paper (#efede6) over ink (#1a1b1d). Giant wordmark ACTUALLY. Pointer circle window into a React Three Fiber can under studio HDRI. Scroll aims the reveal. Mobile stacks wordmark, can (drag to spin), and formula.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 1.2. Wheel / trackpad / touch / keys add deltaPx / (1.2 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for pointer, clip, and support tweens only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)

- Labels: still-01-clear-2.png (and dawn / dusk)

- HDRI: studio_small_03_1k.hdr

SIGNATURES: pointer window, living 3D can, scroll reveal (clip expand, lock, dolly, formula after g 0.58).

TECHNICAL:

React + TypeScript. Virtual progress. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ACTU01. data-actually-drive=pin. After release

data-actually-owns=page.

ACCESSIBILITY:

Semantic section#hero. Wordmark aria-label. Loader role=status. Arrow / Page / Space drive g while the pin owns. Never trap Tab.

Reduced motion: static product pose.

CONFIRM:

Page scrollY stays 0 while a 1080px flick on a 900px viewport reaches g=1. One more down-scroll moves the page. After release, scrolling up moves the page, not the reveal.

QUALITY BAR:

Quiet tasting room. Pointer invites. Scroll completes. Never restore lenis. Never add PSAVE.

When done: I should see the Actually! hero from the files zip (pointer window, living can, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE.

Copy this into Grok Build

Select everything in the box area below (all parts if more than one page). Copy, then paste into Grok Build. You do not need to understand the technical lines. Your AI does.

Build this as a complete, production-ready web section in Grok Build. Prefer a single polished component or page I can run immediately.

Build a premium full-viewport website HERO for a CPG / beverage brand called Actually! (buyer will rebrand).

Prefer the files in the pack. Integrate source/ActuallyHero.tsx. Copy assets/can.glb to public/models/can.glb, labels to public/textures/labels/, HDRI to public/hdri/.

This is a PRODUCT-FIRST HERO. Bone paper (#efede6) over ink (#1a1b1d). Giant wordmark ACTUALLY. Pointer circle window into a React Three Fiber can under studio HDRI. Scroll aims the reveal. Mobile stacks wordmark, can (drag to spin), and formula.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 1.2. Wheel / trackpad / touch / keys add deltaPx / (1.2 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for pointer, clip, and support tweens only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)

- Labels: still-01-clear-2.png (and dawn / dusk)

- HDRI: studio_small_03_1k.hdr

SIGNATURES: pointer window, living 3D can, scroll reveal (clip expand, lock, dolly, formula after g 0.58).

TECHNICAL:

React + TypeScript. Virtual progress. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ACTU01. data-actually-drive=pin. After release data-actually-owns=page.

ACCESSIBILITY:

Semantic section#hero. Wordmark aria-label. Loader role=status. Arrow / Page / Space drive g while the pin owns. Never trap Tab.

Reduced motion: static product pose.

CONFIRM:

Page scrollY stays 0 while a 1080px flick on a 900px viewport reaches g=1. One more down-scroll moves the page. After release, scrolling up moves the page, not the reveal.

QUALITY BAR:

Quiet tasting room. Pointer invites. Scroll completes. Never restore lenis. Never add PSAVE.

When done: I should see the Actually! hero from the files zip (pointer window, living can, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE.

Copy this into Lovable

Select everything in the box area below (all parts if more than one page). Copy, then paste into Lovable. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Lovable. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium full-viewport website HERO for a CPG / beverage brand called Actually! (buyer will rebrand).

Prefer the files in the pack. Integrate source/ActuallyHero.tsx. Copy assets/can.glb to public/models/can.glb, labels to public/textures/labels/, HDRI to public/hdri/.

This is a PRODUCT-FIRST HERO. Bone paper (#efede6) over ink (#1a1b1d). Giant wordmark ACTUALLY. Pointer circle window into a React Three Fiber can under studio HDRI. Scroll aims the reveal. Mobile stacks wordmark, can (drag to spin), and formula.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 1.2. Wheel / trackpad / touch / keys add deltaPx / (1.2 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for pointer, clip, and support tweens only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)

- Labels: still-01-clear-2.png (and dawn / dusk)

- HDRI: studio_small_03_1k.hdr

SIGNATURES: pointer window, living 3D can, scroll reveal (clip expand, lock, dolly, formula after g 0.58).

TECHNICAL:

React + TypeScript. Virtual progress. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ACTU01. data-actually-drive=pin. After release data-actually-owns=page.

ACCESSIBILITY:

Semantic section#hero. Wordmark aria-label. Loader role=status. Arrow / Page / Space drive g while the pin owns. Never trap Tab.

Reduced motion: static product pose.

CONFIRM:

Page scrollY stays 0 while a 1080px flick on a 900px viewport reaches g=1. One more down-scroll moves the page. After release, scrolling up moves the page, not the reveal.

QUALITY BAR:

Quiet tasting room. Pointer invites. Scroll completes. Never restore lenis. Never add PSAVE.

When done: I should see the Actually! hero from the files zip (pointer window, living can, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE.

Copy this into Codex / ChatGPT

Select everything in the box area below (all parts if more than one page). Copy, then paste into Codex / ChatGPT. You do not need to understand the technical lines. Your AI does.

You are Codex / ChatGPT acting as my coding agent. Build a complete, production-ready web section or page. Create clear files, install what you need, and leave me a working result. Explain briefly what you built in plain language when finished.

Build a premium full-viewport website HERO for a CPG / beverage brand called Actually! (buyer will rebrand).

Prefer the files in the pack. Integrate source/ActuallyHero.tsx. Copy assets/can.glb to public/models/can.glb, labels to public/textures/labels/, HDRI to public/hdri/.

This is a PRODUCT-FIRST HERO. Bone paper (#efede6) over ink (#1a1b1d). Giant wordmark ACTUALLY. Pointer circle window into a React Three Fiber can under studio HDRI. Scroll aims the reveal. Mobile stacks wordmark, can (drag to spin), and formula.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 1.2. Wheel / trackpad / touch / keys add deltaPx / (1.2 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for pointer, clip, and support tweens only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)

- Labels: still-01-clear-2.png (and dawn / dusk)

- HDRI: studio_small_03_1k.hdr

SIGNATURES: pointer window, living 3D can, scroll reveal (clip expand, lock, dolly, formula after g 0.58).

TECHNICAL:

React + TypeScript. Virtual progress. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ACTU01. data-actually-drive=pin. After release

data-actually-owns=page.

ACCESSIBILITY:

Semantic section#hero. Wordmark aria-label. Loader role=status. Arrow / Page / Space drive g while the pin owns. Never trap Tab.

Reduced motion: static product pose.

CONFIRM:

Page scrollY stays 0 while a 1080px flick on a 900px viewport reaches g=1. One more down-scroll moves the page. After release, scrolling up moves the page, not the reveal.

QUALITY BAR:

Quiet tasting room. Pointer invites. Scroll completes. Never restore lenis. Never add PSAVE.

When done: I should see the Actually! hero from the files zip (pointer window, living can, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE.

Copy this into Bolt

Select everything in the box area below (all parts if more than one page). Copy, then paste into Bolt. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Bolt. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium full-viewport website HERO for a CPG / beverage brand called Actually! (buyer will rebrand).

Prefer the files in the pack. Integrate source/ActuallyHero.tsx. Copy assets/can.glb to public/models/can.glb, labels to public/textures/labels/, HDRI to public/hdri/.

This is a PRODUCT-FIRST HERO. Bone paper (#efede6) over ink (#1a1b1d). Giant wordmark ACTUALLY. Pointer circle window into a React Three Fiber can under studio HDRI. Scroll aims the reveal. Mobile stacks wordmark, can (drag to spin), and formula.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 1.2. Wheel / trackpad / touch / keys add deltaPx / (1.2 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for pointer, clip, and support tweens only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)

- Labels: still-01-clear-2.png (and dawn / dusk)

- HDRI: studio_small_03_1k.hdr

SIGNATURES: pointer window, living 3D can, scroll reveal (clip expand, lock, dolly, formula after g 0.58).

TECHNICAL:

React + TypeScript. Virtual progress. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ACTU01. data-actually-drive=pin. After release data-actually-owns=page.

ACCESSIBILITY:

Semantic section#hero. Wordmark aria-label. Loader role=status. Arrow / Page / Space drive g while the pin owns. Never trap Tab.

Reduced motion: static product pose.

CONFIRM:

Page scrollY stays 0 while a 1080px flick on a 900px viewport reaches g=1. One more down-scroll moves the page. After release, scrolling up moves the page, not the reveal.

QUALITY BAR:

Quiet tasting room. Pointer invites. Scroll completes. Never restore lenis. Never add PSAVE.

When done: I should see the Actually! hero from the files zip (pointer window, living can, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE.

Copy this into Your Smart AI Agent

Select everything in the box area below (all parts if more than one page). Copy, then paste into Your Smart AI Agent. You do not need to understand the technical lines. Your AI does.

You are my smart AI agent. I may not be a professional programmer. Build a complete, production-ready website hero from the brief below. You choose the stack that works in my environment, create every file, use the files zip (source plus mesh plus labels), and deliver a polished preview. Do not leave steps for me that require writing code. When finished, explain in plain English how I view and share the result.

Build a premium full-viewport website HERO for a CPG / beverage brand called Actually! (buyer will rebrand).

Prefer the files in the pack. Integrate source/ActuallyHero.tsx. Copy assets/can.glb to public/models/can.glb, labels to public/textures/labels/, HDRI to public/hdri/.

This is a PRODUCT-FIRST HERO. Bone paper (#efede6) over ink (#1a1b1d). Giant wordmark ACTUALLY. Pointer circle window into a React Three Fiber can under studio HDRI. Scroll aims the reveal. Mobile stacks wordmark, can (drag to spin), and formula.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 1.2. Wheel / trackpad / touch / keys add deltaPx / (1.2 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for pointer, clip, and support tweens only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)

- Labels: still-01-clear-2.png (and dawn / dusk)

- HDRI: studio_small_03_1k.hdr

SIGNATURES: pointer window, living 3D can, scroll reveal (clip expand, lock, dolly, formula after g 0.58).

TECHNICAL:

React + TypeScript. Virtual progress. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ACTU01. data-actually-drive=pin. After release data-actually-owns=page.

ACCESSIBILITY:

Semantic section#hero. Wordmark aria-label. Loader role=status. Arrow / Page / Space drive g while the pin owns. Never trap Tab.

Reduced motion: static product pose.

CONFIRM:

Page scrollY stays 0 while a 1080px flick on a 900px viewport reaches g=1. One more down-scroll moves the page. After release, scrolling up moves the page, not the reveal.

QUALITY BAR:

Quiet tasting room. Pointer invites. Scroll completes. Never restore lenis. Never add PSAVE.

When done: I should see the Actually! hero from the files zip (pointer window, living can, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE.

Customize without coding

You never have to open code. After the site is built, start a new message to the same AI and paste one of these lines. Fill in the brackets with your words.

Change the brand wordmark

Ask your AI: "Change the hero wordmark from ACTUALLY. to [YOUR BRAND]. Keep No Scroller and pin freeing."

Change taglines and meta

Ask your AI: "Change Actually? / Really. Actually. to [LINE 1] / [LINE 2] and the bottom-right meta to [CATEGORY] / [LOCATION]."

Change the formula story

Ask your AI: "Rewrite the support index, H2, body, and two stats for [PRODUCT STORY]. Keep the left column reveal after mid progress."

Load your product mesh and labels

Ask your AI: "Replace can.glb and the label map. Keep grab spin, HDRI, No Scroller, and pin freeing."

Change colors

Ask your AI: "Change bone, ink, and accent to [PAPER] / [STAGE] / [ACCENT]. Keep type readable."

Pin freeing if scroll feels stuck

Ask your AI: "After the last moment, scrolling down must release the pin. Then the PAGE owns until dock. Scrolling up in the next section must move the page."

Something looks wrong

Ask your AI: "Something is broken: [DESCRIBE]. Keep Actually! as a product-first hero with No Scroller and pin freeing. Do not restore ScrollTrigger pin or lenis. Do not add PSAVE. Do not ask me to write code."

New labels (optional)

This product has no hero film. Only if you want new label art.

COPY THIS INTO A VIDEO AI

This product does not require a looping background film. Replace the GLB and label maps with the buyer's product.

Then tell your coding AI

Ask your AI: "Replace the label PNGs with [MY ART]. Keep No Scroller and the pointer window."

You are ready

- Your rebuild files are in the files zip (START-HERE.md, source, and assets).
- Pick one AI tool (or Your Smart AI Agent), paste that full prompt, and let it build.
- Customize by asking your AI in plain English. You do not need to know React or other frameworks.
- Brand site: www.ClickMotion.dev

ClickMotion

www.ClickMotion.dev

If something fails, paste the error into your AI and say: "Fix this for me without asking me to write code."