

YOUR PRODUCT PACKAGE

GrokBot

Las Vegas Sphere Scroll Hero

A night-city AI-agent homepage where scroll aims a Sphere-scale film and the picture never jumps a frame. Ice HUD stays alive, ready for your AI coding tool.

WHAT IS INSIDE

- Your background video link (and how to use the file)
- A ready prompt for Cursor, Claude, Grok Build, Lovable, Codex, Bolt or any smart AI
- Simple ways to ask your AI to customize text, colors, and the video look

You do not need to know how to program. Your AI does the technical work.

www.ClickMotion.dev

Start here (about 10 minutes)

Follow these steps in order. If you get stuck, paste the error message into the same AI and ask it to fix the project for you.

Step 1

Save your background video somewhere easy to find. You can use the link below or the video file that came with this package.

Step 2

Open the AI tool you already use.

Step 3

Find that tool's section in this PDF (or "Your Smart AI Agent" if your tool is not listed by name). Select the whole prompt under "Copy this into [tool]". Copy it.

Step 4

Paste it into a new chat or project in that tool and run it. Let the AI build everything.

Step 5

When the preview looks absolutely stunning, ask your AI: "Explain in plain language how I open and share this site."

Step 6

To change wording, colors, or branding, use the "Ask your AI to change..." lines later in this PDF. You do not edit code by hand unless you want to.

YOUR BACKGROUND VIDEO LINK

<https://www.ClickMotion.dev/assets/videos/grokbotsphere-v1.mp4>

Offline file name if you were given a file: grokbotsphere-v1.mp4. A still image may be included next to your video file for a clean first frame.

Your background video

This is the film that plays behind the GrokBot design. Keep this link. It is also written inside every AI prompt below so your AI can attach it automatically.

VIDEO URL

<https://www.ClickMotion.dev/assets/videos/grokbotsphere-v1.mp4>

File name: grokbotsphere-v1.mp4

What the film shows: Las Vegas Sphere at blue hour and night with a white Grok Bot face on the dome, hotels, even night-city time. 62.52 seconds, silent. H.264 GOP 3, no B-frames, 25fps, 521 I-frames, 1042 P, 0 B, about 127 MB. No readable text or UI. Pack also includes poster still grokbotsphere-v1.webp. If you have the files zip, client film lives under assets/ as grokbotsphere-v1.mp4.

Prefer the URL when online. If you were given a local download, tell your AI: "Use my local file grokbotsphere-v1.mp4 as the full-screen background video."

Copy this into Cursor

Select everything in the box area below (all parts if more than one page). Copy, then paste into Cursor. You do not need to understand the technical lines. Your AI does.

You are building production UI in my coding editor (Cursor). Create the files I need and keep the solution clean and complete.

Build a premium full-viewport website hero for an AI-agent product called Grok Bot.

BACKGROUND VIDEO (required):

Use this video as the full-screen Sphere film under the hero (not a small thumbnail):

<https://www.ClickMotion.dev/assets/videos/grokbotsphere-v1.mp4>

If the buyer has a local files pack, use assets/grokbotsphere-v1.mp4 placed at public/assets/videos/grokbotsphere-v1.mp4 (or the path already set in source).

Poster still (while loading / reduced motion still): public/assets/posters/grokbotsphere-v1.webp (or

<https://www.ClickMotion.dev/assets/posters/grokbotsphere-v1.webp>).

The video must be silent. Dual process: PSAVE (Perfect Scroll Video Engine) plus No Scroller (pin-until-complete). NOT wallpaper-only. NOT a tall sticky track. The WHOLE film plays on scroll.

PSAVE + NO SCROLLER (non-negotiable):

One pinned 100dvh stage in normal document flow. The page does NOT physically scroll during the journey. Do not use position sticky. Do not build a tall spacer. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 12 (locked: 62.5s even Sphere; two flicks on 3.6 dump dest). PSAVE_RATE = 1.2. PSAVE_FRAME = 1/25.

PSAVE_REV_STRIDE = 3. PSAVE_LIVE_MS = 280. PSAVE_COAST_SEC = 0.55. PSAVE_EASE_SEC = 0.55.

PSAVE_FLIP_DEADZONE_PX = 32.

Scroll aims a destination 0-1 on the 12 viewport track (raw 1:1, no wheel gain). The film PLAYS to that destination. Never seek currentTime across a jump.

DOWN: muted native play() at playbackRate 1.2. After they lift, leftover dest plus a 0.55s dest floor keeps the film going a little, then rate eases toward about 0.42. Friction, then a graceful stop. Ignore tiny opposite trackpad ticks under 32px.

UP: first real up-scroll snaps dest onto the picture. Walk currentTime backward exactly one 3-frame step (0.12s at 25fps) per seek. Wait seeked. Never seek to the stop point.

HUD CSS loops stay alive the whole time (primary sheen 12.5s, ice trip, marquee, orb spin, live dots).

Release the pin only when the picture arrives at 0 (up) or 1 (down). Then the host page may continue. After release the page owns scroll until the stage docks (top >= -2).

Opening: film starts black. Show a Scroll badge. Hide it 5 seconds after the first real scroll.

prefers-reduced-motion: still frame + HUD only. No PSAVE.

Do NOT install gsap. Do NOT import ScrollTrigger.

LOOK AND FEEL:

Ice liquid-glass on night-city Sphere. Ice type #eef4ff. Amber #f0d7a8. Mist rgba(232, 238, 248, 0.74). Frost 3-6 percent white. Primary 3D #0a0c12.

Display: Syne 800 (--font-gb-display). Body: Outfit 300-500 (--font-gb-body). Lead line-height 1.55.

Thin blur 12 on nav, proofs, ticker. Heavy blur 18 on the thread only. Saturate 210-250 percent. Ice trip --trace-at 0 to 880, hide at 890.

One sheen every 12.5s.

Not neon SaaS, not purple mesh, not Optimus, not a Sphere partnership claim. The Sphere is setting only.

LAYOUT (exact structure):

One pinned 100dvh stage. Film cover, slight scale 1.04, object-position 52% 46%. Dual-edge veil. Center Sphere stays clean.

Top header: orb + Grok Bot mark; desktop nav Product, How it works, Safety, Enterprise; Sign in (ghost) + Download (small 3D primary).

Left copy: Early beta kicker + SuperGrok Heavy, three-line H1 Finish / the / swing., lead, Meet your first Bot + Download for macOS.

Right: Inbox Bot thread (heavy glass, ice trip, three messages).

Bottom: three proof cards, Sphere · Las Vegas, In flight ticker.

Safe horizontal padding at least about 2rem. Hide center nav under 768px. Stack CTAs on small screens.

Cursor prompt (continued)

Tailwind preflight: use button.gb-primary, button.gb-primary.gb-primary-sm, a.gb-mark so resets do not flatten the 3D CTA.

MOTION (exact):

PSAVE chase on requestAnimationFrame. No GSAP. No ScrollTrigger.

Capture helper: window.__msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-HERO-GROK01" }. Root data-grokbots-drive="psave". After release data-grokbots-owns="page".

TECHNICAL (you the AI implement this; the human may not be a developer):

Prefer React + TypeScript with source/GrokBotHero.tsx, source/hero.css, and source/copy.ts. Do not rewrite the engine unless those files are missing.

Video attributes: muted, playsinline, preload auto, object-fit cover, aria-hidden. No loop as primary mode.

Fonts: load Syne 600/700/800 + Outfit 300/400/500 with display swap.

Do NOT install gsap.

Replacement films MUST be re-encoded GOP 3, no B-frames, 25fps, crf 18 (ffmpeg -g 3 -keyint_min 3 -bf 0). A long-GOP file stalls mid-reverse.

QUALITY BAR:

It should feel like a Forbes-class AI-agent product homepage - ice, inevitable, expensive. One clear system: dual process PSAVE plus No Scroller. The whole film plays. Never jump a frame. Never freeze the HUD. Never burn storefront UI into the rebuild. Never reduce to wallpaper-only loop.

When done: I should see the full GrokBot experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Claude

Select everything in the box area below (all parts if more than one page). Copy, then paste into Claude. You do not need to understand the technical lines. Your AI does.

You are my coding assistant. Build a complete, production-ready solution I can use. Explain briefly what you created after you finish, in plain language.

Build a premium full-viewport website hero for an AI-agent product called Grok Bot.

BACKGROUND VIDEO (required):

Use this video as the full-screen Sphere film under the hero (not a small thumbnail):

<https://www.ClickMotion.dev/assets/videos/grokbotsphere-v1.mp4>

If the buyer has a local files pack, use assets/grokbotsphere-v1.mp4 placed at public/assets/videos/grokbotsphere-v1.mp4 (or the path already set in source).

Poster still (while loading / reduced motion still): public/assets/posters/grokbotsphere-v1.webp (or

<https://www.ClickMotion.dev/assets/posters/grokbotsphere-v1.webp>).

The video must be silent. Dual process: PSAVE (Perfect Scroll Video Engine) plus No Scroller (pin-until-complete). NOT wallpaper-only.

NOT a tall sticky track. The WHOLE film plays on scroll.

PSAVE + NO SCROLLER (non-negotiable):

One pinned 100dvh stage in normal document flow. The page does NOT physically scroll during the journey. Do not use position sticky.

Do not build a tall spacer. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 12 (locked: 62.5s even Sphere; two flicks on 3.6 dump dest). PSAVE_RATE = 1.2. PSAVE_FRAME = 1/25.

PSAVE_REV_STRIDE = 3. PSAVE_LIVE_MS = 280. PSAVE_COAST_SEC = 0.55. PSAVE_EASE_SEC = 0.55.

PSAVE_FLIP_DEADZONE_PX = 32.

Scroll aims a destination 0-1 on the 12 viewport track (raw 1:1, no wheel gain). The film PLAYS to that destination. Never seek currentTime across a jump.

DOWN: muted native play() at playbackRate 1.2. After they lift, leftover dest plus a 0.55s dest floor keeps the film going a little, then rate eases toward about 0.42. Friction, then a graceful stop. Ignore tiny opposite trackpad ticks under 32px.

UP: first real up-scroll snaps dest onto the picture. Walk currentTime backward exactly one 3-frame step (0.12s at 25fps) per seek. Wait seeked. Never seek to the stop point.

HUD CSS loops stay alive the whole time (primary sheen 12.5s, ice trip, marquee, orb spin, live dots).

Release the pin only when the picture arrives at 0 (up) or 1 (down). Then the host page may continue. After release the page owns scroll until the stage docks (top >= -2).

Opening: film starts black. Show a Scroll badge. Hide it 5 seconds after the first real scroll.

prefers-reduced-motion: still frame + HUD only. No PSAVE.

Do NOT install gsap. Do NOT import ScrollTrigger.

LOOK AND FEEL:

Ice liquid-glass on night-city Sphere. Ice type #eef4ff. Amber #f0d7a8. Mist rgba(232, 238, 248, 0.74). Frost 3-6 percent white. Primary 3D #0a0c12.

Display: Syne 800 (--font-gb-display). Body: Outfit 300-500 (--font-gb-body). Lead line-height 1.55.

Thin blur 12 on nav, proofs, ticker. Heavy blur 18 on the thread only. Saturate 210-250 percent. Ice trip --trace-at 0 to 880, hide at 890.

One sheen every 12.5s.

Not neon SaaS, not purple mesh, not Optimus, not a Sphere partnership claim. The Sphere is setting only.

LAYOUT (exact structure):

One pinned 100dvh stage. Film cover, slight scale 1.04, object-position 52% 46%. Dual-edge veil. Center Sphere stays clean.

Top header: orb + Grok Bot mark; desktop nav Product, How it works, Safety, Enterprise; Sign in (ghost) + Download (small 3D primary).

Left copy: Early beta kicker + SuperGrok Heavy, three-line H1 Finish / the / swing., lead, Meet your first Bot + Download for macOS.

Right: Inbox Bot thread (heavy glass, ice trip, three messages).

Bottom: three proof cards, Sphere · Las Vegas, In flight ticker.

Claude prompt (continued)

Safe horizontal padding at least about 2rem. Hide center nav under 768px. Stack CTAs on small screens.
Tailwind preflight: use button.gb-primary, button.gb-primary.gb-primary-sm, a.gb-mark so resets do not flatten the 3D CTA.

MOTION (exact):

PSAVE chase on requestAnimationFrame. No GSAP. No ScrollTrigger.

Capture helper: window.__msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-HERO-GROK01" }. Root data-grokbots-drive="psave". After release data-grokbots-owns="page".

TECHNICAL (you the AI implement this; the human may not be a developer):

Prefer React + TypeScript with source/GrokBotHero.tsx, source/hero.css, and source/copy.ts. Do not rewrite the engine unless those files are missing.

Video attributes: muted, playsInline, preload auto, object-fit cover, aria-hidden. No loop as primary mode.

Fonts: load Syne 600/700/800 + Outfit 300/400/500 with display swap.

Do NOT install gsap.

Replacement films MUST be re-encoded GOP 3, no B-frames, 25fps, crf 18 (ffmpeg -g 3 -keyint_min 3 -bf 0). A long-GOP file stalls mid-reverse.

QUALITY BAR:

It should feel like a Forbes-class AI-agent product homepage - ice, inevitable, expensive. One clear system: dual process PSAVE plus No Scroller. The whole film plays. Never jump a frame. Never freeze the HUD. Never burn storefront UI into the rebuild. Never reduce to wallpaper-only loop.

When done: I should see the full GrokBot experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Grok Build

Select everything in the box area below (all parts if more than one page). Copy, then paste into Grok Build. You do not need to understand the technical lines. Your AI does.

Build this as a complete, production-ready web section in Grok Build. Prefer a single polished component or page I can run immediately.

Build a premium full-viewport website hero for an AI-agent product called Grok Bot.

BACKGROUND VIDEO (required):

Use this video as the full-screen Sphere film under the hero (not a small thumbnail):

<https://www.ClickMotion.dev/assets/videos/grokbotsphere-v1.mp4>

If the buyer has a local files pack, use assets/grokbotsphere-v1.mp4 placed at public/assets/videos/grokbotsphere-v1.mp4 (or the path already set in source).

Poster still (while loading / reduced motion still): public/assets/posters/grokbotsphere-v1.webp (or

<https://www.ClickMotion.dev/assets/posters/grokbotsphere-v1.webp>).

The video must be silent. Dual process: PSAVE (Perfect Scroll Video Engine) plus No Scroller (pin-until-complete). NOT wallpaper-only. NOT a tall sticky track. The WHOLE film plays on scroll.

PSAVE + NO SCROLLER (non-negotiable):

One pinned 100dvh stage in normal document flow. The page does NOT physically scroll during the journey. Do not use position sticky. Do not build a tall spacer. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 12 (locked: 62.5s even Sphere; two flicks on 3.6 dump dest). PSAVE_RATE = 1.2. PSAVE_FRAME = 1/25.

PSAVE_REV_STRIDE = 3. PSAVE_LIVE_MS = 280. PSAVE_COAST_SEC = 0.55. PSAVE_EASE_SEC = 0.55.

PSAVE_FLIP_DEADZONE_PX = 32.

Scroll aims a destination 0-1 on the 12 viewport track (raw 1:1, no wheel gain). The film PLAYS to that destination. Never seek currentTime across a jump.

DOWN: muted native play() at playbackRate 1.2. After they lift, leftover dest plus a 0.55s dest floor keeps the film going a little, then rate eases toward about 0.42. Friction, then a graceful stop. Ignore tiny opposite trackpad ticks under 32px.

UP: first real up-scroll snaps dest onto the picture. Walk currentTime backward exactly one 3-frame step (0.12s at 25fps) per seek. Wait seeked. Never seek to the stop point.

HUD CSS loops stay alive the whole time (primary sheen 12.5s, ice trip, marquee, orb spin, live dots).

Release the pin only when the picture arrives at 0 (up) or 1 (down). Then the host page may continue. After release the page owns scroll until the stage docks (top >= -2).

Opening: film starts black. Show a Scroll badge. Hide it 5 seconds after the first real scroll.

prefers-reduced-motion: still frame + HUD only. No PSAVE.

Do NOT install gsap. Do NOT import ScrollTrigger.

LOOK AND FEEL:

Ice liquid-glass on night-city Sphere. Ice type #eef4ff. Amber #f0d7a8. Mist rgba(232, 238, 248, 0.74). Frost 3-6 percent white. Primary 3D #0a0c12.

Display: Syne 800 (--font-gb-display). Body: Outfit 300-500 (--font-gb-body). Lead line-height 1.55.

Thin blur 12 on nav, proofs, ticker. Heavy blur 18 on the thread only. Saturate 210-250 percent. Ice trip --trace-at 0 to 880, hide at 890. One sheen every 12.5s.

Not neon SaaS, not purple mesh, not Optimus, not a Sphere partnership claim. The Sphere is setting only.

LAYOUT (exact structure):

One pinned 100dvh stage. Film cover, slight scale 1.04, object-position 52% 46%. Dual-edge veil. Center Sphere stays clean.

Top header: orb + Grok Bot mark; desktop nav Product, How it works, Safety, Enterprise; Sign in (ghost) + Download (small 3D primary).

Left copy: Early beta kicker + SuperGrok Heavy, three-line H1 Finish / the / swing., lead, Meet your first Bot + Download for macOS.

Right: Inbox Bot thread (heavy glass, ice trip, three messages).

Bottom: three proof cards, Sphere · Las Vegas, In flight ticker.

Safe horizontal padding at least about 2rem. Hide center nav under 768px. Stack CTAs on small screens.

Grok Build prompt (continued)

Tailwind preflight: use button.gb-primary, button.gb-primary.gb-primary-sm, a.gb-mark so resets do not flatten the 3D CTA.

MOTION (exact):

PSAVE chase on requestAnimationFrame. No GSAP. No ScrollTrigger.

Capture helper: window.__msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-HERO-GROK01" }. Root data-grokbots-drive="psave". After release data-grokbots-owns="page".

TECHNICAL (you the AI implement this; the human may not be a developer):

Prefer React + TypeScript with source/GrokBotHero.tsx, source/hero.css, and source/copy.ts. Do not rewrite the engine unless those files are missing.

Video attributes: muted, playsInline, preload auto, object-fit cover, aria-hidden. No loop as primary mode.

Fonts: load Syne 600/700/800 + Outfit 300/400/500 with display swap.

Do NOT install gsap.

Replacement films MUST be re-encoded GOP 3, no B-frames, 25fps, crf 18 (ffmpeg -g 3 -keyint_min 3 -bf 0). A long-GOP file stalls mid-reverse.

QUALITY BAR:

It should feel like a Forbes-class AI-agent product homepage - ice, inevitable, expensive. One clear system: dual process PSAVE plus No Scroller. The whole film plays. Never jump a frame. Never freeze the HUD. Never burn storefront UI into the rebuild. Never reduce to wallpaper-only loop.

When done: I should see the full GrokBot experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Lovable

Select everything in the box area below (all parts if more than one page). Copy, then paste into Lovable. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Lovable. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium full-viewport website hero for an AI-agent product called Grok Bot.

BACKGROUND VIDEO (required):

Use this video as the full-screen Sphere film under the hero (not a small thumbnail):

<https://www.ClickMotion.dev/assets/videos/grokbotsphere-v1.mp4>

If the buyer has a local files pack, use assets/grokbotsphere-v1.mp4 placed at public/assets/videos/grokbotsphere-v1.mp4 (or the path already set in source).

Poster still (while loading / reduced motion still): public/assets/posters/grokbotsphere-v1.webp (or

<https://www.ClickMotion.dev/assets/posters/grokbotsphere-v1.webp>).

The video must be silent. Dual process: PSAVE (Perfect Scroll Video Engine) plus No Scroller (pin-until-complete). NOT wallpaper-only.

NOT a tall sticky track. The WHOLE film plays on scroll.

PSAVE + NO SCROLLER (non-negotiable):

One pinned 100dvh stage in normal document flow. The page does NOT physically scroll during the journey. Do not use position sticky.

Do not build a tall spacer. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 12 (locked: 62.5s even Sphere; two flicks on 3.6 dump dest). PSAVE_RATE = 1.2. PSAVE_FRAME = 1/25.

PSAVE_REV_STRIDE = 3. PSAVE_LIVE_MS = 280. PSAVE_COAST_SEC = 0.55. PSAVE_EASE_SEC = 0.55.

PSAVE_FLIP_DEADZONE_PX = 32.

Scroll aims a destination 0-1 on the 12 viewport track (raw 1:1, no wheel gain). The film PLAYS to that destination. Never seek currentTime across a jump.

DOWN: muted native play() at playbackRate 1.2. After they lift, leftover dest plus a 0.55s dest floor keeps the film going a little, then rate eases toward about 0.42. Friction, then a graceful stop. Ignore tiny opposite trackpad ticks under 32px.

UP: first real up-scroll snaps dest onto the picture. Walk currentTime backward exactly one 3-frame step (0.12s at 25fps) per seek. Wait seeked. Never seek to the stop point.

HUD CSS loops stay alive the whole time (primary sheen 12.5s, ice trip, marquee, orb spin, live dots).

Release the pin only when the picture arrives at 0 (up) or 1 (down). Then the host page may continue. After release the page owns scroll until the stage docks (top >= -2).

Opening: film starts black. Show a Scroll badge. Hide it 5 seconds after the first real scroll.

prefers-reduced-motion: still frame + HUD only. No PSAVE.

Do NOT install gsap. Do NOT import ScrollTrigger.

LOOK AND FEEL:

Ice liquid-glass on night-city Sphere. Ice type #eef4ff. Amber #f0d7a8. Mist rgba(232, 238, 248, 0.74). Frost 3-6 percent white. Primary 3D #0a0c12.

Display: Syne 800 (--font-gb-display). Body: Outfit 300-500 (--font-gb-body). Lead line-height 1.55.

Thin blur 12 on nav, proofs, ticker. Heavy blur 18 on the thread only. Saturate 210-250 percent. Ice trip --trace-at 0 to 880, hide at 890.

One sheen every 12.5s.

Not neon SaaS, not purple mesh, not Optimus, not a Sphere partnership claim. The Sphere is setting only.

LAYOUT (exact structure):

One pinned 100dvh stage. Film cover, slight scale 1.04, object-position 52% 46%. Dual-edge veil. Center Sphere stays clean.

Top header: orb + Grok Bot mark; desktop nav Product, How it works, Safety, Enterprise; Sign in (ghost) + Download (small 3D primary).

Left copy: Early beta kicker + SuperGrok Heavy, three-line H1 Finish / the / swing., lead, Meet your first Bot + Download for macOS.

Right: Inbox Bot thread (heavy glass, ice trip, three messages).

Bottom: three proof cards, Sphere · Las Vegas, In flight ticker.

Lovable prompt (continued)

Safe horizontal padding at least about 2rem. Hide center nav under 768px. Stack CTAs on small screens.
Tailwind preflight: use button.gb-primary, button.gb-primary.gb-primary-sm, a.gb-mark so resets do not flatten the 3D CTA.

MOTION (exact):

PSAVE chase on requestAnimationFrame. No GSAP. No ScrollTrigger.

Capture helper: window.__msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-HERO-GROK01" }. Root data-grokbots-drive="psave". After release data-grokbots-owns="page".

TECHNICAL (you the AI implement this; the human may not be a developer):

Prefer React + TypeScript with source/GrokBotHero.tsx, source/hero.css, and source/copy.ts. Do not rewrite the engine unless those files are missing.

Video attributes: muted, playsInline, preload auto, object-fit cover, aria-hidden. No loop as primary mode.

Fonts: load Syne 600/700/800 + Outfit 300/400/500 with display swap.

Do NOT install gsap.

Replacement films MUST be re-encoded GOP 3, no B-frames, 25fps, crf 18 (ffmpeg -g 3 -keyint_min 3 -bf 0). A long-GOP file stalls mid-reverse.

QUALITY BAR:

It should feel like a Forbes-class AI-agent product homepage - ice, inevitable, expensive. One clear system: dual process PSAVE plus No Scroller. The whole film plays. Never jump a frame. Never freeze the HUD. Never burn storefront UI into the rebuild. Never reduce to wallpaper-only loop.

When done: I should see the full GrokBot experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Codex / ChatGPT

Select everything in the box area below (all parts if more than one page). Copy, then paste into Codex / ChatGPT. You do not need to understand the technical lines. Your AI does.

You are Codex / ChatGPT acting as my coding agent. Build a complete, production-ready web section or page. Create clear files, install what you need, and leave me a working result. Explain briefly what you built in plain language when finished.

Build a premium full-viewport website hero for an AI-agent product called Grok Bot.

BACKGROUND VIDEO (required):

Use this video as the full-screen Sphere film under the hero (not a small thumbnail):

<https://www.ClickMotion.dev/assets/videos/grokbotsphere-v1.mp4>

If the buyer has a local files pack, use assets/grokbotsphere-v1.mp4 placed at public/assets/videos/grokbotsphere-v1.mp4 (or the path already set in source).

Poster still (while loading / reduced motion still): public/assets/posters/grokbotsphere-v1.webp (or

<https://www.ClickMotion.dev/assets/posters/grokbotsphere-v1.webp>).

The video must be silent. Dual process: PSAVE (Perfect Scroll Video Engine) plus No Scroller (pin-until-complete). NOT wallpaper-only.

NOT a tall sticky track. The WHOLE film plays on scroll.

PSAVE + NO SCROLLER (non-negotiable):

One pinned 100dvh stage in normal document flow. The page does NOT physically scroll during the journey. Do not use position sticky.

Do not build a tall spacer. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 12 (locked: 62.5s even Sphere; two flicks on 3.6 dump dest). PSAVE_RATE = 1.2. PSAVE_FRAME = 1/25.

PSAVE_REV_STRIDE = 3. PSAVE_LIVE_MS = 280. PSAVE_COAST_SEC = 0.55. PSAVE_EASE_SEC = 0.55.

PSAVE_FLIP_DEADZONE_PX = 32.

Scroll aims a destination 0-1 on the 12 viewport track (raw 1:1, no wheel gain). The film PLAYS to that destination. Never seek currentTime across a jump.

DOWN: muted native play() at playbackRate 1.2. After they lift, leftover dest plus a 0.55s dest floor keeps the film going a little, then rate eases toward about 0.42. Friction, then a graceful stop. Ignore tiny opposite trackpad ticks under 32px.

UP: first real up-scroll snaps dest onto the picture. Walk currentTime backward exactly one 3-frame step (0.12s at 25fps) per seek. Wait seeked. Never seek to the stop point.

HUD CSS loops stay alive the whole time (primary sheen 12.5s, ice trip, marquee, orb spin, live dots).

Release the pin only when the picture arrives at 0 (up) or 1 (down). Then the host page may continue. After release the page owns scroll until the stage docks (top >= -2).

Opening: film starts black. Show a Scroll badge. Hide it 5 seconds after the first real scroll.

prefers-reduced-motion: still frame + HUD only. No PSAVE.

Do NOT install gsap. Do NOT import ScrollTrigger.

LOOK AND FEEL:

Ice liquid-glass on night-city Sphere. Ice type #eef4ff. Amber #f0d7a8. Mist rgba(232, 238, 248, 0.74). Frost 3-6 percent white. Primary 3D #0a0c12.

Display: Syne 800 (--font-gb-display). Body: Outfit 300-500 (--font-gb-body). Lead line-height 1.55.

Thin blur 12 on nav, proofs, ticker. Heavy blur 18 on the thread only. Saturate 210-250 percent. Ice trip --trace-at 0 to 880, hide at 890.

One sheen every 12.5s.

Not neon SaaS, not purple mesh, not Optimus, not a Sphere partnership claim. The Sphere is setting only.

LAYOUT (exact structure):

One pinned 100dvh stage. Film cover, slight scale 1.04, object-position 52% 46%. Dual-edge veil. Center Sphere stays clean.

Top header: orb + Grok Bot mark; desktop nav Product, How it works, Safety, Enterprise; Sign in (ghost) + Download (small 3D primary).

Left copy: Early beta kicker + SuperGrok Heavy, three-line H1 Finish / the / swing., lead, Meet your first Bot + Download for macOS.

Right: Inbox Bot thread (heavy glass, ice trip, three messages).

Bottom: three proof cards, Sphere · Las Vegas, In flight ticker.

Codex / ChatGPT prompt (continued)

Safe horizontal padding at least about 2rem. Hide center nav under 768px. Stack CTAs on small screens.
Tailwind preflight: use button.gb-primary, button.gb-primary.gb-primary-sm, a.gb-mark so resets do not flatten the 3D CTA.

MOTION (exact):

PSAVE chase on requestAnimationFrame. No GSAP. No ScrollTrigger.

Capture helper: window.__msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-HERO-GROK01" }. Root data-grokbots-drive="psave". After release data-grokbots-owns="page".

TECHNICAL (you the AI implement this; the human may not be a developer):

Prefer React + TypeScript with source/GrokBotHero.tsx, source/hero.css, and source/copy.ts. Do not rewrite the engine unless those files are missing.

Video attributes: muted, playsInline, preload auto, object-fit cover, aria-hidden. No loop as primary mode.

Fonts: load Syne 600/700/800 + Outfit 300/400/500 with display swap.

Do NOT install gsap.

Replacement films MUST be re-encoded GOP 3, no B-frames, 25fps, crf 18 (ffmpeg -g 3 -keyint_min 3 -bf 0). A long-GOP file stalls mid-reverse.

QUALITY BAR:

It should feel like a Forbes-class AI-agent product homepage - ice, inevitable, expensive. One clear system: dual process PSAVE plus No Scroller. The whole film plays. Never jump a frame. Never freeze the HUD. Never burn storefront UI into the rebuild. Never reduce to wallpaper-only loop.

When done: I should see the full GrokBot experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Bolt

Select everything in the box area below (all parts if more than one page). Copy, then paste into Bolt. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Bolt. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium full-viewport website hero for an AI-agent product called Grok Bot.

BACKGROUND VIDEO (required):

Use this video as the full-screen Sphere film under the hero (not a small thumbnail):

<https://www.ClickMotion.dev/assets/videos/grokbotsphere-v1.mp4>

If the buyer has a local files pack, use assets/grokbotsphere-v1.mp4 placed at public/assets/videos/grokbotsphere-v1.mp4 (or the path already set in source).

Poster still (while loading / reduced motion still): public/assets/posters/grokbotsphere-v1.webp (or

<https://www.ClickMotion.dev/assets/posters/grokbotsphere-v1.webp>).

The video must be silent. Dual process: PSAVE (Perfect Scroll Video Engine) plus No Scroller (pin-until-complete). NOT wallpaper-only.

NOT a tall sticky track. The WHOLE film plays on scroll.

PSAVE + NO SCROLLER (non-negotiable):

One pinned 100dvh stage in normal document flow. The page does NOT physically scroll during the journey. Do not use position sticky.

Do not build a tall spacer. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 12 (locked: 62.5s even Sphere; two flicks on 3.6 dump dest). PSAVE_RATE = 1.2. PSAVE_FRAME = 1/25.

PSAVE_REV_STRIDE = 3. PSAVE_LIVE_MS = 280. PSAVE_COAST_SEC = 0.55. PSAVE_EASE_SEC = 0.55.

PSAVE_FLIP_DEADZONE_PX = 32.

Scroll aims a destination 0-1 on the 12 viewport track (raw 1:1, no wheel gain). The film PLAYS to that destination. Never seek currentTime across a jump.

DOWN: muted native play() at playbackRate 1.2. After they lift, leftover dest plus a 0.55s dest floor keeps the film going a little, then rate eases toward about 0.42. Friction, then a graceful stop. Ignore tiny opposite trackpad ticks under 32px.

UP: first real up-scroll snaps dest onto the picture. Walk currentTime backward exactly one 3-frame step (0.12s at 25fps) per seek. Wait seeked. Never seek to the stop point.

HUD CSS loops stay alive the whole time (primary sheen 12.5s, ice trip, marquee, orb spin, live dots).

Release the pin only when the picture arrives at 0 (up) or 1 (down). Then the host page may continue. After release the page owns scroll until the stage docks (top >= -2).

Opening: film starts black. Show a Scroll badge. Hide it 5 seconds after the first real scroll.

prefers-reduced-motion: still frame + HUD only. No PSAVE.

Do NOT install gsap. Do NOT import ScrollTrigger.

LOOK AND FEEL:

Ice liquid-glass on night-city Sphere. Ice type #eef4ff. Amber #f0d7a8. Mist rgba(232, 238, 248, 0.74). Frost 3-6 percent white. Primary 3D #0a0c12.

Display: Syne 800 (--font-gb-display). Body: Outfit 300-500 (--font-gb-body). Lead line-height 1.55.

Thin blur 12 on nav, proofs, ticker. Heavy blur 18 on the thread only. Saturate 210-250 percent. Ice trip --trace-at 0 to 880, hide at 890.

One sheen every 12.5s.

Not neon SaaS, not purple mesh, not Optimus, not a Sphere partnership claim. The Sphere is setting only.

LAYOUT (exact structure):

One pinned 100dvh stage. Film cover, slight scale 1.04, object-position 52% 46%. Dual-edge veil. Center Sphere stays clean.

Top header: orb + Grok Bot mark; desktop nav Product, How it works, Safety, Enterprise; Sign in (ghost) + Download (small 3D primary).

Left copy: Early beta kicker + SuperGrok Heavy, three-line H1 Finish / the / swing., lead, Meet your first Bot + Download for macOS.

Right: Inbox Bot thread (heavy glass, ice trip, three messages).

Bottom: three proof cards, Sphere · Las Vegas, In flight ticker.

Bolt prompt (continued)

Safe horizontal padding at least about 2rem. Hide center nav under 768px. Stack CTAs on small screens.
Tailwind preflight: use button.gb-primary, button.gb-primary.gb-primary-sm, a.gb-mark so resets do not flatten the 3D CTA.

MOTION (exact):

PSAVE chase on requestAnimationFrame. No GSAP. No ScrollTrigger.

Capture helper: window.__msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-HERO-GROK01" }. Root data-grokbots-drive="psave". After release data-grokbots-owns="page".

TECHNICAL (you the AI implement this; the human may not be a developer):

Prefer React + TypeScript with source/GrokBotHero.tsx, source/hero.css, and source/copy.ts. Do not rewrite the engine unless those files are missing.

Video attributes: muted, playsInline, preload auto, object-fit cover, aria-hidden. No loop as primary mode.

Fonts: load Syne 600/700/800 + Outfit 300/400/500 with display swap.

Do NOT install gsap.

Replacement films MUST be re-encoded GOP 3, no B-frames, 25fps, crf 18 (ffmpeg -g 3 -keyint_min 3 -bf 0). A long-GOP file stalls mid-reverse.

QUALITY BAR:

It should feel like a Forbes-class AI-agent product homepage - ice, inevitable, expensive. One clear system: dual process PSAVE plus No Scroller. The whole film plays. Never jump a frame. Never freeze the HUD. Never burn storefront UI into the rebuild. Never reduce to wallpaper-only loop.

When done: I should see the full GrokBot experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Your Smart AI Agent

Select everything in the box area below (all parts if more than one page). Copy, then paste into Your Smart AI Agent. You do not need to understand the technical lines. Your AI does.

You are my smart AI agent. I may not be a professional programmer. Build a complete, production-ready website hero from the brief below. You choose the stack that works in my environment, create every file, wire the background video, and deliver a polished preview. Do not leave steps for me that require writing code. When finished, explain in plain English how I view and share the result.

Build a premium full-viewport website hero for an AI-agent product called Grok Bot.

BACKGROUND VIDEO (required):

Use this video as the full-screen Sphere film under the hero (not a small thumbnail):

<https://www.ClickMotion.dev/assets/videos/grokbotsphere-v1.mp4>

If the buyer has a local files pack, use assets/grokbotsphere-v1.mp4 placed at public/assets/videos/grokbotsphere-v1.mp4 (or the path already set in source).

Poster still (while loading / reduced motion still): public/assets/posters/grokbotsphere-v1.webp (or

<https://www.ClickMotion.dev/assets/posters/grokbotsphere-v1.webp>).

The video must be silent. Dual process: PSAVE (Perfect Scroll Video Engine) plus No Scroller (pin-until-complete). NOT wallpaper-only. NOT a tall sticky track. The WHOLE film plays on scroll.

PSAVE + NO SCROLLER (non-negotiable):

One pinned 100dvh stage in normal document flow. The page does NOT physically scroll during the journey. Do not use position sticky. Do not build a tall spacer. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 12 (locked: 62.5s even Sphere; two flicks on 3.6 dump dest). PSAVE_RATE = 1.2. PSAVE_FRAME = 1/25.

PSAVE_REV_STRIDE = 3. PSAVE_LIVE_MS = 280. PSAVE_COAST_SEC = 0.55. PSAVE_EASE_SEC = 0.55.

PSAVE_FLIP_DEADZONE_PX = 32.

Scroll aims a destination 0-1 on the 12 viewport track (raw 1:1, no wheel gain). The film PLAYS to that destination. Never seek currentTime across a jump.

DOWN: muted native play() at playbackRate 1.2. After they lift, leftover dest plus a 0.55s dest floor keeps the film going a little, then rate eases toward about 0.42. Friction, then a graceful stop. Ignore tiny opposite trackpad ticks under 32px.

UP: first real up-scroll snaps dest onto the picture. Walk currentTime backward exactly one 3-frame step (0.12s at 25fps) per seek. Wait seeked. Never seek to the stop point.

HUD CSS loops stay alive the whole time (primary sheen 12.5s, ice trip, marquee, orb spin, live dots).

Release the pin only when the picture arrives at 0 (up) or 1 (down). Then the host page may continue. After release the page owns scroll until the stage docks (top >= -2).

Opening: film starts black. Show a Scroll badge. Hide it 5 seconds after the first real scroll.

prefers-reduced-motion: still frame + HUD only. No PSAVE.

Do NOT install gsap. Do NOT import ScrollTrigger.

LOOK AND FEEL:

Ice liquid-glass on night-city Sphere. Ice type #eef4ff. Amber #f0d7a8. Mist rgba(232, 238, 248, 0.74). Frost 3-6 percent white. Primary 3D #0a0c12.

Display: Syne 800 (--font-gb-display). Body: Outfit 300-500 (--font-gb-body). Lead line-height 1.55.

Thin blur 12 on nav, proofs, ticker. Heavy blur 18 on the thread only. Saturate 210-250 percent. Ice trip --trace-at 0 to 880, hide at 890.

One sheen every 12.5s.

Not neon SaaS, not purple mesh, not Optimus, not a Sphere partnership claim. The Sphere is setting only.

LAYOUT (exact structure):

One pinned 100dvh stage. Film cover, slight scale 1.04, object-position 52% 46%. Dual-edge veil. Center Sphere stays clean.

Top header: orb + Grok Bot mark; desktop nav Product, How it works, Safety, Enterprise; Sign in (ghost) + Download (small 3D primary).

Left copy: Early beta kicker + SuperGrok Heavy, three-line H1 Finish / the / swing., lead, Meet your first Bot + Download for macOS.

Right: Inbox Bot thread (heavy glass, ice trip, three messages).

Your Smart AI Agent prompt (continued)

Bottom: three proof cards, Sphere · Las Vegas, In flight ticker.

Safe horizontal padding at least about 2rem. Hide center nav under 768px. Stack CTAs on small screens.

Tailwind preflight: use button.gb-primary, button.gb-primary.gb-primary-sm, a.gb-mark so resets do not flatten the 3D CTA.

MOTION (exact):

PSAVE chase on requestAnimationFrame. No GSAP. No ScrollTrigger.

Capture helper: window.__msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-HERO-GROK01" }. Root data-grokbots-drive="psave". After release data-grokbots-owns="page".

TECHNICAL (you the AI implement this; the human may not be a developer):

Prefer React + TypeScript with source/GrokBotHero.tsx, source/hero.css, and source/copy.ts. Do not rewrite the engine unless those files are missing.

Video attributes: muted, playsInline, preload auto, object-fit cover, aria-hidden. No loop as primary mode.

Fonts: load Syne 600/700/800 + Outfit 300/400/500 with display swap.

Do NOT install gsap.

Replacement films MUST be re-encoded GOP 3, no B-frames, 25fps, crf 18 (ffmpeg -g 3 -keyint_min 3 -bf 0). A long-GOP file stalls mid-reverse.

QUALITY BAR:

It should feel like a Forbes-class AI-agent product homepage - ice, inevitable, expensive. One clear system: dual process PSAVE plus No Scroller. The whole film plays. Never jump a frame. Never freeze the HUD. Never burn storefront UI into the rebuild. Never reduce to wallpaper-only loop.

When done: I should see the full GrokBot experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Customize without coding

You never have to open code. After the site is built, start a new message to the same AI and paste one of these lines. Fill in the brackets with your words.

Change the brand name

Ask your AI: "Change the brand name Grok Bot to [YOUR BRAND NAME] everywhere in the design, including the top left wordmark and any aria labels."

Rewrite headlines and lead

Ask your AI: "Update the three-line title Finish / the / swing., Early beta kicker, SuperGrok Heavy, and the lead paragraph for [MY AI PRODUCT]. Keep ice / amber contrast. No partnership claims. No humanoid robot."

Change nav and CTAs

Ask your AI: "Replace nav links Product, How it works, Safety, Enterprise with [MY FOUR LINKS]. Rename Sign in, Download, Meet your first Bot, and Download for macOS to [MY LABELS]. Keep the 3D primary and ghost secondary."

Rewrite proofs, thread, ticker

Ask your AI: "Replace the three proof cards, the Inbox Bot thread, and the In flight ticker jobs with my product language. Keep three proofs and a short thread."

Change colors

Ask your AI: "Keep a near-black ice look. Change ice #eef4ff, amber #f0d7a8, and primary #0a0c12 to [ICE], [AMBER], [PRIMARY]. Keep frost at 3-6 percent white. No neon primary system."

Use a different background video

Ask your AI: "Replace the hero film with [YOUR VIDEO LINK OR FILE NAME]. Re-encode GOP 3, no B-frames, crf 18, 25fps first. Update the poster still. Keep PSAVE: 12 viewport aim, 1.2x forward, reverse every 3rd frame, leftover dest plus 0.55s dest floor. The whole film must play. Never wallpaper-only."

Change fonts

Ask your AI: "Load my display sans as --font-gb-display and my UI sans as --font-gb-body. Keep heavy display and light body scale."

Make it work on phones

Ask your AI: "Improve the mobile layout so headlines never clip, center nav links hide under 768px, CTAs stack cleanly, the thread does not overflow, safe padding stays at least 2rem, and the stage stays one pinned viewport. Dual process must still hold: page does not physically scroll during the journey. The whole film still plays."

Something looks wrong

Ask your AI: "Something is broken: [DESCRIBE WHAT YOU SEE]. Fix it and keep dual process PSAVE plus No Scroller (12 vh aim, 1.2x forward, reverse every 3rd frame, leftover dest plus 0.55s dest floor), the ice HUD, and the full film duration. Do not restore gsap or a tall sticky track. Do not freeze the HUD. Do not reduce to wallpaper-only. Do not ask me to write code."

New background video (optional)

Only if you want a different film. Open a video generation AI, paste the prompt below, generate a silent clip about 12 seconds long, then ask your coding AI to use your new file as the background.

COPY THIS INTO A VIDEO AI

Cinematic ultra-premium 4K continuous night-city film, 50 to 70 seconds, 25fps, silent. SUBJECT: Las Vegas Sphere at blue hour and night. A smooth white Grok Bot face (two oval eyes, no mouth) fills the dome. Surrounding hotels, desert-city lights, deep blue sky. CAMERA: elevated glide or slow push, prestige pace. EVEN time, not a late kick. LOOK: night blue, warm hotel tungsten, white dome, gentle film grain. FORBIDDEN: logos other than the dome face, UI, captions, watermarks, Optimus or any humanoid robot, title cards, partnership language, jump cuts. TECH: 16:9, 3840x2160 preferred or 1920x1080 min, silent. After export RE-ENCODE GOP 3 no B-frames: ffmpeg -y -i your-film.mp4 -an -c:v libx264 -pix_fmt yuv420p -preset medium -crf 18 -g 3 -keyint_min 3 -bf 0 -sc_threshold 0 -movflags +faststart grokbot-sphere-v1.mp4. Save as public/assets/videos/grokbot-sphere-v1.mp4, poster to public/assets/posters/grokbot-sphere-v1.webp. Keep PSAVE (12 vh aim, 1.2x forward, reverse every 3rd frame, leftover dest plus 0.55s dest floor). The whole film plays. Never wallpaper-only.

Then tell your coding AI

Ask your AI: "Use my new video file [FILE NAME OR LINK] as the full-screen background. Keep the same GrokBot layout and behavior."

You are ready

- Your video link is on the video page of this package and inside every tool prompt.
- Pick one AI tool (or Your Smart AI Agent), paste that full prompt, and let it build.
- Customize by asking your AI in plain English. You do not need to know React or other frameworks.
- Brand site: www.ClickMotion.dev

ClickMotion

www.ClickMotion.dev

If something fails, paste the error into your AI and say: "Fix this for me without asking me to write code."