

YOUR PRODUCT PACKAGE

Revel

Pin-Until-Complete Fashion Scroll Hero

A light pearl fashion homepage where scroll advances an iPhone breakout film - four chapters from feed to freedom, rose-gold type, ready for your AI coding tool.

WHAT IS INSIDE

- Your background video link (and how to use the file)
- A ready prompt for Cursor, Claude, Grok Build, Lovable, Codex, Bolt or any smart AI
- Simple ways to ask your AI to customize text, colors, and the video look

You do not need to know how to program. Your AI does the technical work.

www.ClickMotion.dev

Start here (about 10 minutes)

Follow these steps in order. If you get stuck, paste the error message into the same AI and ask it to fix the project for you.

Step 1

Save your background video somewhere easy to find. You can use the link below or the video file that came with this package.

Step 2

Open the AI tool you already use.

Step 3

Find that tool's section in this PDF (or "Your Smart AI Agent" if your tool is not listed by name). Select the whole prompt under "Copy this into [tool]". Copy it.

Step 4

Paste it into a new chat or project in that tool and run it. Let the AI build everything.

Step 5

When the preview looks absolutely stunning, ask your AI: "Explain in plain language how I open and share this site."

Step 6

To change wording, colors, or branding, use the "Ask your AI to change..." lines later in this PDF. You do not edit code by hand unless you want to.

YOUR BACKGROUND VIDEO LINK

<https://www.ClickMotion.dev/assets/videos/revel-breakout-v1.mp4>

Offline file name if you were given a file: revel-breakout-v1.mp4. A still image may be included next to your video file for a clean first frame.

Your background video

This is the film that plays behind the Revel design. Keep this link. It is also written inside every AI prompt below so your AI can attach it automatically.

VIDEO URL

<https://www.ClickMotion.dev/assets/videos/revel-breakout-v1.mp4>

File name: revel-breakout-v1.mp4

What the film shows: gold iPhone social-commerce breakout - floating phone and icons, glass shatter by a shoe, suspended shards, woman leaping free. About 20 seconds, pearl studio, rose silk, no sound. Designed for PSAVE (GOP 3, no B-frames). Slow then a kick: about 5 or 6 scrolls to the halfway beat.

Prefer the URL when online. If you were given a local download, tell your AI: "Use my local file revel-breakout-v1.mp4 as the full-screen background video."

Copy this into Cursor

Select everything in the box area below (all parts if more than one page). Copy, then paste into Cursor. You do not need to understand the technical lines. Your AI does.

You are building production UI in my coding editor (Cursor). Create the files I need and keep the solution clean and complete.

Build a premium scroll-as-narrative website hero for a fashion commerce brand called REVEL.

BACKGROUND VIDEO (required - PSAVE, not simple autoplay loop):

Use this video as the full-screen hero film:

<https://www.ClickMotion.dev/assets/videos/revel-breakout-v1.mp4>

If the user has a local file named revel-breakout-v1.mp4, use that file path in the project instead of downloading.

The video is silent. Do not autoplay as a looping wallpaper. PSAVE (Perfect Scroll Video Engine): scroll aims a destination. Down-scroll PLAYS the film forward at 1.2x. Up-scroll PLAYS it backward at the same 1.2x, one 3-frame step per seek. NEVER jump a frame. NEVER assign currentTime to the destination.

The film is designed slow then fast: she lives in the phone and walks up to the glass (slow), then a kick and jump out (fast). Halfway (she leaves the viewpoint) takes about 5 or 6 scrolls. Do not flatten that edit.

LOOK AND FEEL:

Pearl light canvas #F7F4F1. Charcoal ink #1A1614. Rose gold #C4A574 and soft blush #E8B4B8 accents.

Display: Instrument Serif (or elegant editorial serif) for big titles. Body: Inter light.

Thin rose-gold progress bar under the nav. Fashion uppercase tracking. Light studio luxury.

This is a LIGHT mode hero. Never dark private-bank Meridian gold coastal, never mono Vertex security, never neon cyberpunk rain city, never quantum void cyan, never forest climate sage.

LAYOUT AND MOTION LAW (PIN-UNTIL-COMPLETE + PSAVE - mandatory - do NOT build a tall multi-vh page scroll track):

One pinned full-viewport stage (100dvh). Wheel / trackpad / touch / arrow keys AIM a destination on a 12-viewport track. Raw 1:1. No wheel gain. No swipe cap. No GSAP lag.

PSAVE: Down-scroll PLAYS the film forward at 1.2x (muted play() at playbackRate 1.2). Up-scroll PLAYS it backward at the same 1.2x by walking the live video exactly one 3-frame step (0.125s at 24fps) per seek. NEVER jump a frame. A tiny click creeps a few frames. A crazy scroll may aim ahead - the film still plays normally to that moment.

THE LIFT: leftover dest keeps the film going a little after they stop. After last real intent dest must sit at least 0.55 film-seconds ahead.

Ignore opposite trackpad ticks under 32px. Forward rate tapers from 1.2 toward 0.42 over the last 0.55s. Friction, then a graceful stop.

Never a tire screech. This 0.55 is leftover dest, NOT old GSAP scrub lag.

First real opposite gesture cancels a leftover destination and starts from the picture. Reverse starts WHILE they are still scrolling (280ms live window), then continues the same 3-frame steps after they stop. Wait for seeked. No canvas buffer. No loop.

Copy, chapters, and the rose bar follow the PICTURE, not the wheel destination.

Release ONLY when the picture has arrived at 0 (scroll up) or 1 (scroll down). After release the PAGE owns scroll until the stage docks.

Pointer on the atelier must never drive the film.

Optional capture helper: window.__msScrollNarrative.setProgress(0..1) may snap. getProgress is the playhead. getTarget is leftover dest.

Top nav: brand REVEL + Fashion Commerce, center links Collections Lookbook Campaigns Journal, right frost "Enter atelier".

Four chapters swap as the playhead advances:

- 1) The feed - "She lived / inside the glow." (floating gold phone, social icons)
- 2) The break - "Then something / had to give." (shoe shatters glass)
- 3) The shatter - "Shards of / attention fall." (glass and icons midair)
- 4) The arrival - "Now she / owns the room." (woman free mid-leap) with CTAs Shop the drop and Watch campaign.

Right rail chapter indices 01-04. Scroll cue at start. Closing atelier band AFTER the pin releases.

HOW TO BUILD IT (mandatory algorithm - do not invent another method):

1. One 100dvh stage in normal document flow. The atelier band is the NEXT sibling. Do not overflow-hidden the page.

2. Hold a DESTINATION 0 to 1 and a PLAYHEAD that is whatever the video is showing. The poster IS frame 0. Kick-seek 0.04 then 0, wait seeked, fade the film in. Reduced motion may keep that poster and seek to about 0.45.

Cursor prompt (continued)

3. Gestures add deltaPx / (12 * window height) to the DESTINATION only.

4. Wheel and trackpad: ignore ctrl/meta zoom. Normalize deltaMode. Map raw delta 1:1 onto the 12 track. Ignore opposite ticks under 32px. Apply once per animation frame. preventDefault while the pin owns the gesture.

5. Touch is also destination-only on the 12 track. Do not trap Space on a focused button.

6. PSAVE: each animation frame, walk the picture toward destination * duration at 1.2x, never more than 1/24 second of film in one forward fallback tick. Down: play() at playbackRate 1.2, ease over the last 0.55s of leftover dest. After they lift, if dest is closer than 0.55s of film, push dest that far once. Up: first real up-scroll snaps destination to the picture, then walk currentTime backward exactly 0.125s per seek on the live video. No low-res buffer. No loop.

7. If the PICTURE is at 0 and they scroll up, or the PICTURE is at 1 and they scroll down, RELEASE so the atelier can scroll into view. If the destination is already at an end but the picture is still walking, keep the pin. After release, page-owns until the stage docks.

8. Reduced motion: still mid-film frame around 0.45. No chase.

9. FILM ENCODE: the shipped revel-breakout-v1.mp4 is H.264 GOP 3, no B-frames, 161 I-frames, 20.04s, 24fps, 482 frames. If you replace the video, re-encode first: ffmpeg -an -c:v libx264 -crf 16 -g 3 -keyint_min 3 -bf 0 -sc_threshold 0 -movflags +faststart. Size the new aim track to the story beat. Do not extract PNG frames.

If you are about to write ScrollTrigger.create, position sticky, a 480vh spacer, or video.currentTime = target * duration on a large jump, stop and use this algorithm instead.

Do not copy Vertex 0.22 or old Revel seek-scrub 0.11 / 0.035 / 0.09 / GSAP 0.55. Revel gold is PSAVE on 12 viewports with leftover dest floor 0.55s.

PACK DELIVERY: This product ships as a buyer manual PDF plus the sold prompt. There is no files zip and no START-HERE folder. Rebuild from this brief and the video URL (or local revel-breakout-v1.mp4).

TECHNICAL (you the AI implement this, the human may not be a developer):

Use a modern web stack that works in the tool I am using. Prefer one main page component (or RevelScrollNarrative.tsx). Scroll aims. The film plays to that moment. Video attributes: muted, playsInline, preload ready, no wallpaper loop. Support reduced-motion: show a still mid-film frame (~0.45) and no chase. Keep cream type readable with pearl top fade and dark bottom scrim. NEVER use a tall sticky multi-vh document track as the method. NEVER seek currentTime across a jump. NEVER drive the film from the atelier after release.

QUALITY BAR:

It should feel like a high-fashion campaign site, not a generic AI social template. One clear system: PSAVE on pin-until-complete. Scroll aims on 12 viewports. The breakout film plays forward at 1.2x and reverse every 3rd frame, never jumps a frame, and on lift it coasts with friction then a graceful stop. Halfway (she leaves the phone) is earned. After the last frame the page owns the atelier.

When done: I should see the full Revel experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Claude

Select everything in the box area below (all parts if more than one page). Copy, then paste into Claude. You do not need to understand the technical lines. Your AI does.

You are my coding assistant. Build a complete, production-ready solution I can use. Explain briefly what you created after you finish, in plain language.

Build a premium scroll-as-narrative website hero for a fashion commerce brand called REVEL.

BACKGROUND VIDEO (required - PSAVE, not simple autoplay loop):

Use this video as the full-screen hero film:

<https://www.ClickMotion.dev/assets/videos/revel-breakout-v1.mp4>

If the user has a local file named revel-breakout-v1.mp4, use that file path in the project instead of downloading.

The video is silent. Do not autoplay as a looping wallpaper. PSAVE (Perfect Scroll Video Engine): scroll aims a destination. Down-scroll PLAYS the film forward at 1.2x. Up-scroll PLAYS it backward at the same 1.2x, one 3-frame step per seek. NEVER jump a frame. NEVER assign currentTime to the destination.

The film is designed slow then fast: she lives in the phone and walks up to the glass (slow), then a kick and jump out (fast). Halfway (she leaves the viewpoint) takes about 5 or 6 scrolls. Do not flatten that edit.

LOOK AND FEEL:

Pearl light canvas #F7F4F1. Charcoal ink #1A1614. Rose gold #C4A574 and soft blush #E8B4B8 accents.

Display: Instrument Serif (or elegant editorial serif) for big titles. Body: Inter light.

Thin rose-gold progress bar under the nav. Fashion uppercase tracking. Light studio luxury.

This is a LIGHT mode hero. Never dark private-bank Meridian gold coastal, never mono Vertex security, never neon cyberpunk rain city, never quantum void cyan, never forest climate sage.

LAYOUT AND MOTION LAW (PIN-UNTIL-COMPLETE + PSAVE - mandatory - do NOT build a tall multi-vh page scroll track):

One pinned full-viewport stage (100dvh). Wheel / trackpad / touch / arrow keys AIM a destination on a 12-viewport track. Raw 1:1. No wheel gain. No swipe cap. No GSAP lag.

PSAVE: Down-scroll PLAYS the film forward at 1.2x (muted play() at playbackRate 1.2). Up-scroll PLAYS it backward at the same 1.2x by walking the live video exactly one 3-frame step (0.125s at 24fps) per seek. NEVER jump a frame. A tiny click creeps a few frames. A crazy scroll may aim ahead - the film still plays normally to that moment.

THE LIFT: leftover dest keeps the film going a little after they stop. After last real intent dest must sit at least 0.55 film-seconds ahead.

Ignore opposite trackpad ticks under 32px. Forward rate tapers from 1.2 toward 0.42 over the last 0.55s. Friction, then a graceful stop. Never a tire screech. This 0.55 is leftover dest, NOT old GSAP scrub lag.

First real opposite gesture cancels a leftover destination and starts from the picture. Reverse starts WHILE they are still scrolling (280ms live window), then continues the same 3-frame steps after they stop. Wait for seeked. No canvas buffer. No loop.

Copy, chapters, and the rose bar follow the PICTURE, not the wheel destination.

Release ONLY when the picture has arrived at 0 (scroll up) or 1 (scroll down). After release the PAGE owns scroll until the stage docks.

Pointer on the atelier must never drive the film.

Optional capture helper: window.__msScrollNarrative.setProgress(0..1) may snap. getProgress is the playhead. getTarget is leftover dest.

Top nav: brand REVEL + Fashion Commerce, center links Collections Lookbook Campaigns Journal, right frost "Enter atelier".

Four chapters swap as the playhead advances:

- 1) The feed - "She lived / inside the glow." (floating gold phone, social icons)
- 2) The break - "Then something / had to give." (shoe shatters glass)
- 3) The shatter - "Shards of / attention fall." (glass and icons midair)
- 4) The arrival - "Now she / owns the room." (woman free mid-leap) with CTAs Shop the drop and Watch campaign.

Right rail chapter indices 01-04. Scroll cue at start. Closing atelier band AFTER the pin releases.

HOW TO BUILD IT (mandatory algorithm - do not invent another method):

1. One 100dvh stage in normal document flow. The atelier band is the NEXT sibling. Do not overflow-hidden the page.
2. Hold a DESTINATION 0 to 1 and a PLAYHEAD that is whatever the video is showing. The poster IS frame 0. Kick-seek 0.04 then 0,

Claude prompt (continued)

wait seeked, fade the film in. Reduced motion may keep that poster and seek to about 0.45.

3. Gestures add $\Delta Px / (12 * \text{window height})$ to the DESTINATION only.

4. Wheel and trackpad: ignore ctrl/meta zoom. Normalize $\Delta Mode$. Map raw Δ 1:1 onto the 12 track. Ignore opposite ticks under 32px. Apply once per animation frame. preventDefault while the pin owns the gesture.

5. Touch is also destination-only on the 12 track. Do not trap Space on a focused button.

6. PSAVE: each animation frame, walk the picture toward destination * duration at 1.2x, never more than 1/24 second of film in one forward fallback tick. Down: play() at playbackRate 1.2, ease over the last 0.55s of leftover dest. After they lift, if dest is closer than 0.55s of film, push dest that far once. Up: first real up-scroll snaps destination to the picture, then walk currentTime backward exactly 0.125s per seek on the live video. No low-res buffer. No loop.

7. If the PICTURE is at 0 and they scroll up, or the PICTURE is at 1 and they scroll down, RELEASE so the atelier can scroll into view. If the destination is already at an end but the picture is still walking, keep the pin. After release, page-owns until the stage docks.

8. Reduced motion: still mid-film frame around 0.45. No chase.

9. FILM ENCODE: the shipped revel-breakout-v1.mp4 is H.264 GOP 3, no B-frames, 161 I-frames, 20.04s, 24fps, 482 frames. If you replace the video, re-encode first: `ffmpeg -an -c:v libx264 -crf 16 -g 3 -keyint_min 3 -bf 0 -sc_threshold 0 -movflags +faststart`. Size the new aim track to the story beat. Do not extract PNG frames.

If you are about to write ScrollTrigger.create, position sticky, a 480vh spacer, or video.currentTime = target * duration on a large jump, stop and use this algorithm instead.

Do not copy Vertex 0.22 or old Revel seek-scrub 0.11 / 0.035 / 0.09 / GSAP 0.55. Revel gold is PSAVE on 12 viewports with leftover dest floor 0.55s.

PACK DELIVERY: This product ships as a buyer manual PDF plus the sold prompt. There is no files zip and no START-HERE folder.

Rebuild from this brief and the video URL (or local revel-breakout-v1.mp4).

TECHNICAL (you the AI implement this, the human may not be a developer):

Use a modern web stack that works in the tool I am using. Prefer one main page component (or RevelScrollNarrative.tsx). Scroll aims. The film plays to that moment. Video attributes: muted, playsInline, preload ready, no wallpaper loop. Support reduced-motion: show a still mid-film frame (~0.45) and no chase. Keep cream type readable with pearl top fade and dark bottom scrim. NEVER use a tall sticky multi-vh document track as the method. NEVER seek currentTime across a jump. NEVER drive the film from the atelier after release.

QUALITY BAR:

It should feel like a high-fashion campaign site, not a generic AI social template. One clear system: PSAVE on pin-until-complete. Scroll aims on 12 viewports. The breakout film plays forward at 1.2x and reverse every 3rd frame, never jumps a frame, and on lift it coasts with friction then a graceful stop. Halfway (she leaves the phone) is earned. After the last frame the page owns the atelier.

When done: I should see the full Revel experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Grok Build

Select everything in the box area below (all parts if more than one page). Copy, then paste into Grok Build. You do not need to understand the technical lines. Your AI does.

Build this as a complete, production-ready web section in Grok Build. Prefer a single polished component or page I can run immediately.

Build a premium scroll-as-narrative website hero for a fashion commerce brand called REVEL.

BACKGROUND VIDEO (required - PSAVE, not simple autoplay loop):

Use this video as the full-screen hero film:

<https://www.ClickMotion.dev/assets/videos/revel-breakout-v1.mp4>

If the user has a local file named revel-breakout-v1.mp4, use that file path in the project instead of downloading.

The video is silent. Do not autoplay as a looping wallpaper. PSAVE (Perfect Scroll Video Engine): scroll aims a destination. Down-scroll PLAYS the film forward at 1.2x. Up-scroll PLAYS it backward at the same 1.2x, one 3-frame step per seek. NEVER jump a frame. NEVER assign currentTime to the destination.

The film is designed slow then fast: she lives in the phone and walks up to the glass (slow), then a kick and jump out (fast). Halfway (she leaves the viewpoint) takes about 5 or 6 scrolls. Do not flatten that edit.

LOOK AND FEEL:

Pearl light canvas #F7F4F1. Charcoal ink #1A1614. Rose gold #C4A574 and soft blush #E8B4B8 accents.

Display: Instrument Serif (or elegant editorial serif) for big titles. Body: Inter light.

Thin rose-gold progress bar under the nav. Fashion uppercase tracking. Light studio luxury.

This is a LIGHT mode hero. Never dark private-bank Meridian gold coastal, never mono Vertex security, never neon cyberpunk rain city, never quantum void cyan, never forest climate sage.

LAYOUT AND MOTION LAW (PIN-UNTIL-COMPLETE + PSAVE - mandatory - do NOT build a tall multi-vh page scroll track):

One pinned full-viewport stage (100dvh). Wheel / trackpad / touch / arrow keys AIM a destination on a 12-viewport track. Raw 1:1. No wheel gain. No swipe cap. No GSAP lag.

PSAVE: Down-scroll PLAYS the film forward at 1.2x (muted play() at playbackRate 1.2). Up-scroll PLAYS it backward at the same 1.2x by walking the live video exactly one 3-frame step (0.125s at 24fps) per seek. NEVER jump a frame. A tiny click creeps a few frames. A crazy scroll may aim ahead - the film still plays normally to that moment.

THE LIFT: leftover dest keeps the film going a little after they stop. After last real intent dest must sit at least 0.55 film-seconds ahead.

Ignore opposite trackpad ticks under 32px. Forward rate tapers from 1.2 toward 0.42 over the last 0.55s. Friction, then a graceful stop.

Never a tire screech. This 0.55 is leftover dest, NOT old GSAP scrub lag.

First real opposite gesture cancels a leftover destination and starts from the picture. Reverse starts WHILE they are still scrolling (280ms live window), then continues the same 3-frame steps after they stop. Wait for seeked. No canvas buffer. No loop.

Copy, chapters, and the rose bar follow the PICTURE, not the wheel destination.

Release ONLY when the picture has arrived at 0 (scroll up) or 1 (scroll down). After release the PAGE owns scroll until the stage docks.

Pointer on the atelier must never drive the film.

Optional capture helper: window.__msScrollNarrative.setProgress(0..1) may snap. getProgress is the playhead. getTarget is leftover dest.

Top nav: brand REVEL + Fashion Commerce, center links Collections Lookbook Campaigns Journal, right frost "Enter atelier".

Four chapters swap as the playhead advances:

- 1) The feed - "She lived / inside the glow." (floating gold phone, social icons)
- 2) The break - "Then something / had to give." (shoe shatters glass)
- 3) The shatter - "Shards of / attention fall." (glass and icons midair)
- 4) The arrival - "Now she / owns the room." (woman free mid-leap) with CTAs Shop the drop and Watch campaign.

Right rail chapter indices 01-04. Scroll cue at start. Closing atelier band AFTER the pin releases.

HOW TO BUILD IT (mandatory algorithm - do not invent another method):

1. One 100dvh stage in normal document flow. The atelier band is the NEXT sibling. Do not overflow-hidden the page.

2. Hold a DESTINATION 0 to 1 and a PLAYHEAD that is whatever the video is showing. The poster IS frame 0. Kick-seek 0.04 then 0, wait seeked, fade the film in. Reduced motion may keep that poster and seek to about 0.45.

Grok Build prompt (continued)

3. Gestures add deltaPx / (12 * window height) to the DESTINATION only.

4. Wheel and trackpad: ignore ctrl/meta zoom. Normalize deltaMode. Map raw delta 1:1 onto the 12 track. Ignore opposite ticks under 32px. Apply once per animation frame. preventDefault while the pin owns the gesture.

5. Touch is also destination-only on the 12 track. Do not trap Space on a focused button.

6. PSAVE: each animation frame, walk the picture toward destination * duration at 1.2x, never more than 1/24 second of film in one forward fallback tick. Down: play() at playbackRate 1.2, ease over the last 0.55s of leftover dest. After they lift, if dest is closer than 0.55s of film, push dest that far once. Up: first real up-scroll snaps destination to the picture, then walk currentTime backward exactly 0.125s per seek on the live video. No low-res buffer. No loop.

7. If the PICTURE is at 0 and they scroll up, or the PICTURE is at 1 and they scroll down, RELEASE so the atelier can scroll into view. If the destination is already at an end but the picture is still walking, keep the pin. After release, page-owns until the stage docks.

8. Reduced motion: still mid-film frame around 0.45. No chase.

9. FILM ENCODE: the shipped revel-breakout-v1.mp4 is H.264 GOP 3, no B-frames, 161 I-frames, 20.04s, 24fps, 482 frames. If you replace the video, re-encode first: `ffmpeg -an -c:v libx264 -crf 16 -g 3 -keyint_min 3 -bf 0 -sc_threshold 0 -movflags +faststart`. Size the new aim track to the story beat. Do not extract PNG frames.

If you are about to write ScrollTrigger.create, position sticky, a 480vh spacer, or video.currentTime = target * duration on a large jump, stop and use this algorithm instead.

Do not copy Vertex 0.22 or old Revel seek-scrub 0.11 / 0.035 / 0.09 / GSAP 0.55. Revel gold is PSAVE on 12 viewports with leftover dest floor 0.55s.

PACK DELIVERY: This product ships as a buyer manual PDF plus the sold prompt. There is no files zip and no START-HERE folder. Rebuild from this brief and the video URL (or local revel-breakout-v1.mp4).

TECHNICAL (you the AI implement this, the human may not be a developer):

Use a modern web stack that works in the tool I am using. Prefer one main page component (or RevelScrollNarrative.tsx). Scroll aims. The film plays to that moment. Video attributes: muted, playsInline, preload ready, no wallpaper loop. Support reduced-motion: show a still mid-film frame (~0.45) and no chase. Keep cream type readable with pearl top fade and dark bottom scrim. NEVER use a tall sticky multi-vh document track as the method. NEVER seek currentTime across a jump. NEVER drive the film from the atelier after release.

QUALITY BAR:

It should feel like a high-fashion campaign site, not a generic AI social template. One clear system: PSAVE on pin-until-complete. Scroll aims on 12 viewports. The breakout film plays forward at 1.2x and reverse every 3rd frame, never jumps a frame, and on lift it coasts with friction then a graceful stop. Halfway (she leaves the phone) is earned. After the last frame the page owns the atelier.

When done: I should see the full Revel experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Lovable

Select everything in the box area below (all parts if more than one page). Copy, then paste into Lovable. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Lovable. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium scroll-as-narrative website hero for a fashion commerce brand called REVEL.

BACKGROUND VIDEO (required - PSAVE, not simple autoplay loop):

Use this video as the full-screen hero film:

<https://www.ClickMotion.dev/assets/videos/revel-breakout-v1.mp4>

If the user has a local file named revel-breakout-v1.mp4, use that file path in the project instead of downloading.

The video is silent. Do not autoplay as a looping wallpaper. PSAVE (Perfect Scroll Video Engine): scroll aims a destination. Down-scroll PLAYS the film forward at 1.2x. Up-scroll PLAYS it backward at the same 1.2x, one 3-frame step per seek. NEVER jump a frame. NEVER assign currentTime to the destination.

The film is designed slow then fast: she lives in the phone and walks up to the glass (slow), then a kick and jump out (fast). Halfway (she leaves the viewpoint) takes about 5 or 6 scrolls. Do not flatten that edit.

LOOK AND FEEL:

Pearl light canvas #F7F4F1. Charcoal ink #1A1614. Rose gold #C4A574 and soft blush #E8B4B8 accents.

Display: Instrument Serif (or elegant editorial serif) for big titles. Body: Inter light.

Thin rose-gold progress bar under the nav. Fashion uppercase tracking. Light studio luxury.

This is a LIGHT mode hero. Never dark private-bank Meridian gold coastal, never mono Vertex security, never neon cyberpunk rain city, never quantum void cyan, never forest climate sage.

LAYOUT AND MOTION LAW (PIN-UNTIL-COMPLETE + PSAVE - mandatory - do NOT build a tall multi-vh page scroll track):

One pinned full-viewport stage (100dvh). Wheel / trackpad / touch / arrow keys AIM a destination on a 12-viewport track. Raw 1:1. No wheel gain. No swipe cap. No GSAP lag.

PSAVE: Down-scroll PLAYS the film forward at 1.2x (muted play() at playbackRate 1.2). Up-scroll PLAYS it backward at the same 1.2x by walking the live video exactly one 3-frame step (0.125s at 24fps) per seek. NEVER jump a frame. A tiny click creeps a few frames. A crazy scroll may aim ahead - the film still plays normally to that moment.

THE LIFT: leftover dest keeps the film going a little after they stop. After last real intent dest must sit at least 0.55 film-seconds ahead.

Ignore opposite trackpad ticks under 32px. Forward rate tapers from 1.2 toward 0.42 over the last 0.55s. Friction, then a graceful stop. Never a tire screech. This 0.55 is leftover dest, NOT old GSAP scrub lag.

First real opposite gesture cancels a leftover destination and starts from the picture. Reverse starts WHILE they are still scrolling (280ms live window), then continues the same 3-frame steps after they stop. Wait for seeked. No canvas buffer. No loop.

Copy, chapters, and the rose bar follow the PICTURE, not the wheel destination.

Release ONLY when the picture has arrived at 0 (scroll up) or 1 (scroll down). After release the PAGE owns scroll until the stage docks.

Pointer on the atelier must never drive the film.

Optional capture helper: window.__msScrollNarrative.setProgress(0..1) may snap. getProgress is the playhead. getTarget is leftover dest.

Top nav: brand REVEL + Fashion Commerce, center links Collections Lookbook Campaigns Journal, right frost "Enter atelier".

Four chapters swap as the playhead advances:

- 1) The feed - "She lived / inside the glow." (floating gold phone, social icons)
- 2) The break - "Then something / had to give." (shoe shatters glass)
- 3) The shatter - "Shards of / attention fall." (glass and icons midair)
- 4) The arrival - "Now she / owns the room." (woman free mid-leap) with CTAs Shop the drop and Watch campaign.

Right rail chapter indices 01-04. Scroll cue at start. Closing atelier band AFTER the pin releases.

HOW TO BUILD IT (mandatory algorithm - do not invent another method):

1. One 100dvh stage in normal document flow. The atelier band is the NEXT sibling. Do not overflow-hidden the page.
2. Hold a DESTINATION 0 to 1 and a PLAYHEAD that is whatever the video is showing. The poster IS frame 0. Kick-seek 0.04 then 0,

Lovable prompt (continued)

wait seeked, fade the film in. Reduced motion may keep that poster and seek to about 0.45.

3. Gestures add $\Delta Px / (12 * \text{window height})$ to the DESTINATION only.

4. Wheel and trackpad: ignore ctrl/meta zoom. Normalize $\Delta Mode$. Map raw Δ 1:1 onto the 12 track. Ignore opposite ticks under 32px. Apply once per animation frame. preventDefault while the pin owns the gesture.

5. Touch is also destination-only on the 12 track. Do not trap Space on a focused button.

6. PSAVE: each animation frame, walk the picture toward destination * duration at 1.2x, never more than 1/24 second of film in one forward fallback tick. Down: play() at playbackRate 1.2, ease over the last 0.55s of leftover dest. After they lift, if dest is closer than 0.55s of film, push dest that far once. Up: first real up-scroll snaps destination to the picture, then walk currentTime backward exactly 0.125s per seek on the live video. No low-res buffer. No loop.

7. If the PICTURE is at 0 and they scroll up, or the PICTURE is at 1 and they scroll down, RELEASE so the atelier can scroll into view. If the destination is already at an end but the picture is still walking, keep the pin. After release, page-owns until the stage docks.

8. Reduced motion: still mid-film frame around 0.45. No chase.

9. FILM ENCODE: the shipped revel-breakout-v1.mp4 is H.264 GOP 3, no B-frames, 161 I-frames, 20.04s, 24fps, 482 frames. If you replace the video, re-encode first: `ffmpeg -an -c:v libx264 -crf 16 -g 3 -keyint_min 3 -bf 0 -sc_threshold 0 -movflags +faststart`. Size the new aim track to the story beat. Do not extract PNG frames.

If you are about to write ScrollTrigger.create, position sticky, a 480vh spacer, or video.currentTime = target * duration on a large jump, stop and use this algorithm instead.

Do not copy Vertex 0.22 or old Revel seek-scrub 0.11 / 0.035 / 0.09 / GSAP 0.55. Revel gold is PSAVE on 12 viewports with leftover dest floor 0.55s.

PACK DELIVERY: This product ships as a buyer manual PDF plus the sold prompt. There is no files zip and no START-HERE folder.

Rebuild from this brief and the video URL (or local revel-breakout-v1.mp4).

TECHNICAL (you the AI implement this, the human may not be a developer):

Use a modern web stack that works in the tool I am using. Prefer one main page component (or RevelScrollNarrative.tsx). Scroll aims. The film plays to that moment. Video attributes: muted, playsInline, preload ready, no wallpaper loop. Support reduced-motion: show a still mid-film frame (~0.45) and no chase. Keep cream type readable with pearl top fade and dark bottom scrim. NEVER use a tall sticky multi-vh document track as the method. NEVER seek currentTime across a jump. NEVER drive the film from the atelier after release.

QUALITY BAR:

It should feel like a high-fashion campaign site, not a generic AI social template. One clear system: PSAVE on pin-until-complete. Scroll aims on 12 viewports. The breakout film plays forward at 1.2x and reverse every 3rd frame, never jumps a frame, and on lift it coasts with friction then a graceful stop. Halfway (she leaves the phone) is earned. After the last frame the page owns the atelier.

When done: I should see the full Revel experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Codex / ChatGPT

Select everything in the box area below (all parts if more than one page). Copy, then paste into Codex / ChatGPT. You do not need to understand the technical lines. Your AI does.

You are Codex / ChatGPT acting as my coding agent. Build a complete, production-ready web section or page. Create clear files, install what you need, and leave me a working result. Explain briefly what you built in plain language when finished.

Build a premium scroll-as-narrative website hero for a fashion commerce brand called REVEL.

BACKGROUND VIDEO (required - PSAVE, not simple autoplay loop):

Use this video as the full-screen hero film:

<https://www.ClickMotion.dev/assets/videos/revel-breakout-v1.mp4>

If the user has a local file named revel-breakout-v1.mp4, use that file path in the project instead of downloading.

The video is silent. Do not autoplay as a looping wallpaper. PSAVE (Perfect Scroll Video Engine): scroll aims a destination. Down-scroll PLAYS the film forward at 1.2x. Up-scroll PLAYS it backward at the same 1.2x, one 3-frame step per seek. NEVER jump a frame. NEVER assign currentTime to the destination.

The film is designed slow then fast: she lives in the phone and walks up to the glass (slow), then a kick and jump out (fast). Halfway (she leaves the viewpoint) takes about 5 or 6 scrolls. Do not flatten that edit.

LOOK AND FEEL:

Pearl light canvas #F7F4F1. Charcoal ink #1A1614. Rose gold #C4A574 and soft blush #E8B4B8 accents.

Display: Instrument Serif (or elegant editorial serif) for big titles. Body: Inter light.

Thin rose-gold progress bar under the nav. Fashion uppercase tracking. Light studio luxury.

This is a LIGHT mode hero. Never dark private-bank Meridian gold coastal, never mono Vertex security, never neon cyberpunk rain city, never quantum void cyan, never forest climate sage.

LAYOUT AND MOTION LAW (PIN-UNTIL-COMPLETE + PSAVE - mandatory - do NOT build a tall multi-vh page scroll track):

One pinned full-viewport stage (100dvh). Wheel / trackpad / touch / arrow keys AIM a destination on a 12-viewport track. Raw 1:1. No wheel gain. No swipe cap. No GSAP lag.

PSAVE: Down-scroll PLAYS the film forward at 1.2x (muted play() at playbackRate 1.2). Up-scroll PLAYS it backward at the same 1.2x by walking the live video exactly one 3-frame step (0.125s at 24fps) per seek. NEVER jump a frame. A tiny click creeps a few frames. A crazy scroll may aim ahead - the film still plays normally to that moment.

THE LIFT: leftover dest keeps the film going a little after they stop. After last real intent dest must sit at least 0.55 film-seconds ahead.

Ignore opposite trackpad ticks under 32px. Forward rate tapers from 1.2 toward 0.42 over the last 0.55s. Friction, then a graceful stop. Never a tire screech. This 0.55 is leftover dest, NOT old GSAP scrub lag.

First real opposite gesture cancels a leftover destination and starts from the picture. Reverse starts WHILE they are still scrolling (280ms live window), then continues the same 3-frame steps after they stop. Wait for seeked. No canvas buffer. No loop.

Copy, chapters, and the rose bar follow the PICTURE, not the wheel destination.

Release ONLY when the picture has arrived at 0 (scroll up) or 1 (scroll down). After release the PAGE owns scroll until the stage docks.

Pointer on the atelier must never drive the film.

Optional capture helper: window.__msScrollNarrative.setProgress(0..1) may snap. getProgress is the playhead. getTarget is leftover dest.

Top nav: brand REVEL + Fashion Commerce, center links Collections Lookbook Campaigns Journal, right frost "Enter atelier".

Four chapters swap as the playhead advances:

- 1) The feed - "She lived / inside the glow." (floating gold phone, social icons)
- 2) The break - "Then something / had to give." (shoe shatters glass)
- 3) The shatter - "Shards of / attention fall." (glass and icons midair)
- 4) The arrival - "Now she / owns the room." (woman free mid-leap) with CTAs Shop the drop and Watch campaign.

Right rail chapter indices 01-04. Scroll cue at start. Closing atelier band AFTER the pin releases.

HOW TO BUILD IT (mandatory algorithm - do not invent another method):

1. One 100dvh stage in normal document flow. The atelier band is the NEXT sibling. Do not overflow-hidden the page.
2. Hold a DESTINATION 0 to 1 and a PLAYHEAD that is whatever the video is showing. The poster IS frame 0. Kick-seek 0.04 then 0,

Codex / ChatGPT prompt (continued)

wait seeked, fade the film in. Reduced motion may keep that poster and seek to about 0.45.

3. Gestures add deltaPx / (12 * window height) to the DESTINATION only.

4. Wheel and trackpad: ignore ctrl/meta zoom. Normalize deltaMode. Map raw delta 1:1 onto the 12 track. Ignore opposite ticks under 32px. Apply once per animation frame. preventDefault while the pin owns the gesture.

5. Touch is also destination-only on the 12 track. Do not trap Space on a focused button.

6. PSAVE: each animation frame, walk the picture toward destination * duration at 1.2x, never more than 1/24 second of film in one forward fallback tick. Down: play() at playbackRate 1.2, ease over the last 0.55s of leftover dest. After they lift, if dest is closer than 0.55s of film, push dest that far once. Up: first real up-scroll snaps destination to the picture, then walk currentTime backward exactly 0.125s per seek on the live video. No low-res buffer. No loop.

7. If the PICTURE is at 0 and they scroll up, or the PICTURE is at 1 and they scroll down, RELEASE so the atelier can scroll into view. If the destination is already at an end but the picture is still walking, keep the pin. After release, page-owns until the stage docks.

8. Reduced motion: still mid-film frame around 0.45. No chase.

9. FILM ENCODE: the shipped revel-breakout-v1.mp4 is H.264 GOP 3, no B-frames, 161 I-frames, 20.04s, 24fps, 482 frames. If you replace the video, re-encode first: ffmpeg -an -c:v libx264 -crf 16 -g 3 -keyint_min 3 -bf 0 -sc_threshold 0 -movflags +faststart. Size the new aim track to the story beat. Do not extract PNG frames.

If you are about to write ScrollTrigger.create, position sticky, a 480vh spacer, or video.currentTime = target * duration on a large jump, stop and use this algorithm instead.

Do not copy Vertex 0.22 or old Revel seek-scrub 0.11 / 0.035 / 0.09 / GSAP 0.55. Revel gold is PSAVE on 12 viewports with leftover dest floor 0.55s.

PACK DELIVERY: This product ships as a buyer manual PDF plus the sold prompt. There is no files zip and no START-HERE folder.

Rebuild from this brief and the video URL (or local revel-breakout-v1.mp4).

TECHNICAL (you the AI implement this, the human may not be a developer):

Use a modern web stack that works in the tool I am using. Prefer one main page component (or RevelScrollNarrative.tsx). Scroll aims. The film plays to that moment. Video attributes: muted, playsInline, preload ready, no wallpaper loop. Support reduced-motion: show a still mid-film frame (~0.45) and no chase. Keep cream type readable with pearl top fade and dark bottom scrim. NEVER use a tall sticky multi-vh document track as the method. NEVER seek currentTime across a jump. NEVER drive the film from the atelier after release.

QUALITY BAR:

It should feel like a high-fashion campaign site, not a generic AI social template. One clear system: PSAVE on pin-until-complete. Scroll aims on 12 viewports. The breakout film plays forward at 1.2x and reverse every 3rd frame, never jumps a frame, and on lift it coasts with friction then a graceful stop. Halfway (she leaves the phone) is earned. After the last frame the page owns the atelier.

When done: I should see the full Revel experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Bolt

Select everything in the box area below (all parts if more than one page). Copy, then paste into Bolt. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Bolt. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium scroll-as-narrative website hero for a fashion commerce brand called REVEL.

BACKGROUND VIDEO (required - PSAVE, not simple autoplay loop):

Use this video as the full-screen hero film:

<https://www.ClickMotion.dev/assets/videos/revel-breakout-v1.mp4>

If the user has a local file named revel-breakout-v1.mp4, use that file path in the project instead of downloading.

The video is silent. Do not autoplay as a looping wallpaper. PSAVE (Perfect Scroll Video Engine): scroll aims a destination. Down-scroll PLAYS the film forward at 1.2x. Up-scroll PLAYS it backward at the same 1.2x, one 3-frame step per seek. NEVER jump a frame. NEVER assign currentTime to the destination.

The film is designed slow then fast: she lives in the phone and walks up to the glass (slow), then a kick and jump out (fast). Halfway (she leaves the viewpoint) takes about 5 or 6 scrolls. Do not flatten that edit.

LOOK AND FEEL:

Pearl light canvas #F7F4F1. Charcoal ink #1A1614. Rose gold #C4A574 and soft blush #E8B4B8 accents.

Display: Instrument Serif (or elegant editorial serif) for big titles. Body: Inter light.

Thin rose-gold progress bar under the nav. Fashion uppercase tracking. Light studio luxury.

This is a LIGHT mode hero. Never dark private-bank Meridian gold coastal, never mono Vertex security, never neon cyberpunk rain city, never quantum void cyan, never forest climate sage.

LAYOUT AND MOTION LAW (PIN-UNTIL-COMPLETE + PSAVE - mandatory - do NOT build a tall multi-vh page scroll track):

One pinned full-viewport stage (100dvh). Wheel / trackpad / touch / arrow keys AIM a destination on a 12-viewport track. Raw 1:1. No wheel gain. No swipe cap. No GSAP lag.

PSAVE: Down-scroll PLAYS the film forward at 1.2x (muted play() at playbackRate 1.2). Up-scroll PLAYS it backward at the same 1.2x by walking the live video exactly one 3-frame step (0.125s at 24fps) per seek. NEVER jump a frame. A tiny click creeps a few frames. A crazy scroll may aim ahead - the film still plays normally to that moment.

THE LIFT: leftover dest keeps the film going a little after they stop. After last real intent dest must sit at least 0.55 film-seconds ahead.

Ignore opposite trackpad ticks under 32px. Forward rate tapers from 1.2 toward 0.42 over the last 0.55s. Friction, then a graceful stop. Never a tire screech. This 0.55 is leftover dest, NOT old GSAP scrub lag.

First real opposite gesture cancels a leftover destination and starts from the picture. Reverse starts WHILE they are still scrolling (280ms live window), then continues the same 3-frame steps after they stop. Wait for seeked. No canvas buffer. No loop.

Copy, chapters, and the rose bar follow the PICTURE, not the wheel destination.

Release ONLY when the picture has arrived at 0 (scroll up) or 1 (scroll down). After release the PAGE owns scroll until the stage docks.

Pointer on the atelier must never drive the film.

Optional capture helper: window.__msScrollNarrative.setProgress(0..1) may snap. getProgress is the playhead. getTarget is leftover dest.

Top nav: brand REVEL + Fashion Commerce, center links Collections Lookbook Campaigns Journal, right frost "Enter atelier".

Four chapters swap as the playhead advances:

- 1) The feed - "She lived / inside the glow." (floating gold phone, social icons)
- 2) The break - "Then something / had to give." (shoe shatters glass)
- 3) The shatter - "Shards of / attention fall." (glass and icons midair)
- 4) The arrival - "Now she / owns the room." (woman free mid-leap) with CTAs Shop the drop and Watch campaign.

Right rail chapter indices 01-04. Scroll cue at start. Closing atelier band AFTER the pin releases.

HOW TO BUILD IT (mandatory algorithm - do not invent another method):

1. One 100dvh stage in normal document flow. The atelier band is the NEXT sibling. Do not overflow-hidden the page.
2. Hold a DESTINATION 0 to 1 and a PLAYHEAD that is whatever the video is showing. The poster IS frame 0. Kick-seek 0.04 then 0,

Bolt prompt (continued)

wait seeked, fade the film in. Reduced motion may keep that poster and seek to about 0.45.

3. Gestures add $\Delta Px / (12 * \text{window height})$ to the DESTINATION only.

4. Wheel and trackpad: ignore ctrl/meta zoom. Normalize $\Delta Mode$. Map raw Δ 1:1 onto the 12 track. Ignore opposite ticks under 32px. Apply once per animation frame. preventDefault while the pin owns the gesture.

5. Touch is also destination-only on the 12 track. Do not trap Space on a focused button.

6. PSAVE: each animation frame, walk the picture toward destination * duration at 1.2x, never more than 1/24 second of film in one forward fallback tick. Down: play() at playbackRate 1.2, ease over the last 0.55s of leftover dest. After they lift, if dest is closer than 0.55s of film, push dest that far once. Up: first real up-scroll snaps destination to the picture, then walk currentTime backward exactly 0.125s per seek on the live video. No low-res buffer. No loop.

7. If the PICTURE is at 0 and they scroll up, or the PICTURE is at 1 and they scroll down, RELEASE so the atelier can scroll into view. If the destination is already at an end but the picture is still walking, keep the pin. After release, page-owns until the stage docks.

8. Reduced motion: still mid-film frame around 0.45. No chase.

9. FILM ENCODE: the shipped revel-breakout-v1.mp4 is H.264 GOP 3, no B-frames, 161 I-frames, 20.04s, 24fps, 482 frames. If you replace the video, re-encode first: `ffmpeg -an -c:v libx264 -crf 16 -g 3 -keyint_min 3 -bf 0 -sc_threshold 0 -movflags +faststart`. Size the new aim track to the story beat. Do not extract PNG frames.

If you are about to write ScrollTrigger.create, position sticky, a 480vh spacer, or video.currentTime = target * duration on a large jump, stop and use this algorithm instead.

Do not copy Vertex 0.22 or old Revel seek-scrub 0.11 / 0.035 / 0.09 / GSAP 0.55. Revel gold is PSAVE on 12 viewports with leftover dest floor 0.55s.

PACK DELIVERY: This product ships as a buyer manual PDF plus the sold prompt. There is no files zip and no START-HERE folder.

Rebuild from this brief and the video URL (or local revel-breakout-v1.mp4).

TECHNICAL (you the AI implement this, the human may not be a developer):

Use a modern web stack that works in the tool I am using. Prefer one main page component (or RevelScrollNarrative.tsx). Scroll aims. The film plays to that moment. Video attributes: muted, playsInline, preload ready, no wallpaper loop. Support reduced-motion: show a still mid-film frame (~0.45) and no chase. Keep cream type readable with pearl top fade and dark bottom scrim. NEVER use a tall sticky multi-vh document track as the method. NEVER seek currentTime across a jump. NEVER drive the film from the atelier after release.

QUALITY BAR:

It should feel like a high-fashion campaign site, not a generic AI social template. One clear system: PSAVE on pin-until-complete. Scroll aims on 12 viewports. The breakout film plays forward at 1.2x and reverse every 3rd frame, never jumps a frame, and on lift it coasts with friction then a graceful stop. Halfway (she leaves the phone) is earned. After the last frame the page owns the atelier.

When done: I should see the full Revel experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Your Smart AI Agent

Select everything in the box area below (all parts if more than one page). Copy, then paste into Your Smart AI Agent. You do not need to understand the technical lines. Your AI does.

You are my smart AI agent. I may not be a professional programmer. Build a complete, production-ready website hero from the brief below. You choose the stack that works in my environment, create every file, wire the background video, and deliver a polished preview. Do not leave steps for me that require writing code. When finished, explain in plain English how I view and share the result.

Build a premium scroll-as-narrative website hero for a fashion commerce brand called REVEL.

BACKGROUND VIDEO (required - PSAVE, not simple autoplay loop):

Use this video as the full-screen hero film:

<https://www.ClickMotion.dev/assets/videos/revel-breakout-v1.mp4>

If the user has a local file named revel-breakout-v1.mp4, use that file path in the project instead of downloading.

The video is silent. Do not autoplay as a looping wallpaper. PSAVE (Perfect Scroll Video Engine): scroll aims a destination. Down-scroll PLAYS the film forward at 1.2x. Up-scroll PLAYS it backward at the same 1.2x, one 3-frame step per seek. NEVER jump a frame. NEVER assign currentTime to the destination.

The film is designed slow then fast: she lives in the phone and walks up to the glass (slow), then a kick and jump out (fast). Halfway (she leaves the viewpoint) takes about 5 or 6 scrolls. Do not flatten that edit.

LOOK AND FEEL:

Pearl light canvas #F7F4F1. Charcoal ink #1A1614. Rose gold #C4A574 and soft blush #E8B4B8 accents.

Display: Instrument Serif (or elegant editorial serif) for big titles. Body: Inter light.

Thin rose-gold progress bar under the nav. Fashion uppercase tracking. Light studio luxury.

This is a LIGHT mode hero. Never dark private-bank Meridian gold coastal, never mono Vertex security, never neon cyberpunk rain city, never quantum void cyan, never forest climate sage.

LAYOUT AND MOTION LAW (PIN-UNTIL-COMPLETE + PSAVE - mandatory - do NOT build a tall multi-vh page scroll track):

One pinned full-viewport stage (100dvh). Wheel / trackpad / touch / arrow keys AIM a destination on a 12-viewport track. Raw 1:1. No wheel gain. No swipe cap. No GSAP lag.

PSAVE: Down-scroll PLAYS the film forward at 1.2x (muted play() at playbackRate 1.2). Up-scroll PLAYS it backward at the same 1.2x by walking the live video exactly one 3-frame step (0.125s at 24fps) per seek. NEVER jump a frame. A tiny click creeps a few frames. A crazy scroll may aim ahead - the film still plays normally to that moment.

THE LIFT: leftover dest keeps the film going a little after they stop. After last real intent dest must sit at least 0.55 film-seconds ahead.

Ignore opposite trackpad ticks under 32px. Forward rate tapers from 1.2 toward 0.42 over the last 0.55s. Friction, then a graceful stop.

Never a tire screech. This 0.55 is leftover dest, NOT old GSAP scrub lag.

First real opposite gesture cancels a leftover destination and starts from the picture. Reverse starts WHILE they are still scrolling (280ms live window), then continues the same 3-frame steps after they stop. Wait for seeked. No canvas buffer. No loop.

Copy, chapters, and the rose bar follow the PICTURE, not the wheel destination.

Release ONLY when the picture has arrived at 0 (scroll up) or 1 (scroll down). After release the PAGE owns scroll until the stage docks.

Pointer on the atelier must never drive the film.

Optional capture helper: window.__msScrollNarrative.setProgress(0.1) may snap. getProgress is the playhead. getTarget is leftover dest.

Top nav: brand REVEL + Fashion Commerce, center links Collections Lookbook Campaigns Journal, right frost "Enter atelier".

Four chapters swap as the playhead advances:

- 1) The feed - "She lived / inside the glow." (floating gold phone, social icons)
- 2) The break - "Then something / had to give." (shoe shatters glass)
- 3) The shatter - "Shards of / attention fall." (glass and icons midair)
- 4) The arrival - "Now she / owns the room." (woman free mid-leap) with CTAs Shop the drop and Watch campaign.

Right rail chapter indices 01-04. Scroll cue at start. Closing atelier band AFTER the pin releases.

HOW TO BUILD IT (mandatory algorithm - do not invent another method):

1. One 100dvh stage in normal document flow. The atelier band is the NEXT sibling. Do not overflow-hidden the page.

Your Smart AI Agent prompt (continued)

2. Hold a DESTINATION 0 to 1 and a PLAYHEAD that is whatever the video is showing. The poster IS frame 0. Kick-see 0.04 then 0, wait seeked, fade the film in. Reduced motion may keep that poster and seek to about 0.45.

3. Gestures add deltaPx / (12 * window height) to the DESTINATION only.

4. Wheel and trackpad: ignore ctrl/meta zoom. Normalize deltaMode. Map raw delta 1:1 onto the 12 track. Ignore opposite ticks under 32px. Apply once per animation frame. preventDefault while the pin owns the gesture.

5. Touch is also destination-only on the 12 track. Do not trap Space on a focused button.

6. PSAVE: each animation frame, walk the picture toward destination * duration at 1.2x, never more than 1/24 second of film in one forward fallback tick. Down: play() at playbackRate 1.2, ease over the last 0.55s of leftover dest. After they lift, if dest is closer than 0.55s of film, push dest that far once. Up: first real up-scroll snaps destination to the picture, then walk currentTime backward exactly 0.125s per seek on the live video. No low-res buffer. No loop.

7. If the PICTURE is at 0 and they scroll up, or the PICTURE is at 1 and they scroll down, RELEASE so the atelier can scroll into view. If the destination is already at an end but the picture is still walking, keep the pin. After release, page-owns until the stage docks.

8. Reduced motion: still mid-film frame around 0.45. No chase.

9. FILM ENCODE: the shipped revel-breakout-v1.mp4 is H.264 GOP 3, no B-frames, 161 I-frames, 20.04s, 24fps, 482 frames. If you replace the video, re-encode first: ffmpeg -an -c:v libx264 -crf 16 -g 3 -keyint_min 3 -bf 0 -sc_threshold 0 -movflags +faststart. Size the new aim track to the story beat. Do not extract PNG frames.

If you are about to write ScrollTrigger.create, position sticky, a 480vh spacer, or video.currentTime = target * duration on a large jump, stop and use this algorithm instead.

Do not copy Vertex 0.22 or old Revel seek-scrub 0.11 / 0.035 / 0.09 / GSAP 0.55. Revel gold is PSAVE on 12 viewports with leftover dest floor 0.55s.

PACK DELIVERY: This product ships as a buyer manual PDF plus the sold prompt. There is no files zip and no START-HERE folder. Rebuild from this brief and the video URL (or local revel-breakout-v1.mp4).

TECHNICAL (you the AI implement this, the human may not be a developer):

Use a modern web stack that works in the tool I am using. Prefer one main page component (or RevelScrollNarrative.tsx). Scroll aims. The film plays to that moment. Video attributes: muted, playsInline, preload ready, no wallpaper loop. Support reduced-motion: show a still mid-film frame (~0.45) and no chase. Keep cream type readable with pearl top fade and dark bottom scrim. NEVER use a tall sticky multi-vh document track as the method. NEVER seek currentTime across a jump. NEVER drive the film from the atelier after release.

QUALITY BAR:

It should feel like a high-fashion campaign site, not a generic AI social template. One clear system: PSAVE on pin-until-complete. Scroll aims on 12 viewports. The breakout film plays forward at 1.2x and reverse every 3rd frame, never jumps a frame, and on lift it coasts with friction then a graceful stop. Halfway (she leaves the phone) is earned. After the last frame the page owns the atelier.

When done: I should see the full Revel experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Customize without coding

You never have to open code. After the site is built, start a new message to the same AI and paste one of these lines. Fill in the brackets with your words.

Change the brand name

Ask your AI: "Change the brand name REVEL to [YOUR BRAND NAME] everywhere, including the top left. Keep pin-until-complete virtual progress."

Change chapter headlines

Ask your AI: "Rewrite the four chapter titles to [YOUR FOUR PAIRS OF LINES]. Keep Instrument Serif and cream type on the film."

Change chapter bodies

Ask your AI: "Rewrite each chapter body paragraph to [YOUR COPY]. Keep short editorial lines."

Change button labels

Ask your AI: "Rename Shop the drop to [PRIMARY] and Watch campaign to [SECONDARY]. Keep charcoal primary and frost secondary."

Change colors

Ask your AI: "Swap rose gold #C4A574 and blush #E8B4B8 to [ACCENT A] and [ACCENT B]. Keep pearl canvas and readable contrast."

Use a different background video

Ask your AI: "Replace the breakout film with [YOUR VIDEO LINK OR FILE]. Re-encode it for PSAVE reverse first: H.264, no audio, GOP 3, no B-frames, crf 16, +faststart. Then wire backgroundSrc to that remastered file. Keep PSAVE: scroll aims on 12 viewports 1:1, play forward at 1.2x, reverse every 3rd frame, leftover dest plus 0.55s dest floor on lift so it keeps going a little then eases to a stop. Silent, no wallpaper loop. Size the aim track to the story beat if the new film is shorter or longer."

Make it work on phones

Ask your AI: "Improve mobile layout so headlines never clip, center nav hides, CTAs stack, and the pin-until-complete experience still feels premium."

Something looks wrong

Ask your AI: "Something is broken: [DESCRIBE WHAT YOU SEE]. Fix it and keep the Revel light pearl / rose-gold fashion style and PSAVE (pin-until-complete, 12 viewport aim 1:1, play 1.2x forward, reverse every 3rd frame, leftover dest plus 0.55s dest floor on lift, release only when the picture arrives, page owns the atelier after). Do not seek currentTime across a jump. Do not copy Vertex or old Revel wheel-gain. Do not build a tall multi-vh scroll track. Do not ask me to write code."

New background video (optional)

Only if you want a different film. Open a video generation AI, paste the prompt below, generate a silent clip about 12 seconds long, then ask your coding AI to use your new file as the background.

COPY THIS INTO A VIDEO AI

Cinematic 4K seamless narrative, silent, 24fps. Gold smartphone in a bright pearl fashion studio, social icons orbit, then a shoe shatters the glass screen, shards and hearts float, a woman breaks free mid-leap. Rose gold and blush accents. No readable brand logos as UI. High-fashion campaign look.

Then tell your coding AI

Ask your AI: "Use my new video file [FILE NAME OR LINK] as the full-screen background. Keep the same Revel layout and behavior."

You are ready

- Your video link is on the video page of this package and inside every tool prompt.
- Pick one AI tool (or Your Smart AI Agent), paste that full prompt, and let it build.
- Customize by asking your AI in plain English. You do not need to know React or other frameworks.
- Brand site: www.ClickMotion.dev

ClickMotion

www.ClickMotion.dev

If something fails, paste the error into your AI and say: "Fix this for me without asking me to write code."