

YOUR PRODUCT PACKAGE

Roadster

Studio Drive Scroll Hero

Looping studio film, scroll-paced product cards, and a black specs sheet that pulls up with a spinning 3D model. Hybrid motion that stays bright, catalog-grade, and restageable.

WHAT IS INSIDE

- Studio film, GLB, and React source in the files zip
- A ready prompt for Cursor, Claude, Grok Build, Lovable, Codex, Bolt or any smart AI
- Simple ways to ask your AI to restage brand, film, mesh, and specs

You do not need to know how to program. Your AI does the technical work.

www.ClickMotion.dev

Start here (about 10 minutes)

Follow these steps in order. If you get stuck, paste the error message into the same AI and ask it to fix the project for you.

Step 1

Unzip the files zip next to your app. You should see START-HERE.md at the top level.

Step 2

Open the AI tool you already use.

Step 3

Find that tool's section in this PDF (or "Your Smart AI Agent" if your tool is not listed by name). Select the whole prompt under "Copy this into [tool]". Copy it.

Step 4

Paste it into a new chat or project in that tool and run it. Tell it to use the source and assets in the zip.

Step 5

When the preview looks absolutely stunning, ask your AI: "Explain in plain language how I open and share this site."

Step 6

To change labels, wording, colors, or branding, use the "Ask your AI to change..." lines later in this PDF.

CLIENT STUDIO FILM (REPLACE WITH YOUR PRODUCT)

<https://www.ClickMotion.dev/assets/roadster/studio-drive.mp4>

Offline files: studio-drive.mp4 and roadster.glb. Copy as START-HERE.md describes. Never use a storefront preview as rebuild media.

Your product pack

Rebuild Roadster from the files zip: film plus GLB plus TeslaRoadsterPromo. Never use a storefront recording as a hero film.

DEFAULT FILM IN THE CATALOG

<https://www.ClickMotion.dev/assets/roadster/studio-drive.mp4>

File name: studio-drive.mp4

Client media is studio-drive.mp4 plus roadster.glb in the files zip. The film loops. Scroll aims the cards and the sheet. The page stays still until the viewing ends, then the pin releases. After release the page owns until dock.

Tell your AI: "Use the files zip. Copy assets/studio-drive.mp4 and assets/roadster.glb to public/assets/roadster/. Prefer source/TeslaRoadsterPromo.tsx. Keep No Scroller and pin freeing. Do not install gsap or lenis."

Copy this into Cursor

Select everything in the box area below (all parts if more than one page). Copy, then paste into Cursor. You do not need to understand the technical lines. Your AI does.

You are building production UI in my coding editor (Cursor). Create the files I need and keep the solution clean and complete.

Build a premium full-viewport website HERO called ROADSTER - Studio Drive (buyer will rebrand).

Prefer the files in the pack. Integrate source/TeslaRoadsterPromo.tsx. Copy assets/studio-drive.mp4 and assets/roadster.glb to public/assets/roadster/.

This is a STUDIO-DRIVE HERO. High-key film loops forever. Scroll aims enter-hold-exit cards, then a black rounded specs sheet pulls up over the live film with a spinning GLB.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 13.3 (12 panel + 1.3 sheet). Wheel / trackpad / touch / keys add deltaPx / (13.3 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install gsap or lenis. Film free-plays. NEVER map scroll to video.currentTime.

CLIENT MEDIA:

- Film: <https://www.ClickMotion.dev/assets/roadster/studio-drive.mp4> (pack: assets/studio-drive.mp4)

- Mesh: roadster.glb (Y-axis turntable)

SIGNATURES: looping studio film, enter-hold-exit cards, pull-up specs sheet, Y-spin GLB.

TECHNICAL:

React + TypeScript. Virtual progress. No gsap. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ROAD01. data-roadster-drive=pin. After release data-roadster-owns=page.

ACCESSIBILITY:

Semantic section#hero. Arrow / Page / Space drive g while the pin owns. Never trap Tab. Reduced motion: settled cards, docked sheet, spin paused.

CONFIRM:

Page scrollY stays 0 while flicks advance g (13.3 x 900 = 1.0). One more down-scroll moves the page. After release, scrolling up moves the page, not the cards. Film keeps looping.

QUALITY BAR:

Catalog-grade vehicle unveil. Pointer invites. Scroll completes. Never restore gsap. Never add PSAVE.

When done: I should see the Roadster hero from the files zip (looping film, cards then sheet, page still during the viewing, then the page owns until dock). Do not install gsap. Do not add PSAVE.

Copy this into Claude

Select everything in the box area below (all parts if more than one page). Copy, then paste into Claude. You do not need to understand the technical lines. Your AI does.

You are my coding assistant. Build a complete, production-ready solution I can use. Explain briefly what you created after you finish, in plain language.

Build a premium full-viewport website HERO called ROADSTER - Studio Drive (buyer will rebrand).

Prefer the files in the pack. Integrate source/TeslaRoadsterPromo.tsx. Copy assets/studio-drive.mp4 and assets/roadster.glb to public/assets/roadster/.

This is a STUDIO-DRIVE HERO. High-key film loops forever. Scroll aims enter-hold-exit cards, then a black rounded specs sheet pulls up over the live film with a spinning GLB.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 13.3 (12 panel + 1.3 sheet). Wheel / trackpad / touch / keys add deltaPx / (13.3 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install gsap or lenis. Film free-plays. NEVER map scroll to video.currentTime.

CLIENT MEDIA:

- Film: <https://www.ClickMotion.dev/assets/roadster/studio-drive.mp4> (pack: assets/studio-drive.mp4)

- Mesh: roadster.glb (Y-axis turntable)

SIGNATURES: looping studio film, enter-hold-exit cards, pull-up specs sheet, Y-spin GLB.

TECHNICAL:

React + TypeScript. Virtual progress. No gsap. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ROAD01. data-roadster-drive=pin. After release data-roadster-owns=page.

ACCESSIBILITY:

Semantic section#hero. Arrow / Page / Space drive g while the pin owns. Never trap Tab. Reduced motion: settled cards, docked sheet, spin paused.

CONFIRM:

Page scrollY stays 0 while flicks advance g (13.3 x 900 = 1.0). One more down-scroll moves the page. After release, scrolling up moves the page, not the cards. Film keeps looping.

QUALITY BAR:

Catalog-grade vehicle unveil. Pointer invites. Scroll completes. Never restore gsap. Never add PSAVE.

When done: I should see the Roadster hero from the files zip (looping film, cards then sheet, page still during the viewing, then the page owns until dock). Do not install gsap. Do not add PSAVE.

Copy this into Grok Build

Select everything in the box area below (all parts if more than one page). Copy, then paste into Grok Build. You do not need to understand the technical lines. Your AI does.

Build this as a complete, production-ready web section in Grok Build. Prefer a single polished component or page I can run immediately.

Build a premium full-viewport website HERO called ROADSTER - Studio Drive (buyer will rebrand).

Prefer the files in the pack. Integrate source/TeslaRoadsterPromo.tsx. Copy assets/studio-drive.mp4 and assets/roadster.glb to public/assets/roadster/.

This is a STUDIO-DRIVE HERO. High-key film loops forever. Scroll aims enter-hold-exit cards, then a black rounded specs sheet pulls up over the live film with a spinning GLB.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 13.3 (12 panel + 1.3 sheet). Wheel / trackpad / touch / keys add deltaPx / (13.3 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install gsap or lenis. Film free-plays. NEVER map scroll to video.currentTime.

CLIENT MEDIA:

- Film: <https://www.ClickMotion.dev/assets/roadster/studio-drive.mp4> (pack: assets/studio-drive.mp4)

- Mesh: roadster.glb (Y-axis turntable)

SIGNATURES: looping studio film, enter-hold-exit cards, pull-up specs sheet, Y-spin GLB.

TECHNICAL:

React + TypeScript. Virtual progress. No gsap. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ROAD01. data-roadster-drive=pin. After release data-roadster-owns=page.

ACCESSIBILITY:

Semantic section#hero. Arrow / Page / Space drive g while the pin owns. Never trap Tab. Reduced motion: settled cards, docked sheet, spin paused.

CONFIRM:

Page scrollY stays 0 while flicks advance g (13.3 x 900 = 1.0). One more down-scroll moves the page. After release, scrolling up moves the page, not the cards. Film keeps looping.

QUALITY BAR:

Catalog-grade vehicle unveil. Pointer invites. Scroll completes. Never restore gsap. Never add PSAVE.

When done: I should see the Roadster hero from the files zip (looping film, cards then sheet, page still during the viewing, then the page owns until dock). Do not install gsap. Do not add PSAVE.

Copy this into Lovable

Select everything in the box area below (all parts if more than one page). Copy, then paste into Lovable. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Lovable. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium full-viewport website HERO called ROADSTER - Studio Drive (buyer will rebrand).

Prefer the files in the pack. Integrate source/TeslaRoadsterPromo.tsx. Copy assets/studio-drive.mp4 and assets/roadster.glb to public/assets/roadster/.

This is a STUDIO-DRIVE HERO. High-key film loops forever. Scroll aims enter-hold-exit cards, then a black rounded specs sheet pulls up over the live film with a spinning GLB.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 13.3 (12 panel + 1.3 sheet). Wheel / trackpad / touch / keys add deltaPx / (13.3 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install gsap or lenis. Film free-plays. NEVER map scroll to video.currentTime.

CLIENT MEDIA:

- Film: <https://www.ClickMotion.dev/assets/roadster/studio-drive.mp4> (pack: assets/studio-drive.mp4)

- Mesh: roadster.glb (Y-axis turntable)

SIGNATURES: looping studio film, enter-hold-exit cards, pull-up specs sheet, Y-spin GLB.

TECHNICAL:

React + TypeScript. Virtual progress. No gsap. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ROAD01. data-roadster-drive=pin. After release data-roadster-owns=page.

ACCESSIBILITY:

Semantic section#hero. Arrow / Page / Space drive g while the pin owns. Never trap Tab. Reduced motion: settled cards, docked sheet, spin paused.

CONFIRM:

Page scrollY stays 0 while flicks advance g (13.3 x 900 = 1.0). One more down-scroll moves the page. After release, scrolling up moves the page, not the cards. Film keeps looping.

QUALITY BAR:

Catalog-grade vehicle unveil. Pointer invites. Scroll completes. Never restore gsap. Never add PSAVE.

When done: I should see the Roadster hero from the files zip (looping film, cards then sheet, page still during the viewing, then the page owns until dock). Do not install gsap. Do not add PSAVE.

Copy this into Codex / ChatGPT

Select everything in the box area below (all parts if more than one page). Copy, then paste into Codex / ChatGPT. You do not need to understand the technical lines. Your AI does.

You are Codex / ChatGPT acting as my coding agent. Build a complete, production-ready web section or page. Create clear files, install what you need, and leave me a working result. Explain briefly what you built in plain language when finished.

Build a premium full-viewport website HERO called ROADSTER - Studio Drive (buyer will rebrand).

Prefer the files in the pack. Integrate source/TeslaRoadsterPromo.tsx. Copy assets/studio-drive.mp4 and assets/roadster.glb to public/assets/roadster/.

This is a STUDIO-DRIVE HERO. High-key film loops forever. Scroll aims enter-hold-exit cards, then a black rounded specs sheet pulls up over the live film with a spinning GLB.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 13.3 (12 panel + 1.3 sheet). Wheel / trackpad / touch / keys add deltaPx / (13.3 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install gsap or lenis. Film free-plays. NEVER map scroll to video.currentTime.

CLIENT MEDIA:

- Film: <https://www.ClickMotion.dev/assets/roadster/studio-drive.mp4> (pack: assets/studio-drive.mp4)

- Mesh: roadster.glb (Y-axis turntable)

SIGNATURES: looping studio film, enter-hold-exit cards, pull-up specs sheet, Y-spin GLB.

TECHNICAL:

React + TypeScript. Virtual progress. No gsap. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ROAD01. data-roadster-drive=pin. After release data-roadster-owns=page.

ACCESSIBILITY:

Semantic section#hero. Arrow / Page / Space drive g while the pin owns. Never trap Tab. Reduced motion: settled cards, docked sheet, spin paused.

CONFIRM:

Page scrollY stays 0 while flicks advance g (13.3 x 900 = 1.0). One more down-scroll moves the page. After release, scrolling up moves the page, not the cards. Film keeps looping.

QUALITY BAR:

Catalog-grade vehicle unveil. Pointer invites. Scroll completes. Never restore gsap. Never add PSAVE.

When done: I should see the Roadster hero from the files zip (looping film, cards then sheet, page still during the viewing, then the page owns until dock). Do not install gsap. Do not add PSAVE.

Copy this into Bolt

Select everything in the box area below (all parts if more than one page). Copy, then paste into Bolt. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Bolt. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium full-viewport website HERO called ROADSTER - Studio Drive (buyer will rebrand).

Prefer the files in the pack. Integrate source/TeslaRoadsterPromo.tsx. Copy assets/studio-drive.mp4 and assets/roadster.glb to public/assets/roadster/.

This is a STUDIO-DRIVE HERO. High-key film loops forever. Scroll aims enter-hold-exit cards, then a black rounded specs sheet pulls up over the live film with a spinning GLB.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 13.3 (12 panel + 1.3 sheet). Wheel / trackpad / touch / keys add deltaPx / (13.3 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install gsap or lenis. Film free-plays. NEVER map scroll to video.currentTime.

CLIENT MEDIA:

- Film: <https://www.ClickMotion.dev/assets/roadster/studio-drive.mp4> (pack: assets/studio-drive.mp4)

- Mesh: roadster.glb (Y-axis turntable)

SIGNATURES: looping studio film, enter-hold-exit cards, pull-up specs sheet, Y-spin GLB.

TECHNICAL:

React + TypeScript. Virtual progress. No gsap. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ROAD01. data-roadster-drive=pin. After release data-roadster-owns=page.

ACCESSIBILITY:

Semantic section#hero. Arrow / Page / Space drive g while the pin owns. Never trap Tab. Reduced motion: settled cards, docked sheet, spin paused.

CONFIRM:

Page scrollY stays 0 while flicks advance g (13.3 x 900 = 1.0). One more down-scroll moves the page. After release, scrolling up moves the page, not the cards. Film keeps looping.

QUALITY BAR:

Catalog-grade vehicle unveil. Pointer invites. Scroll completes. Never restore gsap. Never add PSAVE.

When done: I should see the Roadster hero from the files zip (looping film, cards then sheet, page still during the viewing, then the page owns until dock). Do not install gsap. Do not add PSAVE.

Copy this into Your Smart AI Agent

Select everything in the box area below (all parts if more than one page). Copy, then paste into Your Smart AI Agent. You do not need to understand the technical lines. Your AI does.

You are my smart AI agent. I may not be a professional programmer. Build a complete, production-ready website hero from the brief below. You choose the stack that works in my environment, create every file, use the files zip (source plus film plus GLB), and deliver a polished preview. Do not leave steps for me that require writing code. When finished, explain in plain English how I view and share the result.

Build a premium full-viewport website HERO called ROADSTER - Studio Drive (buyer will rebrand).

Prefer the files in the pack. Integrate source/TeslaRoadsterPromo.tsx. Copy assets/studio-drive.mp4 and assets/roadster.glb to public/assets/roadster/.

This is a STUDIO-DRIVE HERO. High-key film loops forever. Scroll aims enter-hold-exit cards, then a black rounded specs sheet pulls up over the live film with a spinning GLB.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #hero. The page does NOT physically scroll during the viewing. Do not overflow-hidden the host page.

VIRTUAL_VIEWPORTS = 13.3 (12 panel + 1.3 sheet). Wheel / trackpad / touch / keys add deltaPx / (13.3 * window.innerHeight) to progress g.

At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING: after release at g = 1 plus down, the PAGE owns until dock (top >= -2).

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install gsap or lenis. Film free-plays. NEVER map scroll to video.currentTime.

CLIENT MEDIA:

- Film: <https://www.ClickMotion.dev/assets/roadster/studio-drive.mp4> (pack: assets/studio-drive.mp4)

- Mesh: roadster.glb (Y-axis turntable)

SIGNATURES: looping studio film, enter-hold-exit cards, pull-up specs sheet, Y-spin GLB.

TECHNICAL:

React + TypeScript. Virtual progress. No gsap. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.__msScrollNarrative productId MS-HERO-ROAD01. data-roadster-drive=pin. After release data-roadster-owns=page.

ACCESSIBILITY:

Semantic section#hero. Arrow / Page / Space drive g while the pin owns. Never trap Tab. Reduced motion: settled cards, docked sheet, spin paused.

CONFIRM:

Page scrollY stays 0 while flicks advance g (13.3 x 900 = 1.0). One more down-scroll moves the page. After release, scrolling up moves the page, not the cards. Film keeps looping.

QUALITY BAR:

Catalog-grade vehicle unveil. Pointer invites. Scroll completes. Never restore gsap. Never add PSAVE.

When done: I should see the Roadster hero from the files zip (looping film, cards then sheet, page still during the viewing, then the page owns until dock). Do not install gsap. Do not add PSAVE.

Customize without coding

You never have to open code. After the site is built, start a new message to the same AI and paste one of these lines. Fill in the brackets with your words.

Rebrand chrome

Ask your AI: "Change TESLA and ROADSTER labels to [BRAND] and [MODEL]. Keep No Scroller and pin freeing."

Rewrite story cards

Ask your AI: "Update PANELS kickers, titles, bodies, and stats for [MY PRODUCT]. Keep enter-hold-exit timing and No Scroller."

Swap film

Ask your AI: "Replace studio-drive.mp4 with my film. Keep muted loop. Never scrub with scroll. Do not add PSAVE."

Swap 3D model

Ask your AI: "Replace roadster.glb with my GLB. Tune MODEL_SCALE and MODEL_Y. Keep Y-spin and late WebGL mount."

Edit specs sheet

Ask your AI: "Update DRIVE_SPECS and MORE_SPECS and CTA labels to [MY SPECS AND CTAS]. Keep the rounded pull-up sheet."

Pin freeing if scroll feels stuck

Ask your AI: "After the last moment, scrolling down must release the pin. Then the PAGE owns until dock. Scrolling up in the next section must move the page."

Something looks wrong

Ask your AI: "Something is broken: [DESCRIBE]. Keep Roadster as a No Scroller studio-drive hero. Do not restore ScrollTrigger pin or gsap. Do not add PSAVE. Do not ask me to write code."

New film (optional)

Only if you want a new studio loop. The default film is already in the zip.

COPY THIS INTO A VIDEO AI

Optional new film: cinematic 4K seamless loop, 10 to 20 seconds, no audio. High-key white studio, single luxury vehicle orbit or slow push, clean floor reflections. No UI, no logos burned in, no grey grade. Optional new GLB: +Y up, origin under car, Principled materials.

Then tell your coding AI

Ask your AI: "Replace studio-drive.mp4 with [MY FILM]. Keep No Scroller and never scrub the film."

You are ready

- Your rebuild files are in the files zip (START-HERE.md, source, and assets).
- Pick one AI tool (or Your Smart AI Agent), paste that full prompt, and let it build.
- Customize by asking your AI in plain English. You do not need to know React or other frameworks.
- Brand site: www.ClickMotion.dev

ClickMotion

www.ClickMotion.dev

If something fails, paste the error into your AI and say: "Fix this for me without asking me to write code."