

## YOUR PRODUCT PACKAGE

# Lineup

## Product Line Scroll Reveal Section

---

Your products enter one by one as the visitor scrolls - a living 3D vessel, soft copy, and a quiet stage that can hold any line from two SKUs to a full collection.

### WHAT IS INSIDE

- 3D mesh, labels, HDRI, and React source in the files zip
- A ready prompt for Cursor, Claude, Grok Build, Lovable, Codex, Bolt or any smart AI
- Simple ways to ask your AI to restage products, count, and mesh

You do not need to know how to program. Your AI does the technical work.

[www.ClickMotion.dev](http://www.ClickMotion.dev)

## Start here (about 10 minutes)

Follow these steps in order. If you get stuck, paste the error message into the same AI and ask it to fix the project for you.

### Step 1

Unzip the files zip next to your app. You should see START-HERE.md at the top level.

### Step 2

Open the AI tool you already use.

### Step 3

Find that tool's section in this PDF (or "Your Smart AI Agent" if your tool is not listed by name). Select the whole prompt under "Copy this into [tool]". Copy it.

### Step 4

Paste it into a new chat or project in that tool and run it. Tell it to use the source and assets in the zip.

### Step 5

When the preview looks absolutely stunning, ask your AI: "Explain in plain language how I open and share this site."

### Step 6

To change labels, wording, colors, or branding, use the "Ask your AI to change..." lines later in this PDF.

CLIENT VESSEL MESH (REPLACE WITH YOUR PRODUCT)

<https://www.ClickMotion.dev/models/can.glb>

Offline files: can.glb, three label PNGs, studio HDRI. Copy as START-HERE.md describes. Never use a storefront preview as rebuild media.

## Your product pack

Rebuild Lineup from the files zip: mesh plus labels plus LineupSection. Never use a storefront recording as a hero film.

DEFAULT VESSEL IN THE CATALOG

<https://www.ClickMotion.dev/models/can.glb>

File name: can.glb

Client media is the 3D product pack (mesh, labels, HDRI) in the files zip. There is no background film. Scroll aims the SKUs. The page stays still until the viewing ends, then the pin releases. After release the page owns until dock.

Tell your AI: "Use the files zip. Copy assets/can.glb to public/models/can.glb. Prefer source/LineupSection.tsx. Keep No Scroller and pin freeing. Do not install lenis. Do not pin with ScrollTrigger."

# Copy this into Cursor

Select everything in the box area below (all parts if more than one page). Copy, then paste into Cursor. You do not need to understand the technical lines. Your AI does.

You are building production UI in my coding editor (Cursor). Create the files I need and keep the solution clean and complete.

Build a premium mid-page website SECTION (not a full-bleed hero) called LINEUP - a product line reveal.

Prefer the files in the pack. Integrate source/LineupSection.tsx and source/lineup-data.ts. Copy assets/can.glb to public/models/can.glb, label PNGs to public/textures/labels/, and the HDRI to public/hdri/.

This is a WORLD-SCALE PRODUCT REVEAL. Bone paper stage (#efede6). As the visitor scrolls, each segment introduces a new SKU: 3D vessel cross-fades, bloom tint changes, ghost number, copy card rebuilds. Desktop earn equals N viewports where N is PRODUCTS.length. Snap on lift to 0, 1/N, ..., 1. Mobile uses horizontal snap cards.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #flavors in normal document flow. The page does NOT physically scroll during the viewing. Do not use position sticky. Do not build an N vh document spacer. Do not overflow-hidden the host page.

VIRTUAL\_VIEWPORTS = PRODUCTS.length. Wheel / trackpad / touch / keys add deltaPx / (N \* window.innerHeight) to progress g (0 to 1). Snap on lift. At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING (mandatory): after release at g = 1 plus down, the PAGE owns wheel / touch / keys until the stage docks (getBoundingClientRect().top >= -2). Pointer on the next sibling never drives the lineup.

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for SKU cross-fade tweens only.

DEFAULT DEMO (replace entirely): three nootropic cans Clear / Dawn / Dusk (ACTUALLY.01-03). Starting board only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)

- Labels: still-01-clear-2.png, still-02-dawn-2.png, still-03-dusk-2.png

- HDRI: studio\_small\_03\_1k.hdr

LOOK: editorial CPG tasting room. No purple mesh. No Motionsites docks. Not a flat shop grid.

TECHNICAL:

React + TypeScript. Virtual progress listeners. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.\_\_msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-SEC-LINE01" }. Root data-lineup-drive="pin". After release: data-lineup-owns="page".

CUSTOMIZATION LAW:

Every string, product object, mesh, label, color, spec row, and N count is replaceable.

QUALITY BAR:

It should feel like a private tasting room. One clear system: No Scroller. Scroll aims the SKUs. The page stays still until the viewing ends. Never restore lenis. Never add PSAVE.

When done: I should see the full Lineup reveal from the files zip (each SKU lands, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE. If something is missing, fix it without asking me for code knowledge.

# Copy this into Claude

Select everything in the box area below (all parts if more than one page). Copy, then paste into Claude. You do not need to understand the technical lines. Your AI does.

You are my coding assistant. Build a complete, production-ready solution I can use. Explain briefly what you created after you finish, in plain language.

Build a premium mid-page website SECTION (not a full-bleed hero) called LINEUP - a product line reveal.

Prefer the files in the pack. Integrate source/LineupSection.tsx and source/lineup-data.ts. Copy assets/can.glb to public/models/can.glb, label PNGs to public/textures/labels/, and the HDRI to public/hdri/.

This is a WORLD-SCALE PRODUCT REVEAL. Bone paper stage (#efede6). As the visitor scrolls, each segment introduces a new SKU: 3D vessel cross-fades, bloom tint changes, ghost number, copy card rebuilds. Desktop earn equals N viewports where N is PRODUCTS.length. Snap on lift to 0, 1/N, ..., 1. Mobile uses horizontal snap cards.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #flavors in normal document flow. The page does NOT physically scroll during the viewing. Do not use position sticky. Do not build an N vh document spacer. Do not overflow-hidden the host page.

VIRTUAL\_VIEWPORTS = PRODUCTS.length. Wheel / trackpad / touch / keys add deltaPx / (N \* window.innerHeight) to progress g (0 to 1). Snap on lift. At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING (mandatory): after release at g = 1 plus down, the PAGE owns wheel / touch / keys until the stage docks (getBoundingClientRect().top >= -2). Pointer on the next sibling never drives the lineup.

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for SKU cross-fade tweens only.

DEFAULT DEMO (replace entirely): three nootropic cans Clear / Dawn / Dusk (ACTUALLY.01-03). Starting board only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)
- Labels: still-01-clear-2.png, still-02-dawn-2.png, still-03-dusk-2.png
- HDRI: studio\_small\_03\_1k.hdr

LOOK: editorial CPG tasting room. No purple mesh. No Motionsites docks. Not a flat shop grid.

TECHNICAL:

React + TypeScript. Virtual progress listeners. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.\_\_msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-SEC-LINE01" }. Root data-lineup-drive="pin". After release: data-lineup-owns="page".

CUSTOMIZATION LAW:

Every string, product object, mesh, label, color, spec row, and N count is replaceable.

QUALITY BAR:

It should feel like a private tasting room. One clear system: No Scroller. Scroll aims the SKUs. The page stays still until the viewing ends. Never restore lenis. Never add PSAVE.

When done: I should see the full Lineup reveal from the files zip (each SKU lands, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE. If something is missing, fix it without asking me for code knowledge.

# Copy this into Grok Build

Select everything in the box area below (all parts if more than one page). Copy, then paste into Grok Build. You do not need to understand the technical lines. Your AI does.

Build this as a complete, production-ready web section in Grok Build. Prefer a single polished component or page I can run immediately.

Build a premium mid-page website SECTION (not a full-bleed hero) called LINEUP - a product line reveal.

Prefer the files in the pack. Integrate source/LineupSection.tsx and source/lineup-data.ts. Copy assets/can.glb to public/models/can.glb, label PNGs to public/textures/labels/, and the HDRI to public/hdri/.

This is a WORLD-SCALE PRODUCT REVEAL. Bone paper stage (#efede6). As the visitor scrolls, each segment introduces a new SKU: 3D vessel cross-fades, bloom tint changes, ghost number, copy card rebuilds. Desktop earn equals N viewports where N is PRODUCTS.length. Snap on lift to 0, 1/N, ..., 1. Mobile uses horizontal snap cards.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #flavors in normal document flow. The page does NOT physically scroll during the viewing. Do not use position sticky. Do not build an N vh document spacer. Do not overflow-hidden the host page.

VIRTUAL\_VIEWPORTS = PRODUCTS.length. Wheel / trackpad / touch / keys add deltaPx / (N \* window.innerHeight) to progress g (0 to 1). Snap on lift. At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING (mandatory): after release at g = 1 plus down, the PAGE owns wheel / touch / keys until the stage docks (getBoundingClientRect().top >= -2). Pointer on the next sibling never drives the lineup.

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for SKU cross-fade tweens only.

DEFAULT DEMO (replace entirely): three nootropic cans Clear / Dawn / Dusk (ACTUALLY.01-03). Starting board only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)

- Labels: still-01-clear-2.png, still-02-dawn-2.png, still-03-dusk-2.png

- HDRI: studio\_small\_03\_1k.hdr

LOOK: editorial CPG tasting room. No purple mesh. No Motionsites docks. Not a flat shop grid.

TECHNICAL:

React + TypeScript. Virtual progress listeners. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.\_\_msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-SEC-LINE01" }. Root data-lineup-drive="pin". After release: data-lineup-owns="page".

CUSTOMIZATION LAW:

Every string, product object, mesh, label, color, spec row, and N count is replaceable.

QUALITY BAR:

It should feel like a private tasting room. One clear system: No Scroller. Scroll aims the SKUs. The page stays still until the viewing ends. Never restore lenis. Never add PSAVE.

When done: I should see the full Lineup reveal from the files zip (each SKU lands, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE. If something is missing, fix it without asking me for code knowledge.

# Copy this into Lovable

Select everything in the box area below (all parts if more than one page). Copy, then paste into Lovable. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Lovable. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium mid-page website SECTION (not a full-bleed hero) called LINEUP - a product line reveal.

Prefer the files in the pack. Integrate source/LineupSection.tsx and source/lineup-data.ts. Copy assets/can.glb to public/models/can.glb, label PNGs to public/textures/labels/, and the HDRI to public/hdri/.

This is a WORLD-SCALE PRODUCT REVEAL. Bone paper stage (#efede6). As the visitor scrolls, each segment introduces a new SKU: 3D vessel cross-fades, bloom tint changes, ghost number, copy card rebuilds. Desktop earn equals N viewports where N is PRODUCTS.length. Snap on lift to 0, 1/N, ..., 1. Mobile uses horizontal snap cards.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #flavors in normal document flow. The page does NOT physically scroll during the viewing. Do not use position sticky. Do not build an N vh document spacer. Do not overflow-hidden the host page.

VIRTUAL\_VIEWPORTS = PRODUCTS.length. Wheel / trackpad / touch / keys add deltaPx / (N \* window.innerHeight) to progress g (0 to 1). Snap on lift. At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING (mandatory): after release at g = 1 plus down, the PAGE owns wheel / touch / keys until the stage docks (getBoundingClientRect().top >= -2). Pointer on the next sibling never drives the lineup.

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for SKU cross-fade tweens only.

DEFAULT DEMO (replace entirely): three nootropic cans Clear / Dawn / Dusk (ACTUALLY.01-03). Starting board only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)
- Labels: still-01-clear-2.png, still-02-dawn-2.png, still-03-dusk-2.png
- HDRI: studio\_small\_03\_1k.hdr

LOOK: editorial CPG tasting room. No purple mesh. No Motionsites docks. Not a flat shop grid.

TECHNICAL:

React + TypeScript. Virtual progress listeners. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.\_\_msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-SEC-LINE01" }. Root data-lineup-drive="pin". After release: data-lineup-owns="page".

CUSTOMIZATION LAW:

Every string, product object, mesh, label, color, spec row, and N count is replaceable.

QUALITY BAR:

It should feel like a private tasting room. One clear system: No Scroller. Scroll aims the SKUs. The page stays still until the viewing ends. Never restore lenis. Never add PSAVE.

When done: I should see the full Lineup reveal from the files zip (each SKU lands, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE. If something is missing, fix it without asking me for code knowledge.

# Copy this into Codex / ChatGPT

Select everything in the box area below (all parts if more than one page). Copy, then paste into Codex / ChatGPT. You do not need to understand the technical lines. Your AI does.

You are Codex / ChatGPT acting as my coding agent. Build a complete, production-ready web section or page. Create clear files, install what you need, and leave me a working result. Explain briefly what you built in plain language when finished.

Build a premium mid-page website SECTION (not a full-bleed hero) called LINEUP - a product line reveal.

Prefer the files in the pack. Integrate source/LineupSection.tsx and source/lineup-data.ts. Copy assets/can.glb to public/models/can.glb, label PNGs to public/textures/labels/, and the HDRI to public/hdri/.

This is a WORLD-SCALE PRODUCT REVEAL. Bone paper stage (#efede6). As the visitor scrolls, each segment introduces a new SKU: 3D vessel cross-fades, bloom tint changes, ghost number, copy card rebuilds. Desktop earn equals N viewports where N is PRODUCTS.length. Snap on lift to 0, 1/N, ..., 1. Mobile uses horizontal snap cards.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #flavors in normal document flow. The page does NOT physically scroll during the viewing. Do not use position sticky. Do not build an N vh document spacer. Do not overflow-hidden the host page.

VIRTUAL\_VIEWPORTS = PRODUCTS.length. Wheel / trackpad / touch / keys add deltaPx / (N \* window.innerHeight) to progress g (0 to 1). Snap on lift. At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING (mandatory): after release at g = 1 plus down, the PAGE owns wheel / touch / keys until the stage docks (getBoundingClientRect().top >= -2). Pointer on the next sibling never drives the lineup.

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for SKU cross-fade tweens only.

DEFAULT DEMO (replace entirely): three nootropic cans Clear / Dawn / Dusk (ACTUALLY.01-03). Starting board only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)
- Labels: still-01-clear-2.png, still-02-dawn-2.png, still-03-dusk-2.png
- HDRI: studio\_small\_03\_1k.hdr

LOOK: editorial CPG tasting room. No purple mesh. No Motionsites docks. Not a flat shop grid.

TECHNICAL:

React + TypeScript. Virtual progress listeners. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.\_\_msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-SEC-LINE01" }. Root data-lineup-drive="pin". After release: data-lineup-owns="page".

CUSTOMIZATION LAW:

Every string, product object, mesh, label, color, spec row, and N count is replaceable.

QUALITY BAR:

It should feel like a private tasting room. One clear system: No Scroller. Scroll aims the SKUs. The page stays still until the viewing ends. Never restore lenis. Never add PSAVE.

When done: I should see the full Lineup reveal from the files zip (each SKU lands, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE. If something is missing, fix it without asking me for code knowledge.



# Copy this into Bolt

Select everything in the box area below (all parts if more than one page). Copy, then paste into Bolt. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Bolt. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium mid-page website SECTION (not a full-bleed hero) called LINEUP - a product line reveal.

Prefer the files in the pack. Integrate source/LineupSection.tsx and source/lineup-data.ts. Copy assets/can.glb to public/models/can.glb, label PNGs to public/textures/labels/, and the HDRI to public/hdri/.

This is a WORLD-SCALE PRODUCT REVEAL. Bone paper stage (#efede6). As the visitor scrolls, each segment introduces a new SKU: 3D vessel cross-fades, bloom tint changes, ghost number, copy card rebuilds. Desktop earn equals N viewports where N is PRODUCTS.length. Snap on lift to 0, 1/N, ..., 1. Mobile uses horizontal snap cards.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #flavors in normal document flow. The page does NOT physically scroll during the viewing. Do not use position sticky. Do not build an N vh document spacer. Do not overflow-hidden the host page.

VIRTUAL\_VIEWPORTS = PRODUCTS.length. Wheel / trackpad / touch / keys add deltaPx / (N \* window.innerHeight) to progress g (0 to 1). Snap on lift. At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING (mandatory): after release at g = 1 plus down, the PAGE owns wheel / touch / keys until the stage docks (getBoundingClientRect().top >= -2). Pointer on the next sibling never drives the lineup.

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for SKU cross-fade tweens only.

DEFAULT DEMO (replace entirely): three nootropic cans Clear / Dawn / Dusk (ACTUALLY.01-03). Starting board only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)
- Labels: still-01-clear-2.png, still-02-dawn-2.png, still-03-dusk-2.png
- HDRI: studio\_small\_03\_1k.hdr

LOOK: editorial CPG tasting room. No purple mesh. No Motionsites docks. Not a flat shop grid.

TECHNICAL:

React + TypeScript. Virtual progress listeners. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.\_\_msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-SEC-LINE01" }. Root data-lineup-drive="pin". After release: data-lineup-owns="page".

CUSTOMIZATION LAW:

Every string, product object, mesh, label, color, spec row, and N count is replaceable.

QUALITY BAR:

It should feel like a private tasting room. One clear system: No Scroller. Scroll aims the SKUs. The page stays still until the viewing ends. Never restore lenis. Never add PSAVE.

When done: I should see the full Lineup reveal from the files zip (each SKU lands, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE. If something is missing, fix it without asking me for code knowledge.

# Copy this into Your Smart AI Agent

Select everything in the box area below (all parts if more than one page). Copy, then paste into Your Smart AI Agent. You do not need to understand the technical lines. Your AI does.

You are my smart AI agent. I may not be a professional programmer. Build a complete, production-ready website hero from the brief below. You choose the stack that works in my environment, create every file, use the files zip (source plus mesh plus labels), and deliver a polished preview. Do not leave steps for me that require writing code. When finished, explain in plain English how I view and share the result.

Build a premium mid-page website SECTION (not a full-bleed hero) called LINEUP - a product line reveal.

Prefer the files in the pack. Integrate source/LineupSection.tsx and source/lineup-data.ts. Copy assets/can.glb to public/models/can.glb, label PNGs to public/textures/labels/, and the HDRI to public/hdri/.

This is a WORLD-SCALE PRODUCT REVEAL. Bone paper stage (#efede6). As the visitor scrolls, each segment introduces a new SKU: 3D vessel cross-fades, bloom tint changes, ghost number, copy card rebuilds. Desktop earn equals N viewports where N is PRODUCTS.length. Snap on lift to 0, 1/N, ..., 1. Mobile uses horizontal snap cards.

NO SCROLLER (pin-until-complete) (non-negotiable):

One pinned 100dvh stage #flavors in normal document flow. The page does NOT physically scroll during the viewing. Do not use position sticky. Do not build an N vh document spacer. Do not overflow-hidden the host page.

VIRTUAL\_VIEWPORTS = PRODUCTS.length. Wheel / trackpad / touch / keys add deltaPx / (N \* window.innerHeight) to progress g (0 to 1). Snap on lift. At g 0 plus up, or g 1 plus down, RELEASE.

PIN FREEING (mandatory): after release at g = 1 plus down, the PAGE owns wheel / touch / keys until the stage docks (getClientBoundingRect().top >= -2). Pointer on the next sibling never drives the lineup.

NOT GSAP ScrollTrigger pin. NOT Lenis. NOT PSAVE. Do NOT install lenis. gsap is for SKU cross-fade tweens only.

DEFAULT DEMO (replace entirely): three nootropic cans Clear / Dawn / Dusk (ACTUALLY.01-03). Starting board only.

CLIENT MEDIA:

- Mesh: <https://www.ClickMotion.dev/models/can.glb> (pack: assets/can.glb)
- Labels: still-01-clear-2.png, still-02-dawn-2.png, still-03-dusk-2.png
- HDRI: studio\_small\_03\_1k.hdr

LOOK: editorial CPG tasting room. No purple mesh. No Motionsites docks. Not a flat shop grid.

TECHNICAL:

React + TypeScript. Virtual progress listeners. gsap tweens only. three + R3F + drei. No Lenis. No ScrollTrigger pin.

Capture helper: window.\_\_msScrollNarrative = { setProgress, getProgress, getTarget, pageOwns, productId: "MS-SEC-LINE01" }. Root data-lineup-drive="pin". After release: data-lineup-owns="page".

CUSTOMIZATION LAW:

Every string, product object, mesh, label, color, spec row, and N count is replaceable.

QUALITY BAR:

It should feel like a private tasting room. One clear system: No Scroller. Scroll aims the SKUs. The page stays still until the viewing ends. Never restore lenis. Never add PSAVE.

When done: I should see the full Lineup reveal from the files zip (each SKU lands, page still during the viewing, then the page owns until dock). Do not install lenis. Do not add PSAVE. If something is missing, fix it without asking me for code knowledge.

## Customize without coding

---

You never have to open code. After the site is built, start a new message to the same AI and paste one of these lines. Fill in the brackets with your words.

### Replace the whole product line

Ask your AI: "Replace PRODUCTS and SECTION\_META in lineup-data.ts with my brand [NAME] and products: [LIST]. Keep No Scroller, snap, 3D cross-fade, and pin freeing. H2 and eyebrow must match count N. Never leave ACTUALLY demo copy."

### Expand to more products

Ask your AI: "Expand Lineup from 3 to [N] products using [DATA]. Virtual earn must be N viewports (not a document spacer). Snap 0...1. Tabs 01...N. Update SECTION\_META. Do not restore ScrollTrigger pin or lenis."

### Reduce products

Ask your AI: "Remove products [ids] from PRODUCTS. Update SECTION\_META. Virtual earn and snap must shrink with PRODUCTS.length."

### Any product vessel (not a can)

Ask your AI: "Replace can.glb with [MESH] and labels with [TEXTURES]. Set meshPath/labelPath per product. Keep cross-fade stage motion and No Scroller."

### Change industry / specs

Ask your AI: "Rewrite names, pitches, and SPEC\_ROWS for [CATEGORY]. Replace SECTION\_META totalLabel, totalUnit, specUnit, leadBadge. dosageMg is just the numeric cell."

### Brand and colors

Ask your AI: "Change bone/ink CSS vars to [PAPER]/[INK]. Set each bloomColor to my palette. Change ACTUALLY.01 wordmarks to [BRAND].01 style."

### Pin freeing if scroll feels stuck after the last product

Ask your AI: "After the last product, scrolling down must release the pin. Then the PAGE owns the wheel until the section docks at the top again. Scrolling up in the next section must move the page, not rewind the lineup."

### Something looks wrong

Ask your AI: "Something is broken: [DESCRIBE]. Keep Lineup as a No Scroller multi-SKU reveal with data-driven N products. Keep pin freeing. Do not restore ScrollTrigger pin, lenis, or a tall sticky track. Do not add PSAVE. Do not ask me to write code."

## New labels (optional)

This product has no hero film. Only if you want new label art: generate stills, then ask your coding AI to swap the files in the pack.

COPY THIS INTO A VIDEO AI

No looping background film required. Optional: generate label art or product stills for each SKU as clean editorial boards, no watermarks, ready as public textures.

### Then tell your coding AI

Ask your AI: “Replace the label PNGs with [MY ART]. Keep the same Lineup No Scroller pin, snap, and 3D cross-fade.”

## You are ready

---

- Your rebuild files are in the files zip (START-HERE.md, source, and assets).
- Pick one AI tool (or Your Smart AI Agent), paste that full prompt, and let it build.
- Customize by asking your AI in plain English. You do not need to know React or other frameworks.
- Brand site: [www.ClickMotion.dev](http://www.ClickMotion.dev)

*ClickMotion*

[www.ClickMotion.dev](http://www.ClickMotion.dev)

If something fails, paste the error into your AI and say: "Fix this for me without asking me to write code."