

YOUR PRODUCT PACKAGE

Phobia

Cursor-Fleeing Forms Section

Black void. Photo cutouts and letter debris scatter, flee your pointer with elastic return, and a premium white-glow cursor - restaged for any brand.

WHAT IS INSIDE

- Your background video link (and how to use the file)
- A ready prompt for Cursor, Claude, Grok Build, Lovable, Codex, Bolt or any smart AI
- Simple ways to ask your AI to customize text, colors, and the video look

You do not need to know how to program. Your AI does the technical work.

www.ClickMotion.dev

Start here (about 10 minutes)

Follow these steps in order. If you get stuck, paste the error message into the same AI and ask it to fix the project for you.

Step 1

Save your background video somewhere easy to find. You can use the link below or the video file that came with this package.

Step 2

Open the AI tool you already use.

Step 3

Find that tool's section in this PDF (or "Your Smart AI Agent" if your tool is not listed by name). Select the whole prompt under "Copy this into [tool]". Copy it.

Step 4

Paste it into a new chat or project in that tool and run it. Let the AI build everything.

Step 5

When the preview looks absolutely stunning, ask your AI: "Explain in plain language how I open and share this site."

Step 6

To change wording, colors, or branding, use the "Ask your AI to change..." lines later in this PDF. You do not edit code by hand unless you want to.

YOUR BACKGROUND VIDEO LINK

<https://www.ClickMotion.dev/assets/videos/phobia-forms-preview-v1.mp4>

Offline file name if you were given a file: phobia-forms-preview-v1.mp4. A still image may be included next to your video file for a clean first frame.

Your background video

This is the film that plays behind the Phobia design. Keep this link. It is also written inside every AI prompt below so your AI can attach it automatically.

VIDEO URL

<https://www.ClickMotion.dev/assets/videos/phobia-forms-preview-v1.mp4>

File name: phobia-forms-preview-v1.mp4

Client media is transparent cutouts in the files zip under assets/ (not a background film product). Storefront presentation shows the full pointer interaction (page + fullscreen previews). Rebuild only from pack source + cutouts.

Prefer the URL when online. If you were given a local download, tell your AI: "Use my local file phobia-forms-preview-v1.mp4 as the full-screen background video."

Copy this into Cursor

Select everything in the box area below (all parts if more than one page). Copy, then paste into Cursor. You do not need to understand the technical lines. Your AI does.

You are building production UI in my coding editor (Cursor). Create the files I need and keep the solution clean and complete.

Build a premium mid-page or full-viewport website SECTION called PHOBIA - cursor-fleeing forms on a pure black void.

This is POINTER-FIRST. Photo cutouts and letter debris rest in a crafted cluster. When the pointer is away, they spread. When the pointer approaches a rest home, they flee radially with rotation and scale, then elastic-return when clear. A premium white-glow cursor with a soft trail makes the stage feel expensive, not gimmicky.

CLIENT MEDIA (required - in the product files zip):

Place pack assets under public/assets/phobia/ with the same filenames:

papier-froisse.webp, asterix.webp, fluff-orange.png, chwing.webp, bonbon.webp, gold-die.png

Paths in phobia-data.ts already match /assets/phobia/...

Storefront preview videos on ClickMotion are presentation only - never use them as rebuild media.

LOOK AND FEEL:

Pure black void. Photo cutouts. White letter debris. Crystalline white cursor bloom.

Gallery installation x playful editorial x high-end digital toy.

No purple SaaS mesh. No Motionsites docks. No required site chrome. No olive system cursors as the signature.

MOTION LAW (non-negotiable):

- CSS rest pose; GSAP x/y are offsets from that rest (home = 0,0).
- Distance and angle: mouse to REST CENTER (visual center minus current GSAP offset), never live offset alone.
- Desktop: influenceRadius 460, maxDistance 380, rotForce 30, scaleForce 0.2.
- Mobile max-width 767: 260 / 110 / 12 / 0.1 (from PHOBIA_PARAMS).
- Flee: $L = ((R - d) / R) ** 1.6$, $U = L * maxDistance$, offset $(-\cos(\theta)*U, -\sin(\theta)*U)$, duration 0.45, ease power4.out.
- Return: x:0 y:0 baseRot scale 1, duration 1.2, ease elastic.out(1, 0.35).
- overwrite auto. Prefer force3D true.
- Idle / pointer outside section: treat mouse as viewport center so objects spread.
- prefers-reduced-motion: do not run flee thrashing; leave objects at rest.

ARCHITECTURE:

- Section h-dvh (or tall mid-page), black, overflow hidden, cursor none on the stage.
- Centered stage ~1872x1056 max holding absolute rest poses.
- Drive all items and params from phobia-data.ts (PHOBIA_ITEMS, PHOBIA_PARAMS).
- Custom cursor + trail as HTML overlays.
- Prefer integrating pack source PhobiaSection.tsx + phobia-data.ts over rewriting.

TECHNICAL:

React + TypeScript. gsap only (no Club InertiaPlugin). Optional Tailwind as written in source.

Single default-export PhobiaSection.

CUSTOMIZATION LAW:

Every cutout, letter, rest pose, z-index, and influence param is replaceable.

After default builds, restage for buyer brand objects and name lettering.

QUALITY BAR:

Idle spread feels intentional. Flee feels alive. Return feels elastic and expensive. Cursor is the signature jewel.

Cursor prompt (continued)

REFERENCE MOTION (storefront presentation - do NOT use as rebuild media):
<https://www.ClickMotion.dev/assets/videos/phobia-forms-preview-v1.mp4>

When done: I should see the full Phobia experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Claude

Select everything in the box area below (all parts if more than one page). Copy, then paste into Claude. You do not need to understand the technical lines. Your AI does.

You are my coding assistant. Build a complete, production-ready solution I can use. Explain briefly what you created after you finish, in plain language.

Build a premium mid-page or full-viewport website SECTION called PHOBIA - cursor-fleeing forms on a pure black void.

This is POINTER-FIRST. Photo cutouts and letter debris rest in a crafted cluster. When the pointer is away, they spread. When the pointer approaches a rest home, they flee radially with rotation and scale, then elastic-return when clear. A premium white-glow cursor with a soft trail makes the stage feel expensive, not gimmicky.

CLIENT MEDIA (required - in the product files zip):

Place pack assets under public/assets/phobia/ with the same filenames:

papier-froisse.webp, asterix.webp, fluff-orange.png, chwing.webp, bonbon.webp, gold-die.png

Paths in phobia-data.ts already match /assets/phobia/...

Storefront preview videos on ClickMotion are presentation only - never use them as rebuild media.

LOOK AND FEEL:

Pure black void. Photo cutouts. White letter debris. Crystalline white cursor bloom.

Gallery installation x playful editorial x high-end digital toy.

No purple SaaS mesh. No Motionsites docks. No required site chrome. No olive system cursors as the signature.

MOTION LAW (non-negotiable):

- CSS rest pose; GSAP x/y are offsets from that rest (home = 0,0).
- Distance and angle: mouse to REST CENTER (visual center minus current GSAP offset), never live offset alone.
- Desktop: influenceRadius 460, maxDistance 380, rotForce 30, scaleForce 0.2.
- Mobile max-width 767: 260 / 110 / 12 / 0.1 (from PHOBIA_PARAMS).
- Flee: $L = ((R - d) / R) ** 1.6$, $U = L * maxDistance$, offset $(-\cos(\thetaeta)*U, -\sin(\thetaeta)*U)$, duration 0.45, ease power4.out.
- Return: x:0 y:0 baseRot scale 1, duration 1.2, ease elastic.out(1, 0.35).
- overwrite auto. Prefer force3D true.
- Idle / pointer outside section: treat mouse as viewport center so objects spread.
- prefers-reduced-motion: do not run flee thrashing; leave objects at rest.

ARCHITECTURE:

- Section h-dvh (or tall mid-page), black, overflow hidden, cursor none on the stage.
- Centered stage ~1872x1056 max holding absolute rest poses.
- Drive all items and params from phobia-data.ts (PHOBIA_ITEMS, PHOBIA_PARAMS).
- Custom cursor + trail as HTML overlays.
- Prefer integrating pack source PhobiaSection.tsx + phobia-data.ts over rewriting.

TECHNICAL:

React + TypeScript. gsap only (no Club InertiaPlugin). Optional Tailwind as written in source.

Single default-export PhobiaSection.

CUSTOMIZATION LAW:

Every cutout, letter, rest pose, z-index, and influence param is replaceable.

After default builds, restage for buyer brand objects and name lettering.

QUALITY BAR:

Idle spread feels intentional. Flee feels alive. Return feels elastic and expensive. Cursor is the signature jewel.

Claude prompt (continued)

REFERENCE MOTION (storefront presentation - do NOT use as rebuild media):
<https://www.ClickMotion.dev/assets/videos/phobia-forms-preview-v1.mp4>

When done: I should see the full Phobia experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Grok Build

Select everything in the box area below (all parts if more than one page). Copy, then paste into Grok Build. You do not need to understand the technical lines. Your AI does.

Build this as a complete, production-ready web section in Grok Build. Prefer a single polished component or page I can run immediately.

Build a premium mid-page or full-viewport website SECTION called PHOBIA - cursor-fleeing forms on a pure black void.

This is POINTER-FIRST. Photo cutouts and letter debris rest in a crafted cluster. When the pointer is away, they spread. When the pointer approaches a rest home, they flee radially with rotation and scale, then elastic-return when clear. A premium white-glow cursor with a soft trail makes the stage feel expensive, not gimmicky.

CLIENT MEDIA (required - in the product files zip):

Place pack assets under public/assets/phobia/ with the same filenames:

papier-froisse.webp, asterix.webp, fluff-orange.png, chwing.webp, bonbon.webp, gold-die.png

Paths in phobia-data.ts already match /assets/phobia/...

Storefront preview videos on ClickMotion are presentation only - never use them as rebuild media.

LOOK AND FEEL:

Pure black void. Photo cutouts. White letter debris. Crystalline white cursor bloom.

Gallery installation x playful editorial x high-end digital toy.

No purple SaaS mesh. No Motionsites docks. No required site chrome. No olive system cursors as the signature.

MOTION LAW (non-negotiable):

- CSS rest pose; GSAP x/y are offsets from that rest (home = 0,0).
- Distance and angle: mouse to REST CENTER (visual center minus current GSAP offset), never live offset alone.
- Desktop: influenceRadius 460, maxDistance 380, rotForce 30, scaleForce 0.2.
- Mobile max-width 767: 260 / 110 / 12 / 0.1 (from PHOBIA_PARAMS).
- Flee: $L = ((R - d) / R) ** 1.6$, $U = L * maxDistance$, offset $(-\cos(\theta)*U, -\sin(\theta)*U)$, duration 0.45, ease power4.out.
- Return: x:0 y:0 baseRot scale 1, duration 1.2, ease elastic.out(1, 0.35).
- overwrite auto. Prefer force3D true.
- Idle / pointer outside section: treat mouse as viewport center so objects spread.
- prefers-reduced-motion: do not run flee thrashing; leave objects at rest.

ARCHITECTURE:

- Section h-dvh (or tall mid-page), black, overflow hidden, cursor none on the stage.
- Centered stage ~1872x1056 max holding absolute rest poses.
- Drive all items and params from phobia-data.ts (PHOBIA_ITEMS, PHOBIA_PARAMS).
- Custom cursor + trail as HTML overlays.
- Prefer integrating pack source PhobiaSection.tsx + phobia-data.ts over rewriting.

TECHNICAL:

React + TypeScript. gsap only (no Club InertiaPlugin). Optional Tailwind as written in source.

Single default-export PhobiaSection.

CUSTOMIZATION LAW:

Every cutout, letter, rest pose, z-index, and influence param is replaceable.

After default builds, restage for buyer brand objects and name lettering.

QUALITY BAR:

Idle spread feels intentional. Flee feels alive. Return feels elastic and expensive. Cursor is the signature jewel.

Grok Build prompt (continued)

REFERENCE MOTION (storefront presentation - do NOT use as rebuild media):
<https://www.ClickMotion.dev/assets/videos/phobia-forms-preview-v1.mp4>

When done: I should see the full Phobia experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Lovable

Select everything in the box area below (all parts if more than one page). Copy, then paste into Lovable. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Lovable. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium mid-page or full-viewport website SECTION called PHOBIA - cursor-fleeing forms on a pure black void.

This is POINTER-FIRST. Photo cutouts and letter debris rest in a crafted cluster. When the pointer is away, they spread. When the pointer approaches a rest home, they flee radially with rotation and scale, then elastic-return when clear. A premium white-glow cursor with a soft trail makes the stage feel expensive, not gimmicky.

CLIENT MEDIA (required - in the product files zip):

Place pack assets under public/assets/phobia/ with the same filenames:

papier-froisse.webp, asterix.webp, fluff-orange.png, chwing.webp, bonbon.webp, gold-die.png

Paths in phobia-data.ts already match /assets/phobia/...

Storefront preview videos on ClickMotion are presentation only - never use them as rebuild media.

LOOK AND FEEL:

Pure black void. Photo cutouts. White letter debris. Crystalline white cursor bloom.

Gallery installation x playful editorial x high-end digital toy.

No purple SaaS mesh. No Motionsites docks. No required site chrome. No olive system cursors as the signature.

MOTION LAW (non-negotiable):

- CSS rest pose; GSAP x/y are offsets from that rest (home = 0,0).
- Distance and angle: mouse to REST CENTER (visual center minus current GSAP offset), never live offset alone.
- Desktop: influenceRadius 460, maxDistance 380, rotForce 30, scaleForce 0.2.
- Mobile max-width 767: 260 / 110 / 12 / 0.1 (from PHOBIA_PARAMS).
- Flee: $L = ((R - d) / R) ** 1.6$, $U = L * maxDistance$, offset $(-\cos(\thetaeta)*U, -\sin(\thetaeta)*U)$, duration 0.45, ease power4.out.
- Return: x:0 y:0 baseRot scale 1, duration 1.2, ease elastic.out(1, 0.35).
- overwrite auto. Prefer force3D true.
- Idle / pointer outside section: treat mouse as viewport center so objects spread.
- prefers-reduced-motion: do not run flee thrashing; leave objects at rest.

ARCHITECTURE:

- Section h-dvh (or tall mid-page), black, overflow hidden, cursor none on the stage.
- Centered stage ~1872x1056 max holding absolute rest poses.
- Drive all items and params from phobia-data.ts (PHOBIA_ITEMS, PHOBIA_PARAMS).
- Custom cursor + trail as HTML overlays.
- Prefer integrating pack source PhobiaSection.tsx + phobia-data.ts over rewriting.

TECHNICAL:

React + TypeScript. gsap only (no Club InertiaPlugin). Optional Tailwind as written in source.

Single default-export PhobiaSection.

CUSTOMIZATION LAW:

Every cutout, letter, rest pose, z-index, and influence param is replaceable.

After default builds, restage for buyer brand objects and name lettering.

QUALITY BAR:

Idle spread feels intentional. Flee feels alive. Return feels elastic and expensive. Cursor is the signature jewel.

Lovable prompt (continued)

REFERENCE MOTION (storefront presentation - do NOT use as rebuild media):
<https://www.ClickMotion.dev/assets/videos/phobia-forms-preview-v1.mp4>

When done: I should see the full Phobia experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Codex / ChatGPT

Select everything in the box area below (all parts if more than one page). Copy, then paste into Codex / ChatGPT. You do not need to understand the technical lines. Your AI does.

You are Codex / ChatGPT acting as my coding agent. Build a complete, production-ready web section or page. Create clear files, install what you need, and leave me a working result. Explain briefly what you built in plain language when finished.

Build a premium mid-page or full-viewport website SECTION called PHOBIA - cursor-fleeing forms on a pure black void.

This is POINTER-FIRST. Photo cutouts and letter debris rest in a crafted cluster. When the pointer is away, they spread. When the pointer approaches a rest home, they flee radially with rotation and scale, then elastic-return when clear. A premium white-glow cursor with a soft trail makes the stage feel expensive, not gimmicky.

CLIENT MEDIA (required - in the product files zip):

Place pack assets under public/assets/phobia/ with the same filenames:

papier-froisse.webp, asterix.webp, fluff-orange.png, chwing.webp, bonbon.webp, gold-die.png

Paths in phobia-data.ts already match /assets/phobia/...

Storefront preview videos on ClickMotion are presentation only - never use them as rebuild media.

LOOK AND FEEL:

Pure black void. Photo cutouts. White letter debris. Crystalline white cursor bloom.

Gallery installation x playful editorial x high-end digital toy.

No purple SaaS mesh. No Motionsites docks. No required site chrome. No olive system cursors as the signature.

MOTION LAW (non-negotiable):

- CSS rest pose; GSAP x/y are offsets from that rest (home = 0,0).
- Distance and angle: mouse to REST CENTER (visual center minus current GSAP offset), never live offset alone.
- Desktop: influenceRadius 460, maxDistance 380, rotForce 30, scaleForce 0.2.
- Mobile max-width 767: 260 / 110 / 12 / 0.1 (from PHOBIA_PARAMS).
- Flee: $L = ((R - d) / R) ** 1.6$, $U = L * maxDistance$, offset $(-\cos(\thetaeta)*U, -\sin(\thetaeta)*U)$, duration 0.45, ease power4.out.
- Return: x:0 y:0 baseRot scale 1, duration 1.2, ease elastic.out(1, 0.35).
- overwrite auto. Prefer force3D true.
- Idle / pointer outside section: treat mouse as viewport center so objects spread.
- prefers-reduced-motion: do not run flee thrashing; leave objects at rest.

ARCHITECTURE:

- Section h-dvh (or tall mid-page), black, overflow hidden, cursor none on the stage.
- Centered stage ~1872x1056 max holding absolute rest poses.
- Drive all items and params from phobia-data.ts (PHOBIA_ITEMS, PHOBIA_PARAMS).
- Custom cursor + trail as HTML overlays.
- Prefer integrating pack source PhobiaSection.tsx + phobia-data.ts over rewriting.

TECHNICAL:

React + TypeScript. gsap only (no Club InertiaPlugin). Optional Tailwind as written in source.

Single default-export PhobiaSection.

CUSTOMIZATION LAW:

Every cutout, letter, rest pose, z-index, and influence param is replaceable.

After default builds, restage for buyer brand objects and name lettering.

QUALITY BAR:

Idle spread feels intentional. Flee feels alive. Return feels elastic and expensive. Cursor is the signature jewel.

Codex / ChatGPT prompt (continued)

REFERENCE MOTION (storefront presentation - do NOT use as rebuild media):
<https://www.ClickMotion.dev/assets/videos/phobia-forms-preview-v1.mp4>

When done: I should see the full Phobia experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Bolt

Select everything in the box area below (all parts if more than one page). Copy, then paste into Bolt. You do not need to understand the technical lines. Your AI does.

Build this as a complete page in Bolt. I am not a professional programmer. You handle all technical setup, libraries, and layout. Show me a working preview.

Build a premium mid-page or full-viewport website SECTION called PHOBIA - cursor-fleeing forms on a pure black void.

This is POINTER-FIRST. Photo cutouts and letter debris rest in a crafted cluster. When the pointer is away, they spread. When the pointer approaches a rest home, they flee radially with rotation and scale, then elastic-return when clear. A premium white-glow cursor with a soft trail makes the stage feel expensive, not gimmicky.

CLIENT MEDIA (required - in the product files zip):

Place pack assets under public/assets/phobia/ with the same filenames:

papier-froisse.webp, asterix.webp, fluff-orange.png, chwing.webp, bonbon.webp, gold-die.png

Paths in phobia-data.ts already match /assets/phobia/...

Storefront preview videos on ClickMotion are presentation only - never use them as rebuild media.

LOOK AND FEEL:

Pure black void. Photo cutouts. White letter debris. Crystalline white cursor bloom.

Gallery installation x playful editorial x high-end digital toy.

No purple SaaS mesh. No Motionsites docks. No required site chrome. No olive system cursors as the signature.

MOTION LAW (non-negotiable):

- CSS rest pose; GSAP x/y are offsets from that rest (home = 0,0).
- Distance and angle: mouse to REST CENTER (visual center minus current GSAP offset), never live offset alone.
- Desktop: influenceRadius 460, maxDistance 380, rotForce 30, scaleForce 0.2.
- Mobile max-width 767: 260 / 110 / 12 / 0.1 (from PHOBIA_PARAMS).
- Flee: $L = ((R - d) / R) ** 1.6$, $U = L * maxDistance$, offset $(-\cos(\thetaeta)*U, -\sin(\thetaeta)*U)$, duration 0.45, ease power4.out.
- Return: x:0 y:0 baseRot scale 1, duration 1.2, ease elastic.out(1, 0.35).
- overwrite auto. Prefer force3D true.
- Idle / pointer outside section: treat mouse as viewport center so objects spread.
- prefers-reduced-motion: do not run flee thrashing; leave objects at rest.

ARCHITECTURE:

- Section h-dvh (or tall mid-page), black, overflow hidden, cursor none on the stage.
- Centered stage ~1872x1056 max holding absolute rest poses.
- Drive all items and params from phobia-data.ts (PHOBIA_ITEMS, PHOBIA_PARAMS).
- Custom cursor + trail as HTML overlays.
- Prefer integrating pack source PhobiaSection.tsx + phobia-data.ts over rewriting.

TECHNICAL:

React + TypeScript. gsap only (no Club InertiaPlugin). Optional Tailwind as written in source.

Single default-export PhobiaSection.

CUSTOMIZATION LAW:

Every cutout, letter, rest pose, z-index, and influence param is replaceable.

After default builds, restage for buyer brand objects and name lettering.

QUALITY BAR:

Idle spread feels intentional. Flee feels alive. Return feels elastic and expensive. Cursor is the signature jewel.

Bolt prompt (continued)

REFERENCE MOTION (storefront presentation - do NOT use as rebuild media):
<https://www.ClickMotion.dev/assets/videos/phobia-forms-preview-v1.mp4>

When done: I should see the full Phobia experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Copy this into Your Smart AI Agent

Select everything in the box area below (all parts if more than one page). Copy, then paste into Your Smart AI Agent. You do not need to understand the technical lines. Your AI does.

You are my smart AI agent. I may not be a professional programmer. Build a complete, production-ready website hero from the brief below. You choose the stack that works in my environment, create every file, wire the background video, and deliver a polished preview. Do not leave steps for me that require writing code. When finished, explain in plain English how I view and share the result.

Build a premium mid-page or full-viewport website SECTION called PHOBIA - cursor-fleeing forms on a pure black void.

This is POINTER-FIRST. Photo cutouts and letter debris rest in a crafted cluster. When the pointer is away, they spread. When the pointer approaches a rest home, they flee radially with rotation and scale, then elastic-return when clear. A premium white-glow cursor with a soft trail makes the stage feel expensive, not gimmicky.

CLIENT MEDIA (required - in the product files zip):

Place pack assets under public/assets/phobia/ with the same filenames:

papier-froisse.webp, asterix.webp, fluff-orange.png, chwing.webp, bonbon.webp, gold-die.png

Paths in phobia-data.ts already match /assets/phobia/...

Storefront preview videos on ClickMotion are presentation only - never use them as rebuild media.

LOOK AND FEEL:

Pure black void. Photo cutouts. White letter debris. Crystalline white cursor bloom.

Gallery installation x playful editorial x high-end digital toy.

No purple SaaS mesh. No Motionsites docks. No required site chrome. No olive system cursors as the signature.

MOTION LAW (non-negotiable):

- CSS rest pose; GSAP x/y are offsets from that rest (home = 0,0).
- Distance and angle: mouse to REST CENTER (visual center minus current GSAP offset), never live offset alone.
- Desktop: influenceRadius 460, maxDistance 380, rotForce 30, scaleForce 0.2.
- Mobile max-width 767: 260 / 110 / 12 / 0.1 (from PHOBIA_PARAMS).
- Flee: $L = ((R - d) / R) ** 1.6$, $U = L * \text{maxDistance}$, offset $(-\cos(\theta) * U, -\sin(\theta) * U)$, duration 0.45, ease power4.out.
- Return: x:0 y:0 baseRot scale 1, duration 1.2, ease elastic.out(1, 0.35).
- overwrite auto. Prefer force3D true.
- Idle / pointer outside section: treat mouse as viewport center so objects spread.
- prefers-reduced-motion: do not run flee thrashing; leave objects at rest.

ARCHITECTURE:

- Section h-dvh (or tall mid-page), black, overflow hidden, cursor none on the stage.
- Centered stage ~1872x1056 max holding absolute rest poses.
- Drive all items and params from phobia-data.ts (PHOBIA_ITEMS, PHOBIA_PARAMS).
- Custom cursor + trail as HTML overlays.
- Prefer integrating pack source PhobiaSection.tsx + phobia-data.ts over rewriting.

TECHNICAL:

React + TypeScript. gsap only (no Club InertiaPlugin). Optional Tailwind as written in source.

Single default-export PhobiaSection.

CUSTOMIZATION LAW:

Every cutout, letter, rest pose, z-index, and influence param is replaceable.

After default builds, restage for buyer brand objects and name lettering.

QUALITY BAR:

Your Smart AI Agent prompt (continued)

Idle spread feels intentional. Flee feels alive. Return feels elastic and expensive. Cursor is the signature jewel.

REFERENCE MOTION (storefront presentation - do NOT use as rebuild media):

<https://www.ClickMotion.dev/assets/videos/phobia-forms-preview-v1.mp4>

When done: I should see the full Phobia experience with the background video linked above and every layout requirement above. If something is missing, fix it without asking me for code knowledge.

Customize without coding

You never have to open code. After the site is built, start a new message to the same AI and paste one of these lines. Fill in the brackets with your words.

Replace cutouts with brand photos

Ask your AI: "Replace the cutout images with my product photos (transparent PNG/WebP) under public/assets/phobia/. Update PHOBIA_ITEMS src paths. Keep rest poses for now."

Change letter debris

Ask your AI: "Change the letter debris to spell [MY BRAND], one character per letter item. Adjust sizes so the field still feels scattered and premium."

Add density

Ask your AI: "Add three more objects to PHOBIA_ITEMS using my new assets. Keep z-index so letters stay on top."

Stronger or softer flee

Ask your AI: "Tune PHOBIA_PARAMS.desktop maxDistance and rotForce slightly. Keep elastic return soft. Keep mobile gentler than desktop."

Nudge the cluster

Ask your AI: "Nudge the whole rest cluster down for ultrawide screens (SHIFT_Y or left/top values). Keep rest-based flee."

Cursor accessibility

Ask your AI: "Keep the white glow but make the core slightly larger for accessibility. Do not switch to a system default cursor on the section."

Something looks wrong

Ask your AI: "Something is broken: [DESCRIBE]. Keep rest-based radial flee and elastic return. Do not switch to CSS hover only. Do not ask me to write code."

New background video (optional)

Only if you want a different film. Open a video generation AI, paste the prompt below, generate a silent clip about 12 seconds long, then ask your coding AI to use your new file as the background.

COPY THIS INTO A VIDEO AI

Optional new cutouts: transparent PNG or WebP product / brand objects on pure alpha, clean edges, no UI chrome, consistent lighting.
Or replace with the buyer photos as provided.

Then tell your coding AI

Ask your AI: "Use my new video file [FILE NAME OR LINK] as the full-screen background. Keep the same Phobia layout and behavior."

You are ready

- Your video link is on the video page of this package and inside every tool prompt.
- Pick one AI tool (or Your Smart AI Agent), paste that full prompt, and let it build.
- Customize by asking your AI in plain English. You do not need to know React or other frameworks.
- Brand site: www.ClickMotion.dev

ClickMotion

www.ClickMotion.dev

If something fails, paste the error into your AI and say: "Fix this for me without asking me to write code."