

A Mini Project Report
On
INTERIOR DESIGN WEBSITE



Submitted By

K.Vani Chandrika	22B91A6174
K.A.P.RatnaKumari	22B91A6176
K. Amrutha	22B91A6180
K.EeshaManogna	22B91A6188

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING (AIML)
S. R. K. R ENGINEERING COLLEGE (A)
(Affiliated to JNTU, KAKINADA) BHIMAVARAM-534204
(2024-2025)

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING (AIML)

S. R. K. R ENGINEERING COLLEGE BHIMAVARAM



CERTIFICATE

This is to certify that this is a bonafide work on “**INTERIOR DESIGN WEBSITE**” and has been submitted by K.Vani Chandrika 22B91A6174, K.A.P.RatnaKumari 22B91A6176, K.Amrutha 22B91A6180 & k.EeshaManogna 22B91A6188 as a **MEAN Stack Technology** laboratory report, in partial fulfilment of the requirements for the award of the Degree of Bachelor of Technology in Computer Science and Engineering (AIML), during the academic year 2024-2025. The candidate/s worked right under my supervision and guidance.

Internal Examiner

- 1.
- 2.

Head of the Department

ACKNOWLEDGEMENT

We take immense pleasure in thanking **Prof. K. Murali Krishnam Raju**, beloved principal of S.R.K.R Engineering College, Bhimavaram, **Dr. Bh. V. S. R. Raju** esteemed Head of the Department and **Dr. G N V G Sirisha** program coordinator (AIML), for ha ving permitted us to carry out mini project work in MEAN Stack Technology. We wish to express our deep sense of gratitude especially to our project guides **Dr K Aruna Kumari**, Associate Professor and **Miss Ch Suma**, Assistant Professor, for their guidance and useful suggestions, which helped us in completing the work, on time. Finally, yet importantly, we would like to express our heartfelt thanks to my beloved parents, faculty, my friends/classmates for their help, and our wishes for the successful completion of this project.

K.Vani Chandrika	22B91A6174
K.A.P.RatnaKumari	22B91A6176
K. Amrutha	22B91A6180
K.EeshaManogna	22B91A6188

ABSTRACT

Style Space is a comprehensive **interior design web application** developed using **HTML, CSS, JavaScript**, and **MongoDB** as the database solution. The platform offers an end-to-end design experience, starting with a **Sign up Page** that enables users to securely access personalized features.

The system includes **Profiles of Designers**, allowing users to browse through a curated gallery of interior designers, complete with their portfolios and style specializations. To provide rich visual inspiration, the **Design Ideas** section is divided into multiple categories such as **Hall, Bedroom, Kitchen, Pooja Room, Dining Area, Reading Area, Corridors, and Guest Room**. Each category contains numerous design images, all stored and efficiently retrieved from **MongoDB**, ensuring seamless performance even with a large collection of media.

A standout feature is the **Price Calculator**, which guides users through a multi-page budget estimation process. Users input details such as the number of rooms, apartment type (**1BHK, 2BHK**, etc.), and their preferred design package (**Essential, Premium, or Luxe**). Based on this input and user credentials, the system generates a **customized budget quote**.

Additionally, the platform introduces a unique **Budget Locker** functionality, allowing users to **lock in their budget, track expenses**, and **manage spending** across different design sections throughout their project.

Supporting pages like the **Contact Page** and **About Us Page** provide users with an easy way to connect with the team and understand the mission and vision behind **Style Space**. Overall, **Style Space** combines strong technical architecture with user-focused features to deliver a modern, transparent, and highly visual interior design experience, making home design accessible, affordable, and enjoyable.

TABLE OF CONTENTS

SI. No.	CONTENTS	Page.No
1.	MODULES	2
2.	REQUIREMENTS	3
3.	TECHNICAL STACK	4-7
4.	INTRODUCTION	8
5.	SAMPLE CODE	9-92
6.	SCREEN SHOTS	79-85

MODULES

- Home page
- User Sign up page
- Design Ideas page
- Designers profile page
- PriceCalculator page
- BudgetLocker page
- About Us page

SOFTWARE REQUIREMENTS

1. Text Editor: Visual Studio Code, Notepad
2. Front End: HTML, CSS, JavaScript
3. Back End: ManogoDB and Python
4. Internet Browser: Google Chrome

TECHNICAL STACK

The "Style Space" project combines both frontend and backend technologies to create a dynamic and interactive gallery application. Below is a detailed breakdown of the technologies used in both layers of the application.

Frontend:

The frontend of the "Style Space" project is responsible for the user interface and experience, ensuring that the gallery is visually appealing and interactive. The frontend stack includes HTML, CSS, and JavaScript, each playing a critical role in the overall functionality of the project.

1. HTML (Hypertext Markup Language) – Structure Layer

HTML provides the foundational structure for the "Style Space" gallery, organizing and displaying content in an accessible format.

Role in Style Space:

- Defines the layout of the gallery, including sections like the header, navigation, and image gallery.
- Organizes content into structured elements such as headings, paragraphs, and images.
- Facilitates the use of semantic tags to enhance accessibility and SEO (Search Engine Optimization).
- Embeds CSS and JavaScript files to link the styling and functionality to the Html structure.

2. CSS (Cascading Style Sheets) – Styling Layer

CSS controls the visual presentation of the website, ensuring that the gallery looks polished and is easy to navigate.

Role in Style Space:

- Styles elements like buttons, images, headers, and navigation links to ensure a clean, modern design.
- Ensures the gallery layout is responsive, adjusting to different screen sizes (mobile, tablet, desktop).
- Implements hover effects, such as enlarging images or showing overlays on hover, to enhance interactivity.

3. JavaScript – Dynamic Behavior Layer

JavaScript is used to introduce dynamic elements and interactivity to the "Style Space" project, allowing the content to load dynamically and respond to user actions.

Role in Style Space:

- o Fetches data (images and descriptions) from the backend server using AJAX (fetch API) to populate the gallery without reloading the page.
- o Dynamically generates HTML content for the gallery based on the data received from the backend.
- o Handles user interactions, such as toggling the "love" heart icon when a user likes an image.
- o Ensures smooth and responsive user interactions by updating the page in real-time as the user interacts with the content

Backend:

The backend handles the data processing and storage, providing the necessary functionality for storing and retrieving gallery images and descriptions. The backend stack includes MongoDB, Python, and an HTTP server, which work together to manage the gallery's data.

1. MongoDB – Database Layer

MongoDB is a NoSQL database used to store image data (binary data) and text descriptions for each image in the gallery. It provides flexibility in handling unstructured data and supports rapid querying.

Role in Style Space:

- o Stores the image data and text descriptions in the images collection of the image_db database
- o Provides a simple and scalable way to store and retrieve image data in the backend.
- o Supports the use of binary data storage for images, which is then encoded as base64 for transmission to the frontend.

2. Python (Backend Language) – Server-Side Logic

Python is used to handle the backend logic, including processing requests from the frontend and interacting with the MongoDB database.

Role in Style Space:

- o Handles the HTTP requests (GET and POST) from the frontend.
- o Implements the server-side logic to fetch gallery data from MongoDB and send it to the frontend.
- o Manages the image upload functionality, where images are received from the frontend, stored in MongoDB, and a success message is returned to the user.

3. HTTP Server (Python's http.server) – Web Server

The HTTP server is built using Python's http.server module and listens for incoming HTTP requests. It processes requests related to fetching gallery data or uploading new images and sends back the appropriate response.

Role in Style Space:

- Handles incoming GET and POST requests from the frontend.
- Fetches image and text data from MongoDB and sends it back to the frontend for display in the gallery.
- Manages the upload of new images, storing them in the MongoDB database upon successful submission
- Handles user interactions, such as toggling the "love" heart icon when a user likes an image.
- Ensures smooth and responsive user interactions by updating the page in real-time as the user interacts with the content.

Integration

Frontend (HTML, CSS, JavaScript):

1. HTML & CSS: Defines the structure and styling of the gallery, header, and layout, providing a responsive, modern look.
2. JavaScript: Fetches gallery data (images and descriptions) from the backend server and handles the interactive features like the heart icon toggle.

Backend (Python with HTTP Server and MongoDB):

1. Python HTTP Server: Handles GET and POST requests to fetch and store gallery data (images and text) from/to the MongoDB database.
2. MongoDB: Stores the image data in binary format and retrieves it for display on the frontend, with Base64 encoding for image delivery.

Workflow

1 User Visits Website:

- The user lands on the homepage and sees a gallery of kitchen designs displayed dynamically.

2 Frontend Makes Request:

- JavaScript on the frontend sends a GET request to the backend server to retrieve the gallery data (images and descriptions).

3 Backend Retrieves Data:

- The Python backend server processes the GET request and fetches image data (in Base64 format) from MongoDB.

4 Display Gallery:

- The frontend receives the data and dynamically displays the images and descriptions in the gallery grid layout.

Introduction

Style Space is a web application focused on providing users with a rich, interactive experience in exploring modular kitchen designs. The project utilizes **HTML, CSS, JavaScript, Python, and MongoDB** for its development. The frontend is responsible for displaying kitchen design images, offering users the ability to toggle "like" icons, and providing interactive features like a modern gallery layout. It uses JavaScript to fetch kitchen design data, including images and text descriptions, from the backend and display them dynamically in a responsive gallery. The CSS ensures a clean, user-friendly design that adapts to different screen sizes and offers smooth animations and hover effects.

On the backend, the project uses **Python with HTTP** server to handle requests and serve data to the frontend. The MongoDB database is used to store design images and their respective descriptions in a binary format. The server handles GET requests to retrieve the design gallery from the database and POST requests to upload new designs. Although some additional features such as **budget lockers, price calculation, and personalized design ideas** have been mentioned integrated within the code provided. These features would typically involve additional backend logic to calculate costs based on user inputs and provide recommendations for design ideas.

The Style Space platform includes essential features for a comprehensive user experience. Users can explore a variety of kitchen designs, view detailed descriptions, and interact with the content through simple actions like liking designs. integration expand this functionality by incorporating pages like About Us, **Sign up**, and **Designer Pages**, which would allow users to create accounts, save favorite designs, and interact with professional designers. Additionally, **price calculation, budget lockers** features could be integrated by allowing users to input their budget and receive an idea of budget tracking and analysis. The project's modular nature allows for easy expansion with new features and sections as the platform evolves.

SAMPLE CODE

Landing page(home.html)

```
html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Home Interiors</title>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@400;700&display=s
wap" rel="stylesheet">
  <link
href="https://fonts.googleapis.com/css2?family=Lora:wght@400;700&display=swap"
rel="stylesheet">
  <link
href="https://fonts.googleapis.com/css2?family=Cormorant+Garamond:wght@400;700&d
isplay=swap" rel="stylesheet">
  <link rel="stylesheet" href="home.css">

</head>
<body>

  <header>
    <div class="logo">
      
      <h1>Style Space</h1>
    </div>
    <nav>
      <ul>
        <li><a href="#Budget Locker">Home</a></li>
        <li><a href="#price-calculators">Price Calculators</a></li>
```

```

    <li class="dropdown">
      <a href="#design-ideas">Design Ideas</a>

    </li>
    <li><a href="http://localhost:9000">Designers</a></li>
    <li><a href="#login">Sign Up</a></li>
  </ul>
</nav>
</header>

```

```

<section class="image-slider">
  <div class="slider">
    <div class="slide">
      
      <div class="overlay">
        <h2>Beautiful Interiors</h2>
        <button>Explore More</button>
      </div>
    </div>
    <div class="slide">
      
      <div class="overlay">
        <h2>Elegant Designs</h2>
        <button>Explore More</button>
      </div>
    </div>
    <div class="slide">
      
      <div class="overlay">
        <h2>Modern Living Spaces</h2>
        <button>Explore More</button>
      </div>
    </div>
    <div class="slide">

```

```


<div class="overlay">
  <h2>Modern Living Spaces</h2>
  <button>Explore More</button>
</div>
</div>
<!-- Add more slides as needed -->
</div>
</section>

```

```

<section class="services">
  <h2>Your Ultimate Destination for Interior Solutions</h2>
  <p>Revamp your space with our interior design services. From renovations to stylish
furniture, we provide everything you need for a seamless transformation.</p>

```

```

<div class="service-cards">
  <div class="card">
    <h3>Modular Interiors</h3>
    
    <p>Functional kitchen, wardrobe and storage.</p>
    <button > <a href="http://localhost:8000" class="custom-button">Learn More
→</a></button>

```

```

</div>

```

```

<div class="card">
  <h3>Full Home Interiors</h3>
  
  <p>Turnkey interior solutions for your home.</p>
  <button>Learn More →</button>
</div>

```

```

<div class="card">
  <h3>Luxury Interiors</h3>
  
  <p>Tailored interiors that redefine elegance.</p>
  <button>Learn More →</button>
</div>

<div class="card">
  <h3>Renovations</h3>
  
  <p>Expert solutions to upgrade your home.</p>
  <button>Learn More →</button>
</div>
</div>
</section>

```

```

<section class="inspiration">
  <h2>Inspiration for Home Interior Designs</h2>

  <!-- Images with names on top -->
  <div class="inspiration-images">
    <div class="image-container">
      
      <div class="image-name">Living Room Design</div>
    </div>
    <div class="image-container">
      
      <div class="image-name">Master Bedroom Design</div>
    </div>
    <div class="image-container">

```



```

        
        <div class="image-name">Kitchen Design</div>
    </div>
    <!-- Add more images as needed -->
</div>
</section>

```

```

<!-- Cost Estimation Section -->
<section id="price-calculators" class="estimates">
    <h2>Get the Estimate for Your Home Interiors</h2>
    <!-- Estimate Cards -->
    <div class="estimate-cards">
        <div class="estimate-card">
            <div class="card-content">
                <h3>Full Home Interior</h3>
                <div class="image-container1">
                    
                </div>
                <p>Know the estimate price for your full home interiors.</p>
                <button ><a href=" ../price/fullhome/fullhome.html" class="custom-button">
                    Calculate →
                </a></button>
            </div>
        </div>

        <div class="estimate-card">
            <div class="card-content">
                <h3>Kitchen</h3>
                <div class="image-container1">
                    
                </div>
                <p>Get an approximate costing for your kitchen interior.</p>
            </div>
        </div>
    </div>

```

```

        <button ><a href="../price/fullhome/fullhome.html" class="custom-button">
            Calculate →
        </a></button>
    </div>

</div>

<div class="estimate-card">
    <div class="card-content">
        <h3>Wardrobe</h3>
        <div class="image-container1">
            
        </div>
        <p>Our estimate for your dream wardrobe.</p>
        <button ><a href="../price/fullhome/fullhome.html" class="custom-button">
            Calculate →
        </a></button>

    </div>

</div>

<div class="estimate-card">
    <div class="card-content">
        <h3>Office Space Layout</h3>
        <div class="image-container1">
            
        </div>
        <p>Get an estimate for optimizing your office space for productivity and
comfort.</p>
        <button ><a href="../price/fullhome/fullhome.html" class="custom-button">
            Calculate →

```

```

        </a></button>
    </div>
</div>

<div class="estimate-card">
    <div class="card-content">
        <h3>Living Room Design</h3>
        <div class="image-container1">
            
        </div>
        <p>Get an estimate for creating a cozy and stylish living room that reflects your
personality.</p>
        <button ><a href=" ../price/fullhome/fullhome.html" class="custom-button">
            Calculate →
        </a></button>
    </div>
</div>
</div>

</div>
</section>

```

```

<!-- Blog Section -->
<section id="blog" class="blog-section">
    <h2>Stay Updated with Trending Home Interior Designs!</h2>

    <!-- Blog Posts -->
    <!-- You can replace the content with actual blog posts -->
    <article>
        <h3>Everything You Need to Know About Ceramic Tiles</h3>
        <p><em>Harsha Shankar | January 05, 2025</em></p>
    </article>

```

```
<article>
  <h3>Exploring Modular Kitchen in Mumbai: Cost, Trends and More!</h3>
  <p><em>Anusha Kulal | January 04, 2025</em></p>
</article>
```

```
<article>
  <h3>Threads of Tradition: The Best of Sankranti Decor for This Festive
Season!</h3>
  <p><em>Anusha Kulal | January 03, 2025</em></p>
</article>
```

```
<!-- Add more blog posts as needed -->
```

```
<!-- End of Blog Section -->
```

```
<!-- Footer Section -->
```

```
<footer>
  <p>&copy; 2024 Home Interiors. All Rights Reserved.</p>
</footer><!-- End of Footer Section -->
```

```
<script>
  // JavaScript function to redirect to fullhome.html
</script>
document.addEventListener('DOMContentLoaded', function() {
  const modularInteriorsLink = document.getElementById('modular-interiors-link');

  modularInteriorsLink.addEventListener('click', function(event) {
    event.preventDefault(); // Prevent the default link behavior (navigation)

    // Fetch data from your backend
    fetch('http://localhost:8000/gallery')
```

```

.then(response => response.json())
.then(data => {
    // Handle the data (e.g., display it in a modal, or update a section of the page)
    displayGallery(data);
})
.catch(error => {
    console.error('Error fetching gallery data:', error);
});
});

```

```

function displayGallery(data) {
    // Create a container for the gallery
    const galleryContainer = document.createElement('div');
    galleryContainer.id = 'dynamic-gallery';
    galleryContainer.style.cssText = `
        position: fixed;
        top: 0;
        left: 0;
        width: 100%;
        height: 100%;
        background-color: rgba(0, 0, 0, 0.8);
        display: flex;
        justify-content: center;
        align-items: center;
        z-index: 1000;
    `;

    // Create gallery content
    let galleryHTML = '<div style="background-color: white; padding: 20px; border-
radius: 8px;">';
    data.forEach(item => {
        galleryHTML += `
            

```

```

        <p>${item.text}</p>
    `;
});
galleryHTML += '<button onclick="closeGallery()" style="margin-top:
10px;">Close</button></div>';

galleryContainer.innerHTML = galleryHTML;

// Append the gallery to the body
document.body.appendChild(galleryContainer);
}

// Function to close the gallery
window.closeGallery = function() {
    const galleryContainer = document.getElementById('dynamic-gallery');
    if (galleryContainer) {
        galleryContainer.remove();
    }
}
});
</script>

</script>
</body>
</html>

```

Landing page(Home.css)

```

body {
    margin: 0;

```

```
padding: 0;
font-family: 'Cormorant Garamond', serif;
}
```

```
header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  background-color: #ff6347;
  color: white;
  padding: 20px;
}
```

```
header .logo {
  display: flex;
  align-items: center;
}
```

```
header .logo img {
  height: 50px;
  margin-right: 10px;
}
```

```
nav ul {
  list-style-type: none;
  margin: 0;
  padding: 0;
}
```

```
nav ul li {
  display: inline-block;
  position: relative;
  margin-right: 20px;
}
```

```

nav ul li a {
    color: white;
    text-decoration: none;
    padding: 10px 15px;
    display: block;
}

.dropdown-content {
    display: none;
    position: absolute;
    background-color: #fff;
    min-width: 250px;
    box-shadow: 0 8px 16px rgba(0,0,0,0.2);
    z-index: 1;
    top: 100%;
    left: 0;
    border-radius: 4px;
}

.dropdown:hover .dropdown-content {
    display: block;
    animation: fadeIn 0.3s;
}

.dropdown-content a {
    color: #333;
    padding: 12px 16px;
    text-decoration: none;
    display: block;
    transition: background-color 0.3s;
    border-bottom: 1px solid #eee;
}

```



```
.dropdown-content a:last-child {  
  border-bottom: none;  
}
```

```
.dropdown-content a:hover {  
  background-color: #f8f8f8;  
}
```

```
@keyframes fadeIn {  
  from {opacity: 0;}  
  to {opacity: 1;}  
}
```

```
nav ul li:hover {  
  background-color: #444;  
  transition: background-color 0.3s;  
}
```

```
.image-slider {  
  width: 100%;  
  overflow: hidden;  
  position: relative;  
}
```

```
.slider {  
  display: flex;  
  animation: scroll 15s linear infinite;  
}
```

```
.slide {  
  position: relative;  
  min-width: 100%;  
}
```

```
.slide img {  
  width: 100%;  
  height: auto;  
}
```

```
@keyframes scroll {  
  0% { transform: translateX(0); }  
  10% { transform: translateX(0); }  
  15% { transform: translateX(-100%); }  
  25% { transform: translateX(-100%); }  
  30% { transform: translateX(-200%); }  
  40% { transform: translateX(-200%); }  
  45% { transform: translateX(-300%); }  
  55% { transform: translateX(-300%); }  
  60% { transform: translateX(0); }  
}
```

```
a {  
  color: white;  
  text-decoration: none;  
}
```

```
a:hover {  
  text-decoration: none;  
  opacity: 0.8;  
}
```

```
.overlay {  
  position: absolute;  
  top: 50%;  
  left: 50%;  
  transform: translate(-50%, -50%);  
  text-align: center;  
  font-size: 30px;
```

```
}
```

```
.overlay h2 {  
  color: white;  
}
```

```
.overlay button {  
  padding: 10px 20px;  
  background-color: #ff6347;  
  border: none;  
  color: white;  
  cursor: pointer;  
}
```

```
.overlay button:hover {  
  background-color: #ff4500;  
  transform: scale(1.05);  
}
```

```
.services {  
  padding: 20px;  
  font-family: 'Cormorant Garamond', serif;  
  background-color: #f4f4f4;  
  text-align: center;  
}
```

```
.service-cards {  
  display: flex;  
  justify-content: space-around;  
  flex-wrap: wrap;  
}
```

```
.card {  
  background-color: white;
```

```
border-radius: 8px;
padding: 20px;
margin-top: 20px;
width: calc(25% - 40px);
box-shadow: 0 4px 8px rgba(0,0,0,0.1);
transition: transform 0.3s ease, box-shadow 0.3s ease;
}
```

```
.card:hover {
  transform: scale(1.05);
  box-shadow: 0 8px 16px rgba(0,0,0,0.2);
}
```

```
.card img {
  width: 100%;
  border-radius: 8px;
  transition: transform 0.3s ease;
}
```

```
.card img:hover {
  transform: scale(1.1);
}
```

```
.card h3 {
  margin-bottom: 10px;
}
```

```
.card button {
  padding: 10px 20px;
  background-color: #ff6347;
  border: none;
  color: white;
  cursor: pointer;
  transition: background-color 0.3s ease, transform 0.3s ease;
}
```

```
}
```

```
.card button:hover {  
  background-color: #ff4500;  
  transform: scale(1.05);  
}
```

```
.inspiration {  
  padding: 20px;  
  text-align: center;  
}
```

```
.inspiration-images {  
  display: flex;  
  justify-content: center;  
  flex-wrap: wrap;  
}
```

```
.image-container {  
  position: relative;  
  margin: 10px;  
  overflow: hidden;  
}
```

```
.image-container img {  
  width: 300px;  
  height: auto;  
  transition: transform 0.5s ease, filter 0.5s ease;  
}
```

```
.image-container:hover img {  
  transform: scale(1.1);  
  filter: brightness(80%);  
}
```

```
.image-name {
  position: absolute;
  bottom: 10px;
  left: 50%;
  transform: translateX(-50%);
  color: white;
  background-color: rgba(0, 0, 0, 0.7);
  padding: 5px;
  border-radius: 5px;
  font-size: 12px;
  white-space: nowrap;
}
```

```
.estimates {
  padding: 20px;
  text-align: center;
}
```

```
.estimate-cards {
  display: flex;
  overflow-x: auto;
  overflow-y: hidden;
  scroll-snap-type: x mandatory;
  -webkit-overflow-scrolling: touch;
}
```

```
.estimate-cards::-webkit-scrollbar {
  display: none;
}
```

```
.estimate-card {
  display: flex;
  align-items: center;
```

```
min-width: 300px;
max-width: 90%;
margin-right: 20px;
background-color: white;
border-radius: 8px;
padding: 20px;
box-shadow: 0 4px 8px rgba(0,0,0,0.1);
transition: transform 0.3s ease, box-shadow 0.3s ease;
scroll-snap-align: start;
}
```

```
.estimate-card:hover {
  transform: translateY(-5px) scale(1.02);
  box-shadow: 0 8px 16px rgba(0,0,0,0.2);
}
```

```
.card-content {
  flex: 1;
}
```

```
.image-container1 {
  margin-left: 20px;
}
```

```
.round-image {
  width: 100px;
  height: 100px;
  border-radius: 50%;
  object-fit: cover;
}
```

```
.estimate-card h3 {
  margin-bottom: 10px;
}
```

```
.estimate-card button {  
  padding: 10px 15px;  
  background-color: #ff6347;  
  border: none;  
  color: white;  
  cursor: pointer;  
  transition: background-color 0.3s ease, transform 0.3s ease;  
}
```

```
.estimate-card button:hover {  
  background-color: #ff4500;  
  transform: scale(1.05);  
}
```

```
@media (max-width: 768px) {  
  .estimate-card {  
    min-width: 250px;  
    margin-right: 10px;  
    flex-direction: column;  
    align-items: flex-start;  
    padding: 10px;  
    box-shadow: none;  
    border: none;  
    background-color: #f4f4f4;  
  }  
}
```

```
.image-container1 {  
  margin-left: 0;  
  margin-top: 10px;  
}  
}
```

```
.blog-section {
```



```
padding: 20px;
}
```

```
footer {
  text-align: center;
  padding: 10px;
  background-color: #333;
  color: white;
}
```

Sign Up page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Signup</title>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@400;700&family=Cormorant+Garamond:wght@400;700&display=swap" rel="stylesheet">
  <style>
    body {
      font-family: 'Cormorant Garamond', serif;
      background: linear-gradient(to right, #ece9e6, #ffffff);
      margin: 0;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
    }
    .signup-container {
```

```

background-color: #fff;
padding: 30px;
border-radius: 12px;
box-shadow: 0 8px 16px rgba(0,0,0,0.2);
width: 400px;
}
h2 {
text-align: center;
color: #333;
margin-bottom: 20px;
}
label {
display: block;
margin-top: 10px;
margin-bottom: 5px;
font-weight: bold;
color: #555;
}
input[type="text"],
input[type="email"],
input[type="password"],
input[type="tel"],
input[type="file"] {
width: 100%;
padding: 10px;
margin-bottom: 15px;
border: 1px solid #ccc;
border-radius: 6px;
box-sizing: border-box;
}
input[type="radio"] {
margin-right: 8px;
}
.role-options {

```

```

        margin-bottom: 20px;
    }
    .designer-fields {
        display: none;
    }
    button {
        width: 100%;
        padding: 12px;
        background-color: #333;
        color: white;
        border: none;
        border-radius: 6px;
        font-size: 16px;
        cursor: pointer;
        transition: background-color 0.3s;
    }
    button:hover {
        background-color: #555;
    }
    #preview {
        max-height: 100px;
        display: none;
        margin-top: 10px;
    }
    #registrationMessage {
        margin-top: 10px;
        text-align: center;
    }
</style>
</head>

<body>
    <div class="signup-container">
        <h2>Signup</h2>

```

```

<form id="signupForm">
  <label for="name">Name:</label>
  <input type="text" id="name" name="name" required>

  <label for="email">Email:</label>
  <input type="email" id="email" name="email" required>

  <label for="password">Password:</label>
  <input type="password" id="password" name="password" required>

  <div class="role-options">
    <label>
      <input type="radio" name="role" value="designer"
onchange="showDesignerFields()"> Designer
    </label>
    <label>
      <input type="radio" name="role" value="user"
onchange="hideDesignerFields()" checked> User
    </label>
  </div>

  <div id="designerFields" class="designer-fields">
    <label for="image">Upload Profile Image:</label>
    <input type="file" id="image" name="image" accept="image/*">
    <img id="preview" src="" alt="Image Preview">

    <label for="phone">Phone Number:</label>
    <input type="tel" id="phone" name="phone">
  </div>

  <button type="submit">Signup</button>
  <div id="registrationMessage"></div>
</form>
</div>

```

```

<script>
  function showDesignerFields() {
    document.getElementById("designerFields").style.display = "block";
  }

  function hideDesignerFields() {
    document.getElementById("designerFields").style.display = "none";
  }

  // Preview Image
  document.getElementById("image").addEventListener("change", function() {
    const file = this.files[0];
    if (file) {
      const reader = new FileReader();
      reader.onload = function(event) {
        document.getElementById("preview").src = event.target.result;
        document.getElementById("preview").style.display = "block";
      }
      reader.readAsDataURL(file);
    }
  });

  document.getElementById('signupForm').addEventListener('submit', function(event)
{
  event.preventDefault();

  const formData = new FormData(this);

  fetch('http://localhost:8000/register', {
    method: 'POST',
    body: formData
  })
  .then(response => response.json())

```

```

.then(data => {
    const messageDiv = document.getElementById('registrationMessage');
    if (data.status === "success") {
        messageDiv.textContent = data.message;
        messageDiv.style.color = "green";
    } else {
        messageDiv.textContent = data.message;
        messageDiv.style.color = "red";
    }
})
.catch(error => {
    console.error('Error:', error);
    alert('Signup failed. Please try again.');
```

```

});
});
```

```

</script>
```

```

</body>
```

```

</html>
```

MongoDB setup for sign up page

```

from http.server import BaseHTTPRequestHandler, HTTPServer
from pymongo import MongoClient
from bson.binary import Binary
import cgi
import json
import base64

# MongoDB setup
client = MongoClient("mongodb://localhost:27017/")
```

```
db = client["interior_db"]
collection = db["designers"]
```

```
class SimpleHTTPRequestHandler(BaseHTTPRequestHandler):
    def _set_headers(self, content_type="application/json"):
        self.send_response(200)
        self.send_header('Content-type', content_type)
        self.end_headers()

    def do_GET(self):
        if self.path == "/":
            self._set_headers("text/html")
            with open("login.html", "rb") as f:
                self.wfile.write(f.read())
        elif self.path == "/designers":
            self._set_headers("application/json")
            designers = list(collection.find({"role": "designer"}))
            for designer in designers:
                designer["_id"] = str(designer["_id"])
                if designer.get("image"):
                    designer["image"] = base64.b64encode(designer["image"]).decode('utf-8')
            self.wfile.write(json.dumps(designers).encode())
        else:
            self.send_response(404)
            self.end_headers()

    def do_POST(self):
        if self.path == '/register':
            content_type, pdict = cgi.parse_header(self.headers['Content-Type'])
            pdict['boundary'] = bytes(pdict['boundary'], "utf-8")
            pdict['CONTENT-LENGTH'] = int(self.headers['Content-Length'])

            fields = cgi.parse_multipart(self.rfile, pdict)
            name = fields.get('name', [None])[0]
```

```

email = fields.get('email', [None])[0]
password = fields.get('password', [None])[0]
role = fields.get('role', [None])[0]

if not all([name, email, password, role]):
    self._set_headers()
    response = {"status": "error", "message": "Missing required fields."}
    self.wfile.write(json.dumps(response).encode())
    return

if role == "designer":
    phone = fields.get('phone', [None])[0]
    image = fields.get('image', [None])[0]
    collection.insert_one({
        'name': name,
        'email': email,
        'password': password,
        'role': role,
        'phone': phone,
        'image': Binary(image) if image else None
    })
else:
    collection.insert_one({
        'name': name,
        'email': email,
        'password': password,
        'role': role
    })

self._set_headers()
response = {"status": "success", "message": "Registration successful."}
self.wfile.write(json.dumps(response).encode())
else:
    self.send_response(404)

```



```

        self.end_headers()

def run(server_class=HTTPServer, handler_class=SimpleHTTPRequestHandler,
port=8000):
    server_address = ("", port)
    httpd = server_class(server_address, handler_class)
    print(f"Server running at http://localhost:{port}")
    httpd.serve_forever()

if __name__ == "__main__":
    run()

```

Designer page

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Designer Gallery</title>
  <style>
    /* Styles omitted for brevity, keep your existing CSS here */
    body {
      margin: 0;
      padding: 0;
      font-family: 'Cormorant Garamond', serif;
    }
    .container1 {
      width: 100%;
      margin: 20px auto;
      background-color: #fff;
      padding: 20px;
      border-radius: 8px;
      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    }
  </style>

```

```

.description-text{
    font-size: 1.2em;
}
p {
    line-height: 1.6;
}

a {
    color: #007bff;
    text-decoration: none;
}

a:hover {
    text-decoration: underline;
}

.reasons {
    margin-top: 20px;
}

.reasons ul {
    padding-left: 20px;
}

.reasons li {
    margin-bottom: 8px;
}

.footer {
    text-align: center;
    margin-top: 30px;
    color: #777;
}

header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    background-color: #333;
    color: white;
    padding: 20px;
}

header .logo {
    display: flex;
    align-items: center;
}

header .logo img {
    height: 50px; /* Adjust logo size */
}

```

```

    margin-right: 10px;
}

nav ul {
    list-style-type: none;
}

nav ul li {
    display: inline;
    margin-right: 20px;
}

nav ul li a {
    color: white;
    text-decoration: none;
}

.gallery-container {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 20px;
    padding: 20px;
}

.container {
    background-color: #f0f0f0;
    padding: 10px;
    border-radius: 5px;
    transition: transform 0.3s ease-in-out;
}

.container:hover {
    transform: scale(1.05);
    box-shadow: 0 0 10px rgba(0,0,0,0.2);
}

/* Add a spacer element after every 3rd container */
.container:nth-child(3n):after {
    content: "";
    display: block;
    height: 40px; /* Adjust the height to control the spacing */
    width: 100%;
}

.image-box {
    position: relative;
    width: 100%;
    height: 200px;
    overflow: hidden;
}

```

```

.image-box img {
  width: 100%;
  height: auto;
  max-height: 100%;
  object-fit: contain;
  border-radius: 5px;
  display: block;
}

.overlay {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  background-color: rgba(0,0,0,0.5);
  opacity: 0;
  transition: opacity 0.3s ease-in-out;
  display: flex;
  justify-content: center;
  align-items: center;
}

.image-box:hover .overlay {
  opacity: 1;
}

.overlay button {
  background-color: #007bff;
  color: white;
  border: none;
  padding: 10px 20px;
  border-radius: 5px;
  cursor: pointer;
}

.overlay button:hover {
  background-color: #0056b3;
}

.love-icon-container {
  margin-top: 10px;
  text-align: center;
  display: flex;
  align-items: center;
  justify-content: center;
}

.love-icon-container i {

```

```

    font-size: 24px;
    cursor: pointer;
    margin-right: 5px;
}

.love-icon-container i.fa-heart {
    color: red;
}

button:hover {
    background-color: #0056b3;
}
</style>
</head>
<body>
    <header>
        <div class="logo">
            
            <h1>Style Space</h1>
        </div>
        <nav>
            <ul>
                <li><a href="#home">Home</a></li>
                <li><a href="#price-calculators">Price Calculators</a></li>
                <li><a href="#design-ideas">Design Ideas</a></li>
                <li><a href="#contact">Contact Us</a></li>
                <li><a href="#sign up">Sign up</a></li>
            </ul>
        </nav>
    </header>

    <div class="container1">
        <h1>Our Designers</h1>
        <p class="description-text">Explore the talented designers who will bring your vision to
life.</p>
    </div>

    <div class="gallery-container" id="gallery"></div>

    <script>
        fetch("http://localhost:9000/designers")
            .then(res => res.json())
            .then(data => {
                const gallery = document.getElementById("gallery");

                data.forEach(item => {
                    const container = document.createElement("div");
                    container.className = "container";

                    const imageBox = document.createElement("div");

```

```

        imageBox.className = "image-box";

        const img = document.createElement("img");
        img.src = "data:image/jpeg;base64," + item.image; // image from base64
        img.alt = "Designer Image";

        imageBox.appendChild(img);

        const description = document.createElement("p");
        description.textContent = `Designer: ${item.name}, Phone: ${item.phone}`;
        description.style.fontWeight = "bold";
        description.style.textAlign = "center";
        description.style.marginTop = "10px";

        container.appendChild(imageBox);
        container.appendChild(description);

        gallery.appendChild(container);
    });
})
.catch(err => {
    console.error("Failed to load gallery:", err);
});
</script>
</body>
</html>

```

Mongodb setup for designers page

```

from http.server import BaseHTTPRequestHandler, HTTPServer
from pymongo import MongoClient
import json
import base64
import os

# MongoDB setup
client = MongoClient("mongodb://localhost:27017/")
db = client["interior_db"]
collection = db["designers"]

class SimpleHTTPRequestHandler(BaseHTTPRequestHandler):
    def _set_headers(self, content_type="application/json"):
        self.send_response(200)
        self.send_header('Content-type', content_type)
        self.end_headers()

    def do_GET(self):
        # Serve static files from the 'static' folder

```

```

if self.path.startswith("/static/"):
    self._serve_static_file()
    return

if self.path == "/":
    self._set_headers("text/html")
    with open("designers.html", "rb") as f:
        self.wfile.write(f.read())
elif self.path == "/designers":
    self._set_headers("application/json")
    designers = list(collection.find({"role": "designer"}))
    for designer in designers:
        designer["_id"] = str(designer["_id"])
        if designer.get("image"):
            designer["image"] = base64.b64encode(designer["image"]).decode('utf-8')
        # Keep only relevant fields
        designer = {key: designer[key] for key in ("_id", "name", "phone", "image")}
    self.wfile.write(json.dumps(designers).encode())
else:
    self.send_response(404)
    self.end_headers()

def _serve_static_file(self):
    # Serve the static file by reading from the 'static' folder
    file_path = self.path[7:] # Remove '/static/' from path
    if os.path.exists(file_path):
        self._set_headers("application/octet-stream")
        with open(file_path, "rb") as f:
            self.wfile.write(f.read())
    else:
        self.send_response(404)
        self.end_headers()

def run(server_class=HTTPServer, handler_class=SimpleHTTPRequestHandler, port=9000):
    server_address = ("", port)
    httpd = server_class(server_address, handler_class)
    print(f"Server running at http://localhost:{port}")
    httpd.serve_forever()

if __name__ == "__main__":
    run()

```

Design ideas (sample kitchen page)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Kitchen Gallery</title>
  <style>
    body {
      margin: 0;
      padding: 0;
      font-family: 'Cormorant Garamond', serif;
    }
    .container1 {
      width: 100%;
      margin: 20px auto;
      background-color: #fff;
      padding: 20px;
      border-radius: 8px;
      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    }

    .description-text{
      font-size: 1.2em;
    }
    p {
      line-height: 1.6;
    }

    a {
      color: #007bff;
      text-decoration: none;
    }

    a:hover {
      text-decoration: underline;
    }

    .reasons {
      margin-top: 20px;
    }

    .reasons ul {
      padding-left: 20px;
    }

    .reasons li {
      margin-bottom: 8px;
```



```

}

.footer {
  text-align: center;
  margin-top: 30px;
  color: #777;
}

header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  background-color: #333;
  color: white;
  padding: 20px;
}

header .logo {
  display: flex;
  align-items: center;
}

header .logo img {
  height: 50px; /* Adjust logo size */
  margin-right: 10px;
}

nav ul {
  list-style-type: none;
}

nav ul li {
  display: inline;
  margin-right: 20px;
}

nav ul li a {
  color: white;
  text-decoration: none;
}

.gallery-container {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 20px;
  padding: 20px;
}

.container {
  background-color: #f0f0f0;

```

```

padding: 10px;
border-radius: 5px;
transition: transform 0.3s ease-in-out;
}

.container:hover {
  transform: scale(1.05);
  box-shadow: 0 0 10px rgba(0,0,0,0.2);
}

/* Add a spacer element after every 3rd container */
.container:nth-child(3n):after {
  content: "";
  display: block;
  height: 40px; /* Adjust the height to control the spacing */
  width: 100%;
}

.image-box {
  position: relative;
  width: 100%;
  height: 200px;
  overflow: hidden;
}

.image-box img {
  width: 100%;
  height: auto;
  max-height: 100%;
  object-fit: contain;
  border-radius: 5px;
  display: block;
}

.overlay {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  background-color: rgba(0,0,0,0.5);
  opacity: 0;
  transition: opacity 0.3s ease-in-out;
  display: flex;
  justify-content: center;
  align-items: center;
}

.image-box:hover .overlay {
  opacity: 1;
}

```

```

}

.overlay button {
  background-color: #007bff;
  color: white;
  border: none;
  padding: 10px 20px;
  border-radius: 5px;
  cursor: pointer;
}

.overlay button:hover {
  background-color: #0056b3;
}

.love-icon-container {
  margin-top: 10px;
  text-align: center;
  display: flex;
  align-items: center;
  justify-content: center;
}

.love-icon-container i {
  font-size: 24px;
  cursor: pointer;
  margin-right: 5px;
}

.love-icon-container i.fa-heart {
  color: red;
}

button:hover {
  background-color: #0056b3;
}

</style>
<link rel="stylesheet" href="kitchen.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link
href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@400;700&display=swap
" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css2?family=Lora:wght@400;700&display=swap"
rel="stylesheet">
<link
href="https://fonts.googleapis.com/css2?family=Cormorant+Garamond:wght@400;700&disp
lay=swap" rel="stylesheet">

```

```

</head>
<body>
  <header>
    <div class="logo">
      
      <h1>Style Space</h1>
    </div>
    <nav>
      <ul>
        <li><a href="#home">Home</a></li>
        <li><a href="#price-calculators">Price Calculators</a></li>
        <li><a href="#design-ideas">Design Ideas</a></li>
        <li><a href="#contact">Contact Us</a></li>
        <li><a href="#sign up">Sign up</a></li>
      </ul>
    </nav>
  </header>

  <div class="container1">
    <h1>Modular Kitchen Designs</h1>
    <p class="description-text">Transform your kitchen into a space that's both beautiful
and functional. Our modular kitchen designs offer personalized layouts and clever storage
solutions, making cooking a joy. Explore our gallery and find the perfect inspiration for your
home.</p>
  </div>

  <div class="gallery-container" id="gallery"></div>

  <script>
    fetch("http://localhost:8000/gallery")
      .then(res => res.json())
      .then(data => {
        const gallery = document.getElementById("gallery");

        data.forEach((item, index) => {
          const container = document.createElement("div");
          container.className = "container";

          const imageBox = document.createElement("div");
          imageBox.className = "image-box";

          const img = document.createElement("img");
          img.src = item.image;
          img.alt = "Kitchen Image";

          const overlay = document.createElement("div");
          overlay.className = "overlay";

          const button = document.createElement("button");
          button.innerText = "View Details";

```

```

        overlay.appendChild(button);

        imageBox.appendChild(img);
        imageBox.appendChild(overlay);

        const description = document.createElement("p");
        description.textContent = item.text || "Kitchen Design";
        description.style.fontWeight = "bold";
        description.style.textAlign = "center";
        description.style.marginTop = "10px";

        const loveIcon = document.createElement("div");
        loveIcon.className = "love-icon-container";
        loveIcon.innerHTML = `

```

Mongodb setup for retrieve the image from database

```

from http.server import BaseHTTPRequestHandler, HTTPServer
from pymongo import MongoClient
from bson.binary import Binary
from bson.objectid import ObjectId
import cgi
import base64
import json

```

MongoDB setup

```

client = MongoClient("mongodb://localhost:27017/")
db = client["image_db"]
collection = db["images"]

class SimpleHTTPRequestHandler(BaseHTTPRequestHandler):
    def _set_headers(self, content_type="text/html"):
        self.send_response(200)
        self.send_header('Content-type', content_type)
        self.end_headers()

    def do_GET(self):
        if self.path == "/gallery":
            self._set_headers("application/json")
            items = collection.find()
            result = []

            for item in items:
                image_base64 = base64.b64encode(item['image']).decode('utf-8')
                result.append({
                    "text": item['text'],
                    "image": f"data:image/jpeg;base64,{image_base64}"
                })

            self.wfile.write(json.dumps(result).encode('utf-8'))

        elif self.path == "/":
            self._set_headers()
            with open("retrieve.html", "rb") as f:
                self.wfile.write(f.read())
        else:
            self.send_response(404)
            self.end_headers()

    def do_POST(self):
        if self.path == '/upload':
            content_type, pdict = cgi.parse_header(self.headers['Content-Type'])
            pdict['boundary'] = bytes(pdict['boundary'], "utf-8")
            pdict['CONTENT-LENGTH'] = int(self.headers['Content-Length'])

            fields = cgi.parse_multipart(self.rfile, pdict)
            text = fields.get('text')[0]
            image = fields.get('image')[0]

            collection.insert_one({'text': text, 'image': Binary(image)})

            self.send_response(200)
            self.end_headers()
            self.wfile.write(b"Upload successful.")
        else:
            self.send_response(404)

```

```

        self.end_headers()

def run(server_class=HTTPServer, handler_class=SimpleHTTPRequestHandler, port=8000):
    server_address = ("", port)
    httpd = server_class(server_address, handler_class)
    print(f"Server running at http://localhost:{port}")
    httpd.serve_forever()

if __name__ == "__main__":
    run()

```

Price Calculator Page

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Interior Design Services</title>
    <link rel="stylesheet" href="fullhome.css">
    <link
href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@400;700&display=swap
" rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Lora:wght@400;700&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Cormorant+Garamond:wght@400;700&disp
lay=swap" rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.2.1/css/all.min.css">
</head>
<body>

    <header>
        <div class="logo">Style Space</div>
        <div class="nav-bar">
            <div class="nav-item active" id="bhk-nav">BHK Type</div>
            <div class="nav-item" id="rooms-nav">Rooms to design</div>
            <div class="nav-item" id="package-nav">Package</div>
            <div class="nav-item" id="quote-nav">Get Quote</div>
        </div>
        <div class="progress-bar">
            <span id="progress-text">1/4</span>
        </div>
    </header>

```

```

<section id="services" class="container">
  <div class="step active" id="bhk-step">
    <h3>Select your BHK type</h3>
    <div class="bhk-options-container">
      <div class="bhk-option">
        <label><input type="radio" name="bhk" value="1 BHK">
          <span class="radio-box">1 BHK</span>
        </label>
      </div>
      <div class="bhk-option">
        <label><input type="radio" name="bhk" value="2 BHK">
          <span class="radio-box">2 BHK</span>
        </label>
      </div>
      <div class="bhk-option">
        <label><input type="radio" name="bhk" value="3 BHK">
          <span class="radio-box">3 BHK</span>
        </label>
      </div>
      <div class="bhk-option">
        <label><input type="radio" name="bhk" value="4 BHK">
          <span class="radio-box">4 BHK</span>
        </label>
      </div>
      <div class="bhk-option">
        <label><input type="radio" name="bhk" value="5 BHK+">
          <span class="radio-box">5 BHK+</span>
        </label>
      </div>
    </div>
    <button id="next-btn-1" class="btn">Next</button>
  </div>
  <div class="step" id="rooms-step">
    <h3>Select the rooms you'd like us to design</h3>
    <div class="room-options-container">
      <div class="room-option">
        <label>Living Room</label>
        <button class="minus" data-room="living">—</button>
        <span id="living-count">1</span>
        <button class="plus" data-room="living">+</button>
      </div>
      <div class="room-option">
        <label>Kitchen</label>
        <button class="minus" data-room="kitchen">—</button>
        <span id="kitchen-count">1</span>
        <button class="plus" data-room="kitchen">+</button>
      </div>
      <div class="room-option">
        <label>Bedroom</label>

```



```

        <button class="minus" data-room="bedroom">—</button>
        <span id="bedroom-count">3</span>
        <button class="plus" data-room="bedroom">+</button>
    </div>
    <div class="room-option">
        <label>Bathroom</label>
        <button class="minus" data-room="bathroom">—</button>
        <span id="bathroom-count">3</span>
        <button class="plus" data-room="bathroom">+</button>
    </div>
    <div class="room-option">
        <label>Dining</label>
        <button class="minus" data-room="dining">—</button>
        <span id="dining-count">1</span>
        <button class="plus" data-room="dining">+</button>
    </div>
</div>
<button id="back-btn-1" class="btn">Back</button>
<button id="next-btn-2" class="btn">Next</button>
</div>
<div class="step" id="package-step">
    <h3>Pick your package</h3>
    <div class="package-options-container">
        <div class="package-option">
            <label><input type="radio" name="package" value="Essentials">
                <span class="radio-box">Essentials (₹₹)</span>
            </label>
            <p>A range of essential home interior solutions that's perfect for all your
needs.</p>
            <ul>
                <li>Affordable pricing</li>
                <li>Convenient designs</li>
                <li>Basic accessories</li>
            </ul>
        </div>
        <div class="package-option">
            <label><input type="radio" name="package" value="Premium">
                <span class="radio-box">Premium (₹₹₹)</span>
            </label>
            <p>Superior home interior solutions that will take your interiors to the next
level.</p>
            <ul>
                <li>Mid-range pricing</li>
                <li>Premium designs</li>
                <li>Wide range of accessories</li>
            </ul>
        </div>
        <div class="package-option">
            <label><input type="radio" name="package" value="Luxe">
                <span class="radio-box">Luxe (₹₹₹₹)</span>

```

```

        </label>
        <p>High-end interior solutions for the ultimate home interior experience you
deserve.</p>
        <ul>
            <li>Elite pricing</li>
            <li>Lavish designs</li>
            <li>Extensive range of accessories</li>
        </ul>
    </div>
</div>
<button id="back-btn-2" class="btn">Back</button>
<button id="next-btn-3" class="btn">Next</button>
</div>
<div class="step" id="quote-step">
    <h3>Your estimate is almost ready</h3>
    <form>
        <label for="name">Name:</label>
        <input type="text" id="name" name="name"><br><br>
        <label for="email">Email ID:</label>
        <input type="email" id="email" name="email"><br><br>
        <label for="phone">Phone number:</label>
        <input type="tel" id="phone" name="phone"><br><br>
        <label for="property">Property Name:</label>
        <input type="text" id="property" name="property"><br><br>
        <button id="back-btn-3" class="btn">Back</button>
        <button id="submit-btn" class="btn">Get My Estimate</button>
    </form>
</div>
</section>

<script src="fullhome.js"></script>
</body>
</html>
css

```

```

body {
    font-family: 'Cormorant Garamond', serif;
    margin: 0;
    padding: 0;
    background-color: #f9f9f9;
}

header {
    background-color: #333;
    color: white;
    padding: 1em;
    text-align: center;
}

```

```

.logo {
  font-size: 24px;
  margin-bottom: 10px;
}

.nav-bar {
  display: flex;
  justify-content: space-between;
  margin-bottom: 10px;
}

.nav-item {
  padding: 10px;
  border-bottom: 2px solid transparent;
}

.nav-item.active {
  border-bottom-color: white;
}

.progress-bar {
  margin-bottom: 20px;
}

.container {
  max-width: 700px;
  margin: auto;
  padding: 20px;
  margin-top: 40px;
}

.step {
  display: none;
  background-color: white;
  padding: 20px;
  border: 1px solid #ddd;
  border-radius: 8px;
  box-shadow: 0 2px 4px rgba(0,0,0,0.1);
}

.step.active {
  display: block;
}

.bhk-options-container {
  display: flex;
  flex-wrap: wrap;
  justify-content: space-around;
}

```

```
.bhk-option {
  width: calc(45% - 20px);
  margin: 10px;
  padding: 20px;
  background-color: white;
  border: 1px solid #ddd;
  border-radius: 8px;
  box-shadow: 0 2px 4px rgba(0,0,0,0.1);
}
```

```
.bhk-option label {
  display: block;
  margin-bottom: 10px;
}
```

```
.radio-box {
  font-size: 18px;
  background-color: white;
  border: 1px solid gray;
  padding: 10px;
  border-radius: 5px;
}
```

```
.room-options-container {
  display: flex;
  flex-wrap: wrap;
  justify-content: space-around;
}
```

```
.room-option {
  width: calc(45% - 20px);
  margin: 10px;
  padding: 20px;
  background-color: white;
  border: 1px solid #ddd;
  border-radius: 8px;
  box-shadow: 0 2px 4px rgba(0,0,0,0.1);
}
```

```
.room-option label {
  display: block;
  margin-bottom: 10px;
}
```

```
.minus, .plus {
  width: 20px;
  height: 20px;
  border: none;
  border-radius: 50%;
  background-color: #007bff;
}
```

```

    color: white;
    cursor: pointer;
}

.package-options-container {
    display: flex;
    flex-wrap: wrap;
    justify-content: space-around;
}

.package-option {
    width: calc(45% - 20px);
    margin: 10px;
    padding: 20px;
    background-color: white;
    border: 1px solid #ddd;
    border-radius: 8px;
    box-shadow: 0 2px 4px rgba(0,0,0,0.1);
}

.package-option label {
    font-weight: bold;
    display: block;
    margin-bottom: 10px;
}

.package-option .radio-box {
    font-size: 18px;
}

.btn {
    padding: 10px 20px;
    border: none;
    border-radius: 5px;
    cursor: pointer;
    background-color: #007bff;
    color: white;
}

.btn:hover {
    background-color: #0056b3;
}
js

```

```

document.addEventListener('DOMContentLoaded', function() {
    document.querySelectorAll('.minus').forEach(button => {
        button.addEventListener('click', function() {
            var room = button.dataset.room;
            var count = document.getElementById(room + '-count').innerText;

```

```

        if (count > 1) {
            document.getElementById(room + '-count').innerText = parseInt(count) - 1;
        }
    });
});

document.querySelectorAll('.plus').forEach(button => {
    button.addEventListener('click', function() {
        var room = button.dataset.room;
        var count = document.getElementById(room + '-count').innerText;
        document.getElementById(room + '-count').innerText = parseInt(count) + 1;
    });
});

document.getElementById('next-btn-1').addEventListener('click', function() {
    var bhkSelected = document.querySelector('input[name="bhk"]:checked');
    if (bhkSelected) {
        document.getElementById('bhk-step').classList.remove('active');
        document.getElementById('rooms-step').classList.add('active');
        document.getElementById('bhk-nav').classList.remove('active');
        document.getElementById('rooms-nav').classList.add('active');
        document.getElementById('progress-text').innerText = '2/4';
    } else {
        alert('Please select a BHK type');
    }
});

document.getElementById('back-btn-1').addEventListener('click', function() {
    document.getElementById('rooms-step').classList.remove('active');
    document.getElementById('bhk-step').classList.add('active');
    document.getElementById('rooms-nav').classList.remove('active');
    document.getElementById('bhk-nav').classList.add('active');
    document.getElementById('progress-text').innerText = '1/4';
});

document.getElementById('next-btn-2').addEventListener('click', function() {
    document.getElementById('rooms-step').classList.remove('active');
    document.getElementById('package-step').classList.add('active');
    document.getElementById('rooms-nav').classList.remove('active');
    document.getElementById('package-nav').classList.add('active');
    document.getElementById('progress-text').innerText = '3/4';
});

document.getElementById('back-btn-2').addEventListener('click', function() {
    document.getElementById('package-step').classList.remove('active');
    document.getElementById('rooms-step').classList.add('active');
    document.getElementById('package-nav').classList.remove('active');
    document.getElementById('rooms-nav').classList.add('active');
    document.getElementById('progress-text').innerText = '2/4';
});

```

```

document.getElementById('next-btn-3').addEventListener('click', function() {
    var packageSelected = document.querySelector('input[name="package"]:checked');
    if (packageSelected) {
        document.getElementById('package-step').classList.remove('active');
        document.getElementById('quote-step').classList.add('active');
        document.getElementById('package-nav').classList.remove('active');
        document.getElementById('quote-nav').classList.add('active');
        document.getElementById('progress-text').innerText = '4/4';
    } else {
        alert('Please select a package');
    }
});

document.getElementById('back-btn-3').addEventListener('click', function() {
    document.getElementById('quote-step').classList.remove('active');
    document.getElementById('package-step').classList.add('active');
    document.getElementById('quote-nav').classList.remove('active');
    document.getElementById('package-nav').classList.add('active');
    document.getElementById('progress-text').innerText = '3/4';
});

document.getElementById('submit-btn').addEventListener('click', function(event) {
    event.preventDefault();
    var name = document.getElementById('name').value;
    var email = document.getElementById('email').value;
    var phone = document.getElementById('phone').value;
    var property = document.getElementById('property').value;

    if (name && email && phone && property) {
        alert('Quote submitted successfully!');
        // Add logic here to handle form submission
    } else {
        alert('Please enter your name, email ID, phone number, and property name');
    }
});
});

```

Budget Locker page :

Index.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Budget Locker</title>
    <link rel="stylesheet" href="style.css">
    <script src="script.js"></script>

```

```

</head>
<body>

<!-- Navbar -->
<header class="navbar">
  <div class="logo">
    
    <h1>Style Space</h1>
  </div>
  <nav>
    <ul>
      <li><a href="home1.html">Home</a></li>
      <li><a href="index.html" class="active">Budget Locker</a></li>
      <li><a href="price-calculator.html">Price Calculators</a></li>
      <li><a href="design-ideas.html">Design Ideas</a></li>
      <li><a href="contact.html">Contact Us</a></li>
      <li><a href="sign up.html">Sign up</a></li>
    </ul>
  </nav>
</header>

<!-- Budget Locker Content -->
<div class="container">
  <h1>🏠 Budget Locker</h1>

  <div class="section" id="total-budget-section">
    <h2>Enter Total Budget (₹)</h2>
    <input type="number" id="total-budget" placeholder="Enter total budget in ₹">
    <button onclick="generateSections()">Submit Budget</button>
  </div>

  <div class="sections-container" id="sections-container"></div>

  <div id="final-submit-container" style="display:none; text-align:center; margin-top:20px;">
    <button onclick="finalSubmit()">🔵 Final Submit</button>
  </div>

  <div class="final-summary" id="final-summary" style="display:none;">
    <h2>Total Spent: ₹<span id="total-spent">0</span></h2>
    <h2>Total Remaining Balance: ₹<span id="total-remaining">0</span></h2>
  </div>
</div>

<script src="script.js"></script>
</body>
</html>

```


Style.css

```
body {
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  background-color: #ffffff;
  margin: 0;
  padding: 0;
}

/* Navbar Styles */
header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 20px 50px;
  background-color: #2e2e2e; /* Dark background */
  font-family: 'Roboto Slab', serif;
  box-shadow: 0 2px 4px rgba(0,0,0,0.2);
}

.logo {
  display: flex;
  align-items: center;
}

.logo img {
  height: 50px;
  margin-right: 15px;
}

.logo h1 {
  font-size: 28px;
  color: #ffffff; /* White text */
  margin: 0;
}

nav ul {
  list-style: none;
  display: flex;
  margin: 0;
  padding: 0;
}

nav ul li {
  margin-left: 30px;
}

nav ul li a {
  text-decoration: none;
  color: #ffffff; /* White text */
  font-size: 18px;
```

```

    transition: color 0.3s ease;
    position: relative;
}

nav ul li a:hover,
nav ul li a.active {
    color: #ff6600; /* Orange on hover or active */
}

/* Main Container */
.container {
    width: 90%;
    max-width: 1200px;
    margin: auto;
    padding: 20px;
}

/* Page Headings */
h1 {
    text-align: center;
    color: #007bff;
    margin-top: 20px;
}

/* Sections */
.section {
    background: white;
    padding: 20px;
    margin-bottom: 20px;
    border-radius: 10px;
    box-shadow: 0 2px 8px rgba(0,0,0,0.1);
}

/* Inputs */
input[type="number"] {
    width: 220px;
    padding: 10px;
    margin: 10px 0;
    border: 1px solid #ccc;
    border-radius: 5px;
}

/* Buttons */
button {
    padding: 10px 20px;
    background-color: #28a745;
    color: white;
    border: none;
    border-radius: 5px;
    cursor: pointer;
}

```

```

}

button:hover {
  background-color: #218838;
}

/* Sections Container (Grid) */
.sections-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(350px, 1fr));
  gap: 20px;
}

/* Item List Styling */
.item-list {
  margin-top: 10px;
}

.item {
  margin-bottom: 10px;
}

/* Checkboxes */
input[type="checkbox"] {
  margin-right: 5px;
}

/* Bought Price Input */
.bought-price {
  margin-left: 10px;
  padding: 5px;
  width: 100px;
}

/* Final Summary Box */
.final-summary {
  background: #17a2b8;
  color: white;
  padding: 20px;
  border-radius: 10px;
  margin-top: 30px;
  text-align: center;
}

```

Script.js

```

const sections = [
  "Living Room", "Bedroom", "Kitchen", "Bathroom",
  "Dining Room", "Balcony", "Guest Room", "Study Room"
];

```

```

const furnitureItems = {
  "Living Room": [
    { name: "Sofa Set", range: "₹20,000 - ₹60,000" },
    { name: "Center Table", range: "₹5,000 - ₹20,000" },
    { name: "TV Unit", range: "₹10,000 - ₹40,000" }
  ],
  "Bedroom": [
    { name: "Bed", range: "₹15,000 - ₹50,000" },
    { name: "Wardrobe", range: "₹10,000 - ₹45,000" },
    { name: "Dressing Table", range: "₹8,000 - ₹20,000" }
  ],
  "Kitchen": [
    { name: "Dining Table", range: "₹10,000 - ₹25,000" },
    { name: "Refrigerator", range: "₹15,000 - ₹40,000" },
    { name: "Microwave", range: "₹4,000 - ₹10,000" }
  ],
  "Bathroom": [
    { name: "Shower Unit", range: "₹5,000 - ₹15,000" },
    { name: "Bathroom Cabinet", range: "₹2,000 - ₹8,000" },
    { name: "Toilet Seat", range: "₹1,500 - ₹5,000" }
  ],
  "Dining Room": [
    { name: "Dining Table", range: "₹15,000 - ₹40,000" },
    { name: "Dining Chairs", range: "₹3,000 - ₹10,000" }
  ],
  "Balcony": [
    { name: "Outdoor Chair", range: "₹1,500 - ₹8,000" },
    { name: "Balcony Plants", range: "₹500 - ₹3,000" }
  ],
  "Guest Room": [
    { name: "Guest Bed", range: "₹10,000 - ₹25,000" },
    { name: "Guest Wardrobe", range: "₹5,000 - ₹15,000" }
  ],
  "Study Room": [
    { name: "Study Desk", range: "₹4,000 - ₹15,000" },
    { name: "Office Chair", range: "₹2,000 - ₹10,000" }
  ]
};

```

```

const decorativeItems = {
  "Living Room": [
    { name: "Curtains", range: "₹1,000 - ₹5,000" },
    { name: "Wall Paintings", range: "₹2,000 - ₹15,000" },
    { name: "Rugs", range: "₹1,500 - ₹10,000" }
  ],
  "Bedroom": [
    { name: "Bedside Lamps", range: "₹500 - ₹3,000" },
    { name: "Wall Mirrors", range: "₹1,500 - ₹5,000" }
  ],
};

```

```

    "Kitchen": [
      { name: "Wall Art", range: "₹1,000 - ₹5,000" },
      { name: "Decorative Vases", range: "₹1,000 - ₹4,000" }
    ],
    "Bathroom": [
      { name: "Bathroom Mats", range: "₹500 - ₹2,000" },
      { name: "Shower Curtains", range: "₹800 - ₹3,000" }
    ],
    "Dining Room": [
      { name: "Wall Paintings", range: "₹2,000 - ₹10,000" },
      { name: "Decorative Bowls", range: "₹1,500 - ₹6,000" }
    ],
    "Balcony": [
      { name: "Outdoor Lighting", range: "₹1,000 - ₹4,000" },
      { name: "Decorative Plants", range: "₹500 - ₹2,000" }
    ],
    "Guest Room": [
      { name: "Wall Clocks", range: "₹500 - ₹2,500" },
      { name: "Decorative Pillows", range: "₹1,000 - ₹4,000" }
    ],
    "Study Room": [
      { name: "Table Lamps", range: "₹500 - ₹3,000" },
      { name: "Wall Shelves", range: "₹1,000 - ₹5,000" }
    ]
  };

let totalBudget = 0;

function generateSections() {
  totalBudget = parseFloat(document.getElementById('total-budget').value);
  if (isNaN(totalBudget) || totalBudget <= 0) {
    alert("Please enter a valid total budget!");
    return;
  }

  // Display total budget in summary if you have a summary section
  const displayTotalBudgetElem = document.getElementById('display-total-budget');
  if (displayTotalBudgetElem) {
    displayTotalBudgetElem.textContent = totalBudget.toFixed(2);
  }

  const container = document.getElementById('sections-container');
  container.innerHTML = "";

  sections.forEach(section => {
    const div = document.createElement('div');
    div.className = 'section';
    div.innerHTML = `
      <h3>${section}</h3>
      <label>Section Budget (₹): </label>
    `
  });
}

```

```

        <input type="number" placeholder="Section Budget (₹)" class="section-budget" data-
section="\${section}" min="0" />
        <br><br>
        <label>Select Item Type: </label>
        <select onchange="showItems(this, '\${section}')">
            <option value="">Select Furniture or Decorative</option>
            <option value="furniture">Furniture</option>
            <option value="decorative">Decorative</option>
        </select>
        <div class="item-list" id="item-list-\${section}" style="margin-top:10px;"></div>
        <h4>Spent: ₹<span id="spent-\${section}">0</span></h4>
        <h4>Remaining Balance: ₹<span id="remaining-\${section}">0</span></h4>
    `;
    container.appendChild(div);
});

const finalSubmitContainer = document.getElementById('final-submit-container');
if (finalSubmitContainer) {
    finalSubmitContainer.style.display = "block";
}

const finalSummary = document.getElementById('final-summary');
if (finalSummary) {
    finalSummary.style.display = "none";
}
}

function showItems(selectElement, section) {
    const type = selectElement.value;
    const itemListDiv = document.getElementById(`item-list-\${section}`);
    itemListDiv.innerHTML = "";

    if (!type) return;

    let items = type === "furniture" ? furnitureItems[section] : decorativeItems[section];

    items.forEach(item => {
        const div = document.createElement('div');
        div.className = 'item';
        div.innerHTML = `
            <input type="checkbox" onchange="toggleInput(this)" />
            <label>\${item.name} (Range: \${item.range})</label>
            <input type="number" placeholder="Bought Price ₹" class="bought-price" disabled
min="0" style="margin-left:10px; width:120px;" />
        `;
        itemListDiv.appendChild(div);
    });
}

function toggleInput(checkbox) {

```

```

const input = checkbox.parentElement.querySelector('.bought-price');
input.disabled = !checkbox.checked;
if (!checkbox.checked) {
  input.value = '';
}
}

function finalSubmit() {
  let totalSpent = 0;
  let totalRemaining = 0;
  let totalSectionBudgets = 0;
  let valid = true;

  sections.forEach(section => {
    const sectionBudgetInput = document.querySelector(`.section-budget[data-section="${section}"]`);
    const sectionBudget = parseFloat(sectionBudgetInput.value);

    if (isNaN(sectionBudget) || sectionBudget < 0) {
      alert(`Please enter a valid budget for section: ${section}`);
      valid = false;
      return;
    }

    totalSectionBudgets += sectionBudget;

    let sectionSpent = 0;

    const checkboxes = document.querySelectorAll(`#item-list-${section} .item input[type="checkbox"]`);
    checkboxes.forEach(checkbox => {
      if (checkbox.checked) {
        const input = checkbox.parentElement.querySelector('.bought-price');
        const itemPrice = parseFloat(input.value);
        if (isNaN(itemPrice) || itemPrice < 0) {
          alert(`Please enter a valid bought price for an item in section: ${section}`);
          valid = false;
          return;
        }
        sectionSpent += itemPrice;
      }
    });

    if (!valid) return;

    const sectionRemaining = sectionBudget - sectionSpent;

    document.getElementById(`spent-${section}`).textContent = sectionSpent.toFixed(2);
    document.getElementById(`remaining-${section}`).textContent = sectionRemaining.toFixed(2);
  });
}

```

```

    totalSpent += sectionSpent;
    totalRemaining += sectionRemaining;
  });

  if (!valid) return;

  if (totalSectionBudgets > totalBudget) {
    alert(`Sum of all section budgets (₹${totalSectionBudgets.toFixed(2)}) exceeds the total
    budget (₹${totalBudget.toFixed(2)}). Please adjust.`);
    return;
  }

  const totalRemainingBudget = totalBudget - totalSpent;

  const totalSpentElem = document.getElementById("total-spent");
  const totalRemainingElem = document.getElementById("total-remaining");



  if (totalSpentElem) totalSpentElem.textContent = totalSpent.toFixed(2);
  if (totalRemainingElem) totalRemainingElem.textContent =
totalRemainingBudget.toFixed(2);


  const finalSummary = document.getElementById('final-summary');
  if (finalSummary) finalSummary.style.display = "block";
}

```


SCREEN SHOTS

LANDING PAGE:






DESIGN IDEAS (Sample Kitchen):

Modular Kitchen Designs

Transform your kitchen into a space that's both beautiful and functional. Our modular kitchen designs offer personalized layouts and clever storage solutions, making cooking a joy. Explore our gallery and find the perfect inspiration for your home.



Price Calculation :

BHK Type

Rooms to design

Package

Get Quote

1/4

Select your BHK type

☐ 1 BHK

☐ 2 BHK

☐ 3 BHK

☐ 4 BHK

☐ 5 BHK

Select the rooms you'd like us to design

Living Room

☐ 1 ☐ 2

Kitchen

☐ 1 ☐ 2

Bedroom

☐ 3 ☐ 4

Barhroom

☐ 2 ☐ 3

Dining

☐ 1 ☐ 2

Back

Next

BUDEET LOCKER :

Enter Total Budget (₹)

Living Room

☐ Sofa Set (Range: ₹20,000 - ₹60,000)☐ Center Table (Range: ₹5,000 - ₹20,000)☐ TV Unit (Range: ₹10,000 - ₹40,000)**Spent: ₹0.00****Remaining Balance: ₹40000.00**

Bedroom

☒ Bed (Range: ₹15,000 - ₹50,000)☐ Wardrobe (Range: ₹10,000 - ₹45,000)☐ Dressing Table (Range: ₹8,000 - ₹20,000)**Spent: ₹20000.00****Remaining Balance: ₹30000.00**

Kitchen

☒ Dining Table (Range: ₹10,000 - ₹25,000)☐ Refrigerator (Range: ₹15,000 - ₹40,000)☒ Microwave (Range: ₹4,000 - ₹10,000)**Spent: ₹15000.00****Remaining Balance: ₹25000.00**

Bathroom

☒ Shower Unit (Range: ₹5,000 - ₹15,000)☐ Bathroom Cabinet (Range: ₹2,000 - ₹8,000)☐ Toilet Seat (Range: ₹1,500 - ₹5,000)**Spent: ₹5000.00****Remaining Balance: ₹15000.00**

Dining Room

☒ Dining Table (Range: ₹15,000 - ₹40,000)☐ Dining Chairs (Range: ₹3,000 - ₹10,000)**Spent: ₹0.00****Remaining Balance: ₹30000.00**

Balcony

Spent: ₹0.00**Remaining Balance: ₹0.00**

Guest Room

Spent: ₹0.00

Remaining Balance: ₹0.00

Study Room

Spent: ₹0.00

Remaining Balance: ₹0.00

Total Spent: ₹40000.00

Total Remaining Balance: ₹160000.00

DESIGNER PAGE:

Our Designers

Explore the talented designers who will bring your vision to life.



Designer: sunitha-kohli, Phone: 123456789



Designer: Shabnam Gupta, Phone: 1234567890



Designer: Ambrish Arora, Phone: 1234567890







SIGN-UP PAGE:

Signup

Name:
sunitha-kohli

Email:
sunitha12@gmail.com

Password:

☒ Designer
☐ User

Upload Profile Image:
Choose File No file chosen

Phone Number:
1234567890

Signup

