

e_commerce schema

Navigator

SCHEMAS

Search: e_commerce

- e_commerce
 - Tables
 - category
 - customer
 - orders
 - product
 - product_details
 - rating
 - supplier
 - Views
 - Stored Procedures
 - Functions

Table category with data inserted

category

SQL Editor: `SELECT * FROM e_commerce.category;`

Result Grid

	CAT_ID	CAT_NAME
1	1	BOOKS
2	2	GAMES
3	3	GROCERIES
4	4	ELECTRONICS
5	5	CLOTHES
*	NULL	NULL

Table customer with data inserted


customer

SQL Editor: `SELECT * FROM e_commerce.customer;`

Result Grid

	CUS_ID	CUS_NAME	CUS_PHONE	CUS_CITY	CUS_GENDER
1	1	AAKASH	9999999999	DELHI	M
2	2	AMAN	9785463215	NOIDA	M
3	3	NEHA	9999999998	MUMBAI	F
4	4	MEGHA	9994562399	KOLKATA	F
5	5	PULKIT	7895999999	LUCKNOW	M
*	NULL	NULL	NULL	NULL	NULL

Table orders with data inserted

orders	x
	Limit to 100
1 •	<code>SELECT * FROM e_commerce.orders;</code>






Result Grid			Filter Rows:		Edit:		
ORD_ID	ORD_AMOUNT	ORD_DATE	CUS_ID	PROD_ID			
20	1500	2021-10-12	3	5			
25	30500	2021-09-16	5	2			
26	2000	2021-10-05	1	1			
30	3500	2021-08-16	4	3			
50	2000	2021-10-06	2	1			
NULL	NULL	NULL	NULL	NULL			

Table product with records inserted

product	x
	Limit to 1000 rows
1 •	<code>SELECT * FROM e_commerce.product;</code>






Result Grid			Filter Rows:		Edit:		
PRO_ID	PRO_NAME	PRO_DESC	CAT_ID				
1	GTA V	Adrenaline fueled Stunt Races	2				
2	TSHIRT	Short sleeved casual top	5				
3	ROG LAPTOP	Versatile gaming laptops	4				
4	OATS	A nutrient rich food	3				
5	HARRY POTTER	Series of seven fantasy novels	1				
NULL	NULL	NULL	NULL				

Table product_details with records inserted

product_details	x
	Limit to 1000
1 •	<code>SELECT * FROM e_commerce.product_details;</code>





Result Grid			Filter Rows:		Edit:		
PROD_ID	PRO_ID	SUPP_ID	PROD_PRICE				
1	1	2	1500				
2	3	5	30000				
3	5	1	3000				
4	2	3	2500				
5	4	1	1000				
NULL	NULL	NULL	NULL				

Table rating with records inserted

rating x

1 • `SELECT * FROM e_commerce.rating;`

Result Grid | Filter Rows: | Edit

	RAT_ID	CUS_ID	SUPP_ID	RAT_RATSTARS
▶	1	2	2	4
	2	3	4	3
	3	5	1	5
	4	1	3	2
	5	4	5	4
*	NULL	NULL	NULL	NULL

Table supplier with records inserted

supplier x

1 • `SELECT * FROM e_commerce.supplier;`

Limit to

Result Grid | Filter Rows: | Edit:

	SUPP_ID	SUPP_NAME	SUPP_CITY	SUPP_PHONE
▶	1	Rajesh Retails	Delhi	1234567890
	2	Appario Ltd.	Mumbai	2589631470
	3	Knome products	Bangalore	9785462315
	4	Bansal Retails	Kochi	8975463285
	5	Mittal Ltd.	Lucknow	7898456532
*	NULL	NULL	NULL	NULL