MAANG AI/ML Interview Guide

Meta, Amazon, Apple, Netflix and Google: ML, RAG and agentic-AI loops



AI Engineering Insider October 2026 aiengineeringinsider.substack.com

[FRONT MATTER] // [AI ENGINEERING INSIDER]

CONTENTS

[1] How to use this guide . . . 7
» 1.1 Evidence tags . . . 8
» 1.2 How to read a question card . . . 8
» 1.3 Three ways to use this guide . . . 9
[2] MAANG at a glance . . . 10
» 2.1 The loops side by side . . . 11
» 2.2 AI tools in the interview: a split decision . . . 12
» 2.3 What actually differs . . . 12
[3] Meta . . . 14
» 3.1 The loop in 2026 . . . 15
» 3.2 What candidates report . . . 15
» 3.3 The AI-enabled coding round . . . 15
» 3.4 ML system design . . . 16
Q001 Design a personalised news feed ranking system. . . . 16
Q002 Design a product recommendation system. . . . 17
Q003 Design an evaluation framework for ads ranking. . . . 17
Q004 Design an end-to-end classification pipeline for Marketplace listings that include photos and a text description. . . . 18
Q005 Design an ML system that recommends places to visit along a user's trip. . . . 19
Q006 Design the pipeline that delivers ads on a YouTube-like video platform. . . . 19
Q007 Design an ML system to rank comments under a post. . . . 20
Q008 Design an ML system that detects harmful content (hate speech, misinformation, graphic violence) across text, images and video at Meta's scale. . . . 20
» 3.5 GenAI and LLM design . . . 20
Q009 Design a real-time question-answering chatbot: what training data, which RL tasks and which rewards? . . . 20
Q010 Design an LLM-based coding assistant. . . . 21
Q011 How would you prevent private code from leaking through coding agents? . . . 21
Q012 Architect an asynchronous RL post-training system. . . . 21
» 3.6 ML knowledge and ML coding . . . 22
Q013 Implement the forward pass of multi-head attention from scratch. . . . 22
Q014 Implement k-means clustering from scratch. . . . 22
Q015 How do you deal with vanishing and exploding gradients? . . . 22
Q016 Given annotation data, find a low-quality annotator. . . . 23
» 3.7 Coding . . . 23
Q017 Implement an LRU cache. . . . 23
Q018 Return the top-k most frequent items in an unbounded stream (for example trending hashtags) using bounded memory. . . . 23
Q019 Implement NDCG@k and recall@k for a batch of ranked lists, and explain when each misleads. . . . 24

Q020 Store field values with history and expiration: read the current value, the value at time t, and expire values after a TTL. . . . 24
Q021 AI-enabled round: extend a partly built maze game so that it passes the failing tests. . . . 25
» 3.8 Behavioural . . . 25
Q022 Tell me about a time you struggled to work with a colleague. . . . 25
Q023 Tell me about a time you received constructive feedback. . . . 26
Q024 Describe how you handled an ambiguous problem, and your hardest project. . . . 26
[4] Amazon . . . 27
» 4.1 The loop in 2026 . . . 28
» 4.2 What candidates report . . . 29
» 4.3 How LPs are scored . . . 29
» 4.4 ML design . . . 29
Q025 Design a system that recommends in-flight movies whose total runtime fits the flight time. . . . 29
Q026 Design a system that recommends clothing to customers. . . . 30
Q027 Design a pricing system with real-time updates. . . . 30
Q028 Design a fraud detection system for third-party sellers on a marketplace. . . . 31
Q029 Design a demand forecasting system for inventory across fulfilment centres. . . . 31
Q030 Design a retrieval-augmented generation (RAG) system end to end, including access control. . . . 32
» 4.5 ML breadth . . . 32
Q031 Explain the bias–variance trade-off. . . . 32
Q032 Bagging versus boosting. . . . 33
Q033 L1 versus L2 regularisation, and how you regularise a neural network. . . . 33
Q034 SVM versus logistic regression. . . . 33
Q035 Linear versus logistic regression, and Bayes' rule. . . . 33
Q036 Compare common loss functions and optimisers. . . . 33
» 4.6 ML depth . . . 33
Q037 Explain the transformer architecture in detail. . . . 34
Q038 Compare BERT and RoBERTa. . . . 34
Q039 ML depth: walk me through your most recent project. . . . 34
» 4.7 GenAI and ML coding . . . 34
Q040 GRPO deep dive: how does critic-free RL work for a reasoning LLM, and how would you design its rewards? . . . 34
Q041 Trace the path from early NLP embeddings to modern LLM embeddings. . . . 35
Q042 Implement a numerically stable sigmoid, softmax and scaled dot-product attention. . . . 35
Q043 Implement a PyTorch training loop. . . . 35
» 4.8 Coding . . . 35
Q044 Implement optimal bucket batching: group variable-length sequences into batches that minimise padding under a token budget. . . . 35
Q045 Implement a weighted random sampler that supports updating an item's weight. . . . 36
Q046 Implement beam search decoding for a sequence model, with length normalisation. . . . 36
Q047 Compute ROC AUC from scores and binary labels in $O(n \log n)$ without a library. . . . 36
Q048 Train a byte-pair encoding (BPE) tokenizer: implement the merge loop. . . . 37
» 4.9 Leadership Principles . . . 37
Q049 Customer Obsession: tell me about a time you said no to a customer request. . . . 37
Q050 Ownership: tell me about work you did outside your job description. . . . 37
Q051 Dive Deep: describe the most complex problem you have solved, or a time you used a lot of data quickly. . . . 37

Q052 Have Backbone; Disagree and Commit: tell me about a time you disagreed with your manager. . . . 38
Q053 Bias for Action: tell me about a decision you made with incomplete information. . . . 38
Q054 Respond to a stakeholder who aggressively proposes a plan you think is wrong. . . . 38

[5] Apple . . . 40

» 5.1 The loop in 2026 . . . 41

» 5.2 What candidates report . . . 41

» 5.3 ML system design . . . 41

Q055 Design a recommendation system for Apple Music. . . . 42
Q056 Build a churn prediction model for Apple TV+ and iCloud+ subscriptions. . . . 42
Q057 Build an on-device photo classifier under latency and memory constraints. . . . 42
Q058 Forecast storage demand across 100 data centres. . . . 43
Q059 Design a multimodal RAG assistant. . . . 43
Q060 Design next-word prediction for the keyboard that improves from user typing without collecting what users type. . . . 44

» 5.4 ML fundamentals . . . 44

Q061 What are the trade-offs between on-device and server-side inference for a feature like Siri? . . . 44
Q062 When would you fine-tune a model, and when would you use retrieval (RAG)? . . . 45
Q063 How do you handle class imbalance? . . . 45
Q064 You have a large dataset in which only a small fraction is labelled. What do you do? . . . 45
Q065 Explain how the bounding-box regressor works in object detection. . . . 45
Q066 How do you decide when to stop training? . . . 45
Q067 How would you critique this regression model? . . . 46
Q068 How would you analyse the failures of a vision model? . . . 46
Q069 Explain annotation agreement, and when to use an LLM judge versus human judges. . . . 46

» 5.5 Coding . . . 46

Q070 Implement TF-IDF scoring for a set of documents and return the top documents for a query. . . . 46
Q071 Implement image retrieval: given an embedding for a query photo, return the k most similar photos from a library of one million. . . . 47
Q072 Implement non-maximum suppression for object-detection boxes. . . . 47
Q073 Given the formula for an unfamiliar signal-processing or image operation (blur, scaling), implement it. . . . 47
Q074 Walk through an agentic PDF evaluation codebase. . . . 47

» 5.6 Behavioural . . . 47

Q075 Why Apple, and why this role? . . . 48
Q076 Describe a time you rebuilt an existing solution to make it significantly more efficient. . . . 48

[6] Netflix . . . 49

» 6.1 The loop in 2026 . . . 50

» 6.2 What candidates and guides report . . . 50

» 6.3 ML system design . . . 50

Q077 How would you build a recommendation system like Netflix's, from data collection to serving? . . . 50
Q078 How would you improve homepage personalisation? . . . 51
Q079 Design an A/B test for a new recommendation algorithm on the homepage. . . . 51
Q080 Design an ML platform portal: experiment tracking, model registry, deployment and monitoring. . . . 52

Q081 Design a scheduler for user-submitted ML jobs across clusters with heterogeneous CPUs and GPUs. . . . 52
Q082 Review a feature-pipeline pull request for production risks, then serve features according to freshness needs. . . . 52
Q083 Design personalised artwork selection for titles on the homepage. . . . 53
» 6.4 ML knowledge . . . 53
Q084 What is tf-idf? . . . 53
Q085 Give the pros and cons of the most common ML algorithms. . . . 53
Q086 L1 versus L2 normalisation: definitions, geometry, and when to use each. . . . 53
Q087 Compute Q, K and V in attention, and explain how a KV cache speeds up decoding. . . . 54
Q088 Compare loss functions and explain LoRA. . . . 54
Q089 Explain tokenisation and the main transformer variants. . . . 54
» 6.5 Coding . . . 54
Q090 Multiply two sparse integer matrices given as dense grids. . . . 54
Q091 Implement one alternating least squares (ALS) step for matrix factorisation of an implicit-feedback matrix. . . . 54
Q092 Implement a Thompson-sampling bandit to choose artwork for a title. . . . 55
Q093 Blend candidates from several retrievers into one de-duplicated list of length k. . . . 55
» 6.6 Culture . . . 55
Q094 Is there any part of Netflix's culture you disagree with? Why? . . . 55
Q095 How do you feel about the keeper test? . . . 55
Q096 How would you support ML stakeholders? . . . 56
Q097 What would your current supervisor say is a weakness of yours? . . . 56
[7] Google . . . 57
» 7.1 The questions to know . . . 57
» 7.2 Worked story: Googleyness . . . 58
[8] Shared LLM, RAG and agent questions . . . 59
Q098 Estimate the monthly cost of a RAG endpoint serving 2 million queries a day. . . . 59
Q099 Continuous batching versus static batching for LLM serving: what changes for throughput and latency? . . . 60
Q100 How would you distil a large model into a small one that runs on device? . . . 60
Q101 Build an evaluation set for a new LLM feature from scratch. . . . 61
Q102 How do you measure hallucination in production, not just offline? . . . 61
Q103 Design guardrails for a consumer-facing LLM feature. . . . 61
Q104 Choose chunk size and embedding dimension for a retrieval system, and justify them with evaluation. . . . 61
Q105 Which agent tool calls need idempotency keys and human approval, and how do you design them? . . . 62
Q106 Why does calibration matter, and how do you fix a miscalibrated model? . . . 62
Q107 Your agent completes tasks in demos but fails in production. How do you find out why? . . . 62
[9] Answer frameworks . . . 63
» 9.1 ML system design: 45 minutes . . . 63
» 9.2 Coding protocol . . . 64
» 9.3 AI-enabled coding protocol (Meta, and Google where piloted) . . . 64
» 9.4 One story, five frames . . . 65
» 9.5 Phrases that signal seniority . . . 65
[10] Preparation plan . . . 66
» 10.1 Time allocation by company . . . 67

» 10.2 Eight-week schedule 67
» 10.3 Interviewing at several companies 67

[11] Levels and pay 69
» 11.1 How the ladders line up 69
» 11.2 Median total compensation, United States 70
» 11.3 ML-specific data points 70
» 11.4 How each company pays 70

[12] Sources 71
» 12.1 Interview format and AI policy 71
» 12.2 Question collections 71
» 12.3 Candidate reports (examples) 72
» 12.4 Levels and pay 72