Test your knowledge : Class_Quiz

Quiz . 15 Total Points

🎉👏 WOW! You aced it! Perfect 100%! You're a quiz champion! 🏆🎉

Your marks : 15 / 15

1. Which SQL data type would you use to store a whole number that ranges from -2^31 (-2,147,483,648) to 2^31-1 (2,147,483,647)?

- ○ VARCHAR
- ◉ INTEGER
- ○ FLOAT
- ○ DATE

Correct!

2. Consider a table named "Customers" with columns "CustomerID" (Primary Key), "FirstName," "LastName," and "Email." Which SQL statement would you use to retrieve all customers' first and last names?

- ◉ SELECT FirstName, LastName FROM Customers;
- ○ SELECT * FROM Customers;
- ○ SELECT First_Name, Last_Name FROM Customers;
- ○ SELECT Name FROM Customers;

Correct!

3. Which SQL data type would you use to store textual data of variable length?

3. Which SQL data type would you use to store textual data of variable length?

- ○ TEXT
- ○ CHAR
- ○ STRING
- ◉ VARCHAR

Correct!

4. Assuming you have a table named "Products" with columns "ProductID," "ProductName," "Price," and "StockQuantity," which SQL statement would you use to update the price of a product with ProductID 123 to $19.99?

- ◉ UPDATE Products SET Price = 19.99 WHERE ProductID = 123;
- ○ UPDATE Products Price = 19.99 WHERE ProductID = 123;
- ○ MODIFY Products SET Price = 19.99 WHERE ProductID = 123;
- ○ ALTER Products SET Price = 19.99 WHERE ProductID = 123;

Correct!

5. Which SQL data type would you use to store a date and time value?

- ◉ TIMESTAMP
- ○ BIT
- ○ TIME

5. Which SQL data type would you use to store a date and time value?

- (●) TIMESTAMP
- ( ) BIT
- ( ) TIME
- ( ) DATE_TIME

Correct!

6. Assuming you have a table named "Orders" with columns "OrderID," "CustomerID," "OrderDate," and "TotalAmount," which SQL statement would you use to delete all orders placed by the customer with CustomerID 456?

- ( ) DELETE * FROM Orders WHERE CustomerID = 456;
- ( ) REMOVE FROM Orders WHERE CustomerID = 456;
- (●) DELETE FROM Orders WHERE CustomerID = 456;
- ( ) ERASE Orders WHERE CustomerID = 456;

Correct!

7. Which SQL data type would you use to store a decimal number with a fixed precision and scale?

- (●) DECIMAL
- ( ) FLOAT
- ( ) NUMBER

7. Which SQL data type would you use to store a decimal number with a fixed precision and scale?

- (•) DECIMAL
- ( ) FLOAT
- ( ) NUMBER
- ( ) DOUBLE

Correct!

8. Assuming you have a table named "Employees" with columns "EmployeeID" (Primary Key), "FirstName," "LastName," and "Salary." Which SQL statement would you use to insert a new employee with the first name "Alice," last name "Johnson," and a salary of $50000?

- (•) INSERT INTO Employees (FirstName, LastName, Salary) VALUES ('Alice', 'Johnson', 50000);
- ( ) INSERT INTO Employees (FirstName, LastName, Salary) (VALUES 'Alice', 'Johnson', 50000);
- ( ) ADD Employee ('Alice', 'Johnson', 50000) TO Employees;
- ( ) ADD ('Alice', 'Johnson', 50000) INTO Employees;

Correct!

9. Assuming you have a table named "Students" with columns "StudentID", "FirstName," "LastName," and "Age." Which SQL statement would you use to retrieve the first and last names of students aged 18?

- (•) SELECT FirstName, LastName FROM Students WHERE Age = 18;
- ( ) SELECT * FROM Students WHERE Age = 18;

9. Assuming you have a table named "Students" with columns "StudentID", "FirstName," "LastName," and "Age." Which SQL statement would you use to retrieve the first and last names of students aged 18?

- SELECT FirstName, LastName FROM Students WHERE Age = 18;
- SELECT * FROM Students WHERE Age = 18;
- SELECT FirstName, LastName FROM Students HAVING Age = 18;
- SELECT Name FROM Students WHERE Age = 18;

Correct!

10. Consider a table named "Books" with columns "BookID" ,"Title," "Author," and "PublicationYear." Which SQL statement would you use to insert a new book with the title "The Great Novel," author "Jane Smith," and publication year 2022?

- INSERT INTO Books (Title, Author, PublicationYear) VALUES ('The Great Novel', 'Jane Smith', 2022);
- INSERT INTO Books (BookTitle, AuthorName, PublishedYear) VALUES ('The Great Novel', 'Jane Smith', 2022);
- ADD Book ('The Great Novel', 'Jane Smith', 2022) TO Books;
- INSERT Book ('The Great Novel', 'Jane Smith', 2022) INTO Books;

Correct!

11. Assuming you have a table named "Customers" with columns "CustomerID", "FirstName," "LastName," and "Email." Which SQL statement would you use to update the email of the customer with CustomerID 123 to "newemail@example.com"?

- UPDATE Customers SET Email = 'newemail@example.com' WHERE CustomerID = 123;
- MODIFY Customers Email = 'newemail@example.com' WHERE CustomerID = 123;

11. Assuming you have a table named "Customers" with columns "CustomerID", "FirstName," "LastName," and "Email." Which SQL statement would you use to update the email of the customer with CustomerID 123 to "newemail@example.com"?

- (•) UPDATE Customers SET Email = 'newemail@example.com' WHERE CustomerID = 123;
- ( ) MODIFY Customers Email = 'newemail@example.com' WHERE CustomerID = 123;
- ( ) CHANGE Customers SET Email = 'newemail@example.com' WHERE CustomerID = 123;
- ( ) ALTER Customers Email = 'newemail@example.com' WHERE CustomerID = 123;

Correct!

12. Assuming you have a table named "Products" with columns "ProductID" , "ProductName," "Price," and "StockQuantity." Which SQL statement would you use to delete a product with ProductID 456 from the table?

- (•) DELETE FROM Products WHERE ProductID = 456;
- ( ) REMOVE * FROM Products WHERE ProductID = 456;
- ( ) DELETE Products WHERE ProductID = 456;
- ( ) ERASE FROM Products WHERE ProductID = 456;

Correct!

13. Consider a table named "Employees" with columns "EmployeeID" , "FirstName," "LastName," and "Salary." Which SQL statement would you use to retrieve all employees earning a salary higher than $50000?

- (•) SELECT * FROM Employees WHERE Salary > 50000;
- ( ) SELECT FirstName, LastName FROM Employees WHERE Salary > 50000;

Correct!

13. Consider a table named "Employees" with columns "EmployeeID" , "FirstName," "LastName," and "Salary." Which SQL statement would you use to retrieve all employees earning a salary higher than $50000?

- (●) SELECT * FROM Employees WHERE Salary > 50000;
- ( ) SELECT FirstName, LastName FROM Employees WHERE Salary > 50000;
- ( ) SELECT EmployeeID, FirstName, LastName FROM Employees WHERE Salary > 50000;
- ( ) SELECT Employees WHERE Salary > 50000;

Correct!

14. Assuming you have a table named "Orders" with columns "OrderID" , "CustomerID," "OrderDate," and "TotalAmount." Which SQL statement would you use to update the total amount of an order with OrderID 789 to $150.50?

- (●) UPDATE Orders SET TotalAmount = 150.50 WHERE OrderID = 789;
- ( ) MODIFY Orders TotalAmount = 150.50 WHERE OrderID = 789;
- ( ) CHANGE Orders SET TotalAmount = 150.50 WHERE OrderID = 789;
- ( ) ALTER Orders TotalAmount = 150.50 WHERE OrderID = 789;

Correct!

15. Consider a table named "Inventory" with columns "ItemID" , "ItemName," "Quantity," and "Location." Which SQL statement would you use to insert a new item with the name "Widget," quantity 100, and location "Warehouse A"?

- (●) INSERT INTO Inventory (ItemName, Quantity, Location) VALUES ('Widget', 100, 'Warehouse A');
- ( ) INSERT Inventory (ItemName, Quantity, Location) VALUES ('Widget', 100, 'Warehouse A');

Correct!

14. Assuming you have a table named "Orders" with columns "OrderID" , "CustomerID," "OrderDate," and "TotalAmount." Which SQL statement would you use to update the total amount of an order with OrderID 789 to $150.50?

- (●) UPDATE Orders SET TotalAmount = 150.50 WHERE OrderID = 789;
- ( ) MODIFY Orders TotalAmount = 150.50 WHERE OrderID = 789;
- ( ) CHANGE Orders SET TotalAmount = 150.50 WHERE OrderID = 789;
- ( ) ALTER Orders TotalAmount = 150.50 WHERE OrderID = 789;

Correct!

15. Consider a table named "Inventory" with columns "ItemID" , "ItemName," "Quantity," and "Location." Which SQL statement would you use to insert a new item with the name "Widget," quantity 100, and location "Warehouse A"?

- (●) INSERT INTO Inventory (ItemName, Quantity, Location) VALUES ('Widget', 100, 'Warehouse A');
- ( ) INSERT Inventory (ItemName, Quantity, Location) VALUES ('Widget', 100, 'Warehouse A');
- ( ) ADD Item ('Widget', 100, 'Warehouse A') TO Inventory;
- ( ) INSERT Item ('Widget', 100, 'Warehouse A') INTO Inventory;

Correct!

Submit