" my us. read Cuphopenneth &g 3) Centahung on Pilter pleus Beepend centerfuse) (yought topen Redonate Solute, Put 12) # mrs: 9889890055 Aru Dhingra

A SS*** 1.8.92 Cum | | P.P.T | wno අවේ එහි මසුල් Mt. Cap. 11.25 14.25 Light Cap. 1,6572,60%,600 00%-25%-09% 00 8 03 8 05 % .cap. 43.87 Cum † 1-4 AS XITAS 8-4 37.59*4.26*2.76 #ME **⊞**Ğ Т∀ИК 1-Bi∀iS (#8.7**6** ML) TAF (1)(00.0+)Cap. 21.00 Cum TAE ΉM 2.50°3.05*2.75 Z-WT %0-134 COSS\$XQSSX JAELYXX 140-1914 006\$XQ386 "5y-5X194,5 Cap. 21,00 Cum W \$'80*3'08*2'18 1401 SMIRY 1)200+ JASNOCH! **@**

comparison between MBBR and Bio cask

Copilot Copilot

Dertainly! Let's compare the Moving Bed Biofilm Reactor (MBBR) and the BioCask;

MBBR (Moving Bed Biofilm Reactor);

 ∇Z

- Process: MBBR utilizes a combination of biofilm media and conventional activated sludge processes. It allows, treatment in both anaerobic and aerobic environments 📆
- Biofilm Growth: MBBR uses plastic carriers where a biofilm can grow. Bucteria attach to these carriers, reducing impurities. o
- **Sludge Handling**: After the bio-reactor, MBBR requires sludge settiement using lamella (cohnology
- Maintenance: Spare parts are cheaper and long-lasting, resulting in lower operational expenses compared to other systems like the MBR 2 ō

BioCask:


- Developed by: BioCask is developed by Thermax.
- Advantages:
- Suitable for basement installation (requires less than 3.0 meters height).
- Reduced operating costs due to higher exygen transfer efficiency.
- Minintal civil work during @stallation.
- Achieves low biochemical oxygen demand (BOD) levels without ultrafiltration 3:.


installation. Organizations choose based on specific requirements and cost considerations. 😭 😭 ta summary, MBBR relies on biofilm growth, white BioCask offers efficient BOD removal and ease o∄


£ gustawater.com 2 ½ clearfox.com 3 ## ssiaeration.com ∠ wwtp.in Learn more: 1




What are the limitations of MBB 📿 📗 Now do









SEMER INLET POSTION