# CancelOrder-CopiedURL

## Execution Environment

| | |
|---|---|
| Host name | intersoft-admin - DESKTOP-ANQSRIJ |
| Local OS | Windows 10 64bit |
| Katalon version | 8.2.5.208 |
| Browser | Firefox 97.0 |

## Summary

| | | | |
|---|---|---|---|
| ID | Test Suites/CancelOrder-CopiedURL | | |
| Description | | | |
| Total | 1 | | |
| Passed | 0 | Failed | 1 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 2022-02-11 23:29:58 | End | 2022-02-11 23:31:38 |
| Elapsed | 1m - 39.307s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL | Redirect to New Activity Overview | FAILED |

# ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL

## Information

| | |
|---|---|
| ID | Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL |
| Description | Redirect to New Activity Overview |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2022-02-11 23:31:37 | End | 2022-02-11 23:31:38 |
| Elapsed | 0.272s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE) | 0.191s | FAILED |

Unable to call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)
        at ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL.run (ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL:26)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:442)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:433)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:281)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:363)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1644602308887.run(TempTestSuite1644602308887.groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: ''
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

(WebUIKeywordMain.groovy:26)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
     at SuperAdmin-Login.run(SuperAdmin-Login:20)
     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:433)
     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:412)
     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:281)
     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
     at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
     ... 23 more
Caused by: org.openqa.selenium.NoSuchSessionException: Tried to run command without
establishing a connection
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-ANQSRIJ', ip: '192.168.1.59', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver
Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 97.0,
javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220202182137,
moz:geckodriverVersion: 0.23.0, moz:headless: false, moz:processID: 5432, moz:profile: C:
\Users\intersoft-admin\Ap..., moz:shutdownTimeout: 60000, moz:
useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy:
normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy:
Proxy(direct), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,
pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: 4bf6ff63-2283-4d09-8e4b-00f1ba6a6e2b
     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
     at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)

| # | Description | Elapsed | Status |
|---|---|---|---|

at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:27)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)

at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452)

at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1(EventFiringWebDriver.java:105)

at com.sun.proxy.$Proxy10.quit(Unknown Source)

at org.openqa.selenium.support.events.EventFiringWebDriver.quit(EventFiringWebDriver.java:211)

at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver(DriverFactory.java:1482)

at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser(DriverFactory.java:342)

at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver(DriverFactory.java:253)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)

... 38 more
)