CancelOrder-OnIframeView

Execution Environment

Host name root - bab3ec907815

Local OS Linux 64bit
Katalon version 8.2.5.208
Browser null

Summary

ID Test Suites/CancelOrder-OnIframeView

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-26 11:52:23 End 2022-02-26 11:52:26

Elapsed 3.497s

#	ID	Description	Status
1	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-CancelOrder- GetOrderIDAndRefund	Redirect to New Activity Overview	FAILED

Information

ID Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelOrder-GetOrderIDAndRefund

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 11:52:23 End 2022-02-26 11:52:26

Elapsed 3.128s

Status FAILED

Details

# Description	Elapsed	Status
---------------	---------	--------

#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	2.642s	FAILED
	Unable to call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.		
	groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase		
	(BuiltinKeywords.groovy:334) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run		
	(ActivityOverview-CancelOrder-GetOrderIDAndRefund:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor.		
	processExecutionPhase(TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:164)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)		
	at TempTestSuite1645876251884.run(TempTestSuite1645876251884. groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to		
	open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.		
	runKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64)		
	openbiowooi(woodolbuiitiintoywords.groovy.o+/		

Elapsed

Status

Description at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$openBrowser.call(Unknown Source) at SuperAdmin-Login.run(SuperAdmin-Login:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:442) $at\ com.kms.katalon.core.main.Test Case Executor.do Execute$ (TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281) $at\ com.kms.katalon.core.main.Test Case Main.run Test Case$ (TestCaseMain.java:142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword. groovy:59) Caused by: org.openqa.selenium.SessionNotCreatedException: session not from disconnected: Unable to receive message from renderer (Session info: chrome=97.0.4692.99) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: System info: host: 'bab3ec907815', ip: '172.17.0.2', os.name: 'Linux', os.arch: 'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292' Driver info: driver.version: CChromeDriver remote stacktrace: #0 0x55c740afaf23 <unknown> #1 0x55c7405c5838 <unknown> #2 0x55c7405b12c1 <unknown> #3 0x55c7405b0003 <unknown> #4 0x55c7405b0353 <unknown> #5 0x55c7405af981 <unknown> #6 0x55c7405b81a4 <unknown> #7 0x55c7405af923 <unknown> #8 0x55c7405b0c99 <unknown> #9 0x55c7405b0003 <unknown> #10 0x55c7405b0353 <unknown> #11 0x55c7405af981 <unknown> #12 0x55c7405b713a <unknown> #13 0x55c7405af923 <unknown> #14 0x55c7405b0c99 <unknown> #15 0x55c7405b0003 <unknown> #16 0x55c7405b0353 <unknown> #17 0x55c7405af981 <unknown> #18 0x55c7405aa5aa <unknown> #19 0x55c7405af923 <unknown> #20 0x55c7405af83b <unknown> #21 0x55c7405af2c0 <unknown> #22 0x55c7405c6c32 <unknown> #23 0x55c740620354 <unknown> #24 0x55c740619073 <unknown> #25 0x55c7405eebca <unknown> #26 0x55c7405efc95 <unknown> #27 0x55c740b2a73d <unknown> #28 0x55c740b40a40 <unknown>

#29 0x55c740b2c435 <unknown> #30 0x55c740b41465 <unknown>

Elapsed

Status

```
Description
#31 0x55c740b1fe6f <unknown>
#32 0x55c740b5c2d8 <unknown>
#33 0x55c740b5c458 <unknown>
#34 0x55c740b771fd <unknown>
#35 0x7f71d116a6ba <unknown>
         at org.openga.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openga.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:181)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
         at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:433)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:366)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:253)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword \$\_openBrowser\_closure 1. call (OpenBrowserKeyword.
groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         ... 35 more
```