ActivityOverview-FiltersAndColumns

Execution Environment

Host name root - 5543821c7b47

Local OS Linux 64bit Katalon version 8.2.5.208

Browser Chrome 97.0.4692.99

Summary

ID Test Suites/ActivityOverview-FiltersAndColumnsDescription Adding All available option under view section

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-18 07:05:17 End 2022-02-18 07:05:20

Elapsed 3.190s

#	ID	Description	Status
1	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-ViewFilterAndColumn	Redirect to New Activity Overview	FAILED

ActivityOverview-ViewFilterAndColumn

Information

 ${\sf ID} \qquad \qquad {\sf Test \ Cases/NewActivityOverview-LeftNavigation/ActivityOverview-ViewFilterAndColumn}$

Description Redirect to New Activity Overview

Tag

Start 2022-02-18 07:05:17 End 2022-02-18 07:05:20

Elapsed 2.971s
Status FAILED

Details

Description Elapsed Status

ActivityOverview-ViewFilterAndColumn

Description	on	Elapsed	Status
	ase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], _FAILURE)	2.665s	FAILED
(Root cau	call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' se: com.kms.katalon.core.exception.StepFailedException: Call Test		
	t Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed at com.kms.katalon.core.keyword.builtin.		
	aseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.		
CallTestC	at com.kms.katalon.core.keyword.builtin. aseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywordl	Main.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.		
	ase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute CaseKeyword.groovy:44)		
•	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	eywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase		
	/words.groovy:334) at ActivityOverview-ViewFilterAndColumn.run(ActivityOverview-		
	AndColumn:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEng	ine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCase	Executor.java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCase	Executor.java:433) at com.kms.katalon.core.main.TestCaseExecutor.		
processEx	tecutionPhase(TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCase	Executor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCase	Executor.java:281) at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTe	stCaseMainPhase(TestSuiteExecutor.java:202)		
accessTe	at com.kms.katalon.core.main.TestSuiteExecutor. stSuiteMainPhase(TestSuiteExecutor.java:164)		
(TestSuite	at com.kms.katalon.core.main.TestSuiteExecutor.execute Executor.java:105)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite Main.java:185)		
` (Unknown	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call Source)		
	at TempTestSuite1645167907892.run(TempTestSuite1645167907892.		
Caused by navigate t	y: com.kms.katalon.core.exception.StepFailedException: Unable to p 'null'		
stepFailed	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. l(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
runKeywo	rd(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.		
navigateT	oUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.		
execute(N	avigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKe	eywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
navigateT	oUrl(WebUiBuiltInKeywords.groovy:187) at com.kms.katalon.core.webui.keyword.		
	at com.kms.katalon.core.webul.keyword.		

ActivityOverview-ViewFilterAndColumn

Status

```
Description
                                                                                           Elapsed
WebUiBuiltInKeywords$navigateToUrl$1.call(Unknown Source)
         at SuperAdmin-Login.run(SuperAdmin-Login:25)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
         at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:442)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:433)
         at\ com.kms.katalon.core.main.Test Case Executor.
processExecutionPhase(TestCaseExecutor.java:412)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:404)
         at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:281)
         at com.kms.katalon.core.main.TestCaseMain.runTestCase
(TestCaseMain.java:142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.
groovy:59)
         ... 20 more
Caused by: java.lang.lllegalArgumentException: Url cannot be null or empty
         at com.kms.katalon.core.webui.keyword.builtin.
```

 $Navigate To Url Keyword \$_navigate To Url _closure 1. do Call (Navigate To Url Keyword.$

NavigateToUrlKeyword\$_navigateToUrl_closure1.call(NavigateToUrlKeyword.

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.

at com.kms.katalon.core.webui.keyword.builtin.

runKeyword(WebUIKeywordMain.groovy:20)

... 35 more

groovy:75)

groovy)