### **Execution Environment**

Host name root - 598f98d4bf79

Local OS Linux 64bit Katalon version 8.2.5.208

Browser Chrome 97.0.4692.99

Summary

ID Test Suites/ActivityOverview-FiltersAndColumnsDescription Adding All available option under view section

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-26 12:09:42 End 2022-02-26 12:10:20

Elapsed 38.873s

#	ID	Description	Status
1	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-ViewFilterAndColumn	Redirect to New Activity Overview	FAILED

### Information

 ${\sf ID} \qquad \qquad {\sf Test \ Cases/NewActivityOverview-LeftNavigation/ActivityOverview-ViewFilterAndColumn}$ 

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 12:09:42 End 2022-02-26 12:10:20

Elapsed 38.658s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:],	32.412s	PASSED

Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' successfully



2 switchToDefaultContent() 0.102s PASSED

Status FAILED

#	Description	Elapsed
3	click(findTestObject("SuperAdminLeftNavigation/NewActivityOverview-	5.779s
	LeftNavigation"))	
	Unable to click on object 'Object	
	Repository/SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation'	
	(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to	
	click on object 'Object Repository/SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation'	
	at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.	
	stepFailed(WebUlKeywordMain.groovy:64)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click	
	(ClickKeyword.groovy:74)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute	
	(ClickKeyword.groovy:40)	
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	
	(WebUiBuiltInKeywords.groovy:620)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.	
	call(Unknown Source) at ActivityOverview-ViewFilterAndColumn.run(ActivityOverview-	
	ViewFilterAndColumn:31)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText	
	(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript	
	(TestCaseExecutor.java:442)	
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute	
	(TestCaseExecutor.java:433)	
	at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:412)	
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:404)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute	
	(TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestSuiteExecutor.	
	accessTestCaseMainPhase(TestSuiteExecutor.java:202)	
	at com.kms.katalon.core.main.TestSuiteExecutor.	
	accessTestSuiteMainPhase(TestSuiteExecutor.java:164)	
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite	
	(TestCaseMain.java:185)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call	
	(Unknown Source) at TempTestSuite1645877313972.run(TempTestSuite1645877313972.	
	groovy:36)	
	Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id	
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:	
	53' System info: host: '508f08d4hf70' in: '172 17 0.2', as name: 'l inuy' as arch:	
	System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch: 'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'	
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver	
	Capabilities {acceptInsecureCerts: false, browserName: chrome,	
	browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36	
	(747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.VCI5Ki}, goog: chromeOptions: {debuggerAddress: localhost:41969}, javascriptEnabled: true,	
	networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,	
	platformName: LINUX, proxy: Proxy(), setWindowRect: true,	
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:	
	Shorte Hubandied From Directavior, dismiss and notify Medalithu, extension,	

30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:

Elapsed

Status

```
Description
credBlob: true, webauthn:extension:largeBlob: true, webauthn:
virtualAuthenticators: true}
Session ID: f2e08906efdea9b3fed91e3caa79a3a8
*** Element info: {Using=xpath, value=//span[contains(text(),'Activity
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openga.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.
findElementsByXPath(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
         at org.openga.selenium.support.events.EventFiringWebDriver.
lambda$new$1(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver.
findElements(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1016)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:733)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElements(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElement(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.
WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.
ClickKeyword$_click_closure1.doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.
ClickKeyword$ click closure1.call(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click
(ClickKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
```

(WebUiBuiltInKeywords.groovy:620)

# Description Elapsed Status

```
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2. call(Unknown Source)
at Script1643699226975.run(Script1643699226975.groovy:31)
... 13 more
```