# Activity Overview detail Pop-up Other Section

#### **Execution Environment**

Host name root - 598f98d4bf79

Local OS Linux 64bit Katalon version 8.2.5.208

Browser Chrome 97.0.4692.99

Summary

ID Test Suites/Activity Overview detail Pop-up Other SectionDescription Checking vailable Action on listing in the New Activity Overview

Total 4

Passed 0 Failed 3
Error 1 Incomplete 0

Skipped 0

Start 2022-02-26 12:09:36 End 2022-02-26 12:10:32

Elapsed 56.374s

#	ID	Description	Status
1	Test Cases/StepToReUse/ActivityOverview-RedirectionLogin	Redirect to New Activity Overview	FAILED
2	Test Cases/StepToReUse/SearchProducts	Redirect to New Activity Overview	ERROR
3	Test Cases/StepToReUse/GoToDetailPop-up	Redirect to New Activity Overview	FAILED
4	Test Cases/StepToReUse/OtherProductDetails	Redirect to New Activity Overview	FAILED

# ActivityOverview-RedirectionLogin

#### Information

ID Test Cases/StepToReUse/ActivityOverview-RedirectionLogin

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 12:09:36 End 2022-02-26 12:10:27

Elapsed 51.206s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:],	35.793s	PASSED

Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' successfully



2 switchToDefaultContent() 0.081s PASSED

# ActivityOverview-RedirectionLogin

Status

**FAILED** 

#	Description	Elapsed
3	click(findTestObject("SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation"))	15.082s
	Unable to click on object 'Object Repository/SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation' (Past square per legal to take a property of the Failed Evention Lineals to	
	(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation'	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.	
	runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2. call(Unknown Source) at ActivityOverview-RedirectionLogin.run(ActivityOverview-	
	RedirectionLogin:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText	
	(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript	
	(TestCaseExecutor.java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433)	
	at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281)	
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.	
	accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call	
	(Unknown Source) at TempTestSuite1645877311326.run(TempTestSuite1645877311326. groovy:36)	
	Caused by: org.openqa.selenium.WebDriverException: unknown error: session deleted because of page crash from unknown error: cannot determine loading status	
	from tab crashed (Session info: chrome=97.0.4692.99)	
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'  System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch:	
	'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome,	
	browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36 (747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.EIDQLh}, goog: chromeOptions: {debuggerAddress: localhost:39421}, javascriptEnabled: true,	

### ActivityOverview-RedirectionLogin

```
Description
                                                                                           Elapsed
                                                                                                             Status
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,
platformName: LINUX, proxy: Proxy(), setWindowRect: true,
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:
30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:
virtualAuthenticators: true}
Session ID: adc66a4579d8f709aa77bf8978cd509d
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openga.selenium.remote.RemoteWebElement.click
(RemoteWebElement.java:84)
         at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0
(EventFiringWebDriver.java:404)
         at com.sun.proxy.$Proxy11.click(Unknown Source)
         at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:
417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.builtin.
ClickKeyword$_click_closure1.doCall(ClickKeyword.groovy:67)
         at com.kms.katalon.core.webui.keyword.builtin.
ClickKeyword$_click_closure1.call(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click
(ClickKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.
call(Unknown Source)
         at Script1643869466447.run(Script1643869466447.groovy:31)
         ... 13 more
```

## SearchProducts

#### Information

ID Test Cases/StepToReUse/SearchProducts

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 12:10:28 End 2022-02-26 12:10:29

Elapsed 1.749s Status ERROR

#### **Details**

## SearchProducts

Status ERROR

#	Description	Elapsed
1	sizeoflisting = findWebElements(findTestObject	1.123s
	("ListingArea/ListingContainsData"), 5).size()	
	Test Cases/StepToReUse/SearchProducts FAILED. Reason:	
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'	
	System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch: 'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36 (747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.EIDQLh}, goog: chromeOptions: {debuggerAddress: localhost:39421}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,	
	platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:	
	credBlob: true, webauthn:extension:largeBlob: true, webauthn: virtualAuthenticators: true} Session ID: adc66a4579d8f709aa77bf8978cd509d *** Element info: {Using=xpath, value=//table[@id='main-table']//tbody//tr[1]}	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
	(W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute	
	(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.	
	execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute	
	(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute	
	(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.findElements	
	(RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.	
	findElementsByXPath(RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements	
	(RemoteWebDriver.java:311) at org.openqa.selenium.support.events.EventFiringWebDriver.	
	lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy10.findElements(Unknown Source) at org.openga.selenium.support.events.EventFiringWebDriver.	
	findElements(EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper.	
	findElementByNormalMethods(WebUiCommonHelper.java:1016) at com.kms.katalon.core.webui.common.WebUiCommonHelper.	
	findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper.	
	findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper.	
	findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper.	
	findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.	
	findElementsWithSelfHealing(WebUiCommonHelper.java:733) at com.kms.katalon.core.webui.common.WebUiCommonHelper.	
	findWebElements(WebUiCommonHelper.java:718)	

#### **SearchProducts**

Elapsed

Status

Description at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword.findWebElements(WebUIAbstractKeyword.groovy:32) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords. findWebElements(WebUiBuiltInKeywords.groovy:2860) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$findWebElements\$7.call(Unknown Source) at SearchProducts.run(SearchProducts:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433)  $at\ com.kms.katalon.core.main.Test Case Executor.$ processExecutionPhase(TestCaseExecutor.java:412)  $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1645877311326.run(TempTestSuite1645877311326. groovy:36)

#### Information

ID Test Cases/StepToReUse/GoToDetailPop-up

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 12:10:29 End 2022-02-26 12:10:31

Elapsed 1.385s Status FAILED

#### **Details**

Status FAILED

click(findTestObject("Object Repository/ListingArea/ClickondetailPOp-up",	Elapsed	
["position":"1"]))	1.157s	
Unable to click on object 'Object Repository/ListingArea/ClickondetailPOp-up'		
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/ListingArea/ClickondetailPOp-up'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2. call(Unknown Source)		
at GoToDetailPop-up.run(GoToDetailPop-up:27)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:433)		
at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:412)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)		
at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(TestSuiteExecutor.java:105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite		
(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
(Unknown Source)		
at TempTestSuite1645877311326.run(TempTestSuite1645877311326.groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:		
53' System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch:		
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292' Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Capabilities (acceptInsecureCerts: false, browserName: chrome,		
browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36 (747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.EIDQLh}, goog: chromeOptions: {debuggerAddress: localhost:39421}, javascriptEnabled: true,		
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,		
platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:		
30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:		
virtualAuthenticators: true}		

Status

Description Elapsed \*\*\* Element info: {Using=xpath, value=(//table[@id='main-table']//tbody//tr//tr [1])[1]} at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)  $at\ org. open qa. selenium. remote. service. Driver Command Executor.$ execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver. findElementsByXPath(RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at org.openga.selenium.support.events.EventFiringWebDriver. lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy10.findElements(Unknown Source) at org.openga.selenium.support.events.EventFiringWebDriver. findElements(EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1016) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:733) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$\_click\_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$\_click\_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.

at Script1643869141052.run(Script1643869141052.groovy:27)

call(Unknown Source)

# Description Elapsed Status
... 13 more

#### Information

ID Test Cases/StepToReUse/OtherProductDetails

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 12:10:31 End 2022-02-26 12:10:32

Elapsed 1.778s
Status FAILED

#### **Details**

Description	Elapsed	Status
scrollToElement(findTestObject("Object Repository/DetailPop-	1.265s	FAILED
up/OrderPaymentInformation-OrderSummary- Activity/OrderSummaryPaymentActivity", ["position":"1"]), 15)		
Unable to scroll to object 'Object Repository/DetailPop-		
up/OrderPaymentInformation-OrderSummary-		
Activity/OrderSummaryPaymentActivity' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to scroll to object 'Object		
Repository/DetailPop-up/OrderPaymentInformation-OrderSummary-		
Activity/OrderSummaryPaymentActivity'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
stepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.		
ScrollToElementKeyword.scrollToElement(ScrollToElementKeyword.groovy:88)		
at com.kms.katalon.core.webui.keyword.builtin.		
ScrollToElementKeyword.execute(ScrollToElementKeyword.groovy:68)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
scrollToElement(WebUiBuiltInKeywords.groovy:4061)		
at com.kms.katalon.core.webui.keyword.		
WebUiBuiltInKeywords\$scrollToElement\$8.call(Unknown Source)		
at OtherProductDetails.run(OtherProductDetails:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:442)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433)		
at com.kms.katalon.core.main.TestCaseExecutor.		
processExecutionPhase(TestCaseExecutor.java:412)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:404)		
at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:164)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite		
(TestCaseMain.java:185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
(Unknown Source)		
at TempTestSuite1645877311326.run(TempTestSuite1645877311326.groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:		
53'		
System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch:		
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292' Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Capabilities {acceptInsecureCerts: false, browserName: chrome,		
browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36		
(747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.EIDQLh}, goog:		
chromeOptions: {debuggerAddress: localhost:39421}, javascriptEnabled: true,		
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true,		
DIADOLINIALIE, LINUA, DIOXV. FIOXVO, SELVIDOOWNECL ITUE.		

Elapsed

Status

Description 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn: virtualAuthenticators: true} Session ID: adc66a4579d8f709aa77bf8978cd509d \*\*\* Element info: {Using=xpath, value=(//lif@class='order-summary white-box']) at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openga.selenium.remote.RemoteWebDriver. findElementsByXPath(RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at org.openga.selenium.support.events.EventFiringWebDriver. lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy10.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver. findElements(EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1016) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:733) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. ScrollToElementKeyword\$ scrollToElement\_closure1.doCall (ScrollToElementKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin. ScrollToElementKeyword\$\_scrollToElement\_closure1.call (ScrollToElementKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin. ScrollToElementKeyword.scrollToElement(ScrollToElementKeyword.groovy:88)

at com.kms.katalon.core.webui.keyword.builtin.

```
ScrollToElementKeyword.execute(ScrollToElementKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. scrollToElement(WebUiBuiltInKeywords.groovy:4061) at com.kms.katalon.core.webui.keyword.

WebUiBuiltInKeywords$scrollToElement$8.call(Unknown Source) at Script1643868741616.run(Script1643868741616.groovy:27) ... 13 more
```