Pagination

Execution Environment

Host name root - bab3ec907815

Local OS Linux 64bit
Katalon version 8.2.5.208
Browser null

Summary

ID Test Suites/Pagination

Description checking all pagination and count of records by adding lenght of each tr in data table

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-26 11:52:52 End 2022-02-26 11:52:55

Elapsed 3.175s

#	ID	Description	Status
1	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-Pagination	Redirect to New Activity Overview	FAILED

Information

ID Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-Pagination

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 11:52:53 End 2022-02-26 11:52:55

Elapsed 2.848s Status FAILED

Details

Description Elapsed Status

#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	2.426s	FAILED
	Unable to call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login'		
	(Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword. groovy:63)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase		
	(BuiltinKeywords.groovy:334) at ActivityOverview-Pagination.run(ActivityOverview-Pagination:26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:442)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor.		
	processExecutionPhase(TestCaseExecutor.java:412)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:404)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:281)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:105)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite		
	(TestCaseMain.java:185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
	(Unknown Source)		
	at TempTestSuite1645876259352.run(TempTestSuite1645876259352.groovy:36)		
	Gaused by: com.kms.katalon.core.exception.StepFailedException: Unable to		
	open browser with url: "		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	openBrowser(OpenBrowserKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	openBrowser(WebUiBuiltInKeywords.groovy:64)		
	at com.kms.katalon.core.webui.keyword.		
	WebLiBuiltInKeywords\$openBrowser call(Unknown Source)		

WebUiBuiltInKeywords\$openBrowser.call(Unknown Source)

Elapsed

Status

```
Description
         at SuperAdmin-Login.run(SuperAdmin-Login:20)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
         at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:442)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:433)
         at com.kms.katalon.core.main.TestCaseExecutor.
processExecutionPhase(TestCaseExecutor.java:412)
         at\ com. kms. katalon. core. main. Test Case Executor. access Main Phase
(TestCaseExecutor.java:404)
         at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:281)
         at com.kms.katalon.core.main.TestCaseMain.runTestCase
(TestCaseMain.java:142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.
groovy:59)
Caused by: org.openqa.selenium.SessionNotCreatedException: session not
from disconnected: Unable to receive message from renderer
 (Session info: chrome=97.0.4692.99)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
System info: host: 'bab3ec907815', ip: '172.17.0.2', os.name: 'Linux', os.arch:
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'
Driver info: driver.version: CChromeDriver
remote stacktrace: #0 0x55f6939e2f23 <unknown>
#1 0x55f6934ad838 <unknown>
#2 0x55f6934992c1 <unknown>
#3 0x55f693498003 <unknown>
#4 0x55f693498353 <unknown>
#5 0x55f693497981 <unknown>
#6 0x55f6934a01a4 <unknown>
#7 0x55f693497923 <unknown>
#8 0x55f693498c99 <unknown>
#9 0x55f693498003 <unknown>
#10 0x55f693498353 <unknown>
#11 0x55f693497981 <unknown>
#12 0x55f69349f13a <unknown>
#13 0x55f693497923 <unknown>
#14 0x55f693498c99 <unknown>
#15 0x55f693498003 <unknown>
#16 0x55f693498353 <unknown>
#17 0x55f693497981 <unknown>
#18 0x55f6934925aa <unknown>
#19 0x55f693497923 <unknown>
#20 0x55f69349783b <unknown>
#21 0x55f6934972c0 <unknown>
#22 0x55f6934aec32 <unknown>
#23 0x55f693508354 <unknown>
#24 0x55f693501073 <unknown>
#25 0x55f6934d6bca <unknown>
#26 0x55f6934d7c95 <unknown>
#27 0x55f693a1273d <unknown>
#28 0x55f693a28a40 <unknown>
#29 0x55f693a14435 <unknown>
#30 0x55f693a29465 <unknown>
#31 0x55f693a07e6f <unknown>
```

#32 0x55f693a442d8 <unknown> #33 0x55f693a44458 <unknown>

Elapsed

Status

```
Description
#34 0x55f693a5f1fd <unknown>
#35 0x7ffad66376ba <unknown>
         at org.openga.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openga.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openga.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openga.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:181)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
         at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:433)
         at\ com. kms. katalon. core. we bui. driver. Driver Factory. start New Browser
(DriverFactory.java:366)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:253)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.
groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         ... 35 more
```