# CancelOrder-OnIframeView

#### **Execution Environment**

Host name root - 598f98d4bf79

Local OS Linux 64bit
Katalon version 8.2.5.208
Browser null

#### Summary

ID Test Suites/CancelOrder-OnIframeView

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-26 12:10:13 End 2022-02-26 12:10:18

Elapsed 4.935s

#	ID	Description	Status
1	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-CancelOrder- GetOrderIDAndRefund	Redirect to New Activity Overview	FAILED

#### Information

ID Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelOrder-GetOrderIDAndRefund

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 12:10:14 End 2022-02-26 12:10:18

Elapsed 4.464s

Status FAILED

#### **Details**

# Description Elapsed Status

Description	Elapsed	Statu
callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	3.837s	FAILE
Unable to call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login'		
(Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:334)		
at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run (ActivityOverview-CancelOrder-GetOrderIDAndRefund:26)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:442)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor.		
processExecutionPhase(TestCaseExecutor.java:412)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:281)		
at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:164)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)		
at TempTestSuite1645877323053.run(TempTestSuite1645877323053.groovy:36)		
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64)		

Elapsed

Status

```
Description
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
         at SuperAdmin-Login.run(SuperAdmin-Login:20)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
         at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:442)
         at\ com.kms.katalon.core.main.Test Case Executor.do Execute
(TestCaseExecutor.java:433)
         at com.kms.katalon.core.main.TestCaseExecutor.
processExecutionPhase(TestCaseExecutor.java:412)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
         at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:281)
         at\ com.kms.katalon.core.main.Test Case Main.run Test Case
(TestCaseMain.java:142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.
groovy:59)
Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome
failed to start: crashed.
 (chrome not reachable)
 (The process started from chrome location /usr/bin/google-chrome is no longer
running, so ChromeDriver is assuming that Chrome has crashed.)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch:
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'
Driver info: driver.version: CChromeDriver
remote stacktrace: #0 0x55afb5fc5f23 <unknown>
#1 0x55afb5a90838 <unknown>
#2 0x55afb5ab3975 <unknown>
#3 0x55afb5aaf0fa <unknown>
#4 0x55afb5ae9f4a <unknown>
#5 0x55afb5ae4073 <unknown>
#6 0x55afb5ab9bca <unknown>
#7 0x55afb5abac95 <unknown>
#8 0x55afb5ff573d <unknown>
#9 0x55afb600ba40 <unknown>
#10 0x55afb5ff7435 <unknown>
#11 0x55afb600c465 <unknown>
#12 0x55afb5feae6f <unknown>
#13 0x55afb60272d8 <unknown>
#14 0x55afb6027458 <unknown>
#15 0x55afb60421fd <unknown>
#16 0x7f5aba4e26ba <unknown>
         at org.openga.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openga.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openga.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
```

at org.openqa.selenium.remote.HttpCommandExecutor.execute

(HttpCommandExecutor.java:136)

Elapsed

Status

at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openga.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createNewChromeDriver(DriverFactory.java:433) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:366) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:253) at com.kms.katalon.core.webui.keyword.builtin.  $OpenBrowserKeyword \$\_openBrowser\_closure 1. do Call (OpenBrowserKeyword.$ groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$\_openBrowser\_closure1.call(OpenBrowserKeyword. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 35 more

Description