EmailDownloadPreview

Execution Environment

Host name root - 598f98d4bf79

Local OS Linux 64bit Katalon version 8.2.5.208

Browser Chrome 97.0.4692.99

Summary

ID Test Suites/EmailDownloadPreview

Description Testing of Email Download and Preview Functionality also on the copied url view as well

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 2022-02-26 12:10:34 End 2022-02-26 12:10:48

Elapsed 13.096s

#	ID	Description	Status
1	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-EmailDownloadPreview	Redirect to New Activity Overview	FAILED
2	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-EmailDownloadPreview- CopiedURL	Redirect to New Activity Overview	FAILED

Information

 ${\sf ID} \qquad \qquad {\sf Test \ Cases/NewActivityOverview-LeftNavigation/ActivityOverview-EmailDownloadPreview}$

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 12:10:35 End 2022-02-26 12:10:47

Elapsed 11.927s Status FAILED

Details

Description Elapsed Status

#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	11.271s	FAILED
	Unable to call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test		
	Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword. groovy:63)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.		
	callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase		
	(BuiltinKeywords.groovy:334)		
	at ActivityOverview-EmailDownloadPreview.run(ActivityOverview-EmailDownloadPreview:27)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor.		
	processExecutionPhase(TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:164)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)		
	at TempTestSuite1645877329087.run(TempTestSuite1645877329087.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/SuperAdmin/Login/input_Email_contact_email'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click		
	(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.

(WebUiBuiltInKeywords.groovy:620)

Elapsed

Status

```
Description
call(Unknown Source)
         at SuperAdmin-Login.run(SuperAdmin-Login:29)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
         at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:442)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:433)
         at com.kms.katalon.core.main.TestCaseExecutor.
processExecutionPhase(TestCaseExecutor.java:412)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
         at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:281)
         at com.kms.katalon.core.main.TestCaseMain.runTestCase
(TestCaseMain.java:142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.
         ... 20 more
Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch:
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome,
browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36
(747e0a0f19c13..., userDataDir: /tmp/.com.google.Chrome.u8kVkA}, goog:
chromeOptions: {debuggerAddress: localhost:43891}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,
platformName: LINUX, proxy: Proxy(), setWindowRect: true,
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:
30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:
virtualAuthenticators: true}
Session ID: 1178bebca8e0059312838badcee99565
*** Element info: {Using=xpath, value=//input[@id='Email']}
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at\ org. open qa. selenium. remote. Http Command Executor. execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openga.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.
findElementsByXPath(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openga.selenium.support.events.EventFiringWebDriver.
lambda$new$1(EventFiringWebDriver.java:105)
```

at com.sun.proxy.\$Proxy10.findElements(Unknown Source)

Elapsed

Status

Description

at org.openqa.selenium.support.events.EventFiringWebDriver. findElements(EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1016) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:733) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)

at com.kms.katalon.core.webui.keyword.builtin.
ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:65)
at com.kms.katalon.core.webui.keyword.builtin.

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main.$

ClickKeyword\$_click_closure1.call(ClickKeyword.groovy)

runKeyword(WebUIKeywordMain.groovy:20)

... 35 more

ActivityOverview-EmailDownloadPreview-CopiedURL

Information

ID Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-EmailDownloadPreview-CopiedURL

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 12:10:47 End 2022-02-26 12:10:48

Elapsed 0.674s

Status FAILED

Details

Description Elapsed Status

ActivityOverview-EmailDownloadPreview-CopiedURL

Deceder	- , .	01.1
Description	Elapsed	Status
switchToWindowIndex(1)	0.062s	FAILED
Unable to switch to window with index: '1' (Root cause: com.kms.katalon.core.		
exception.StepFailedException: Unable to switch to window with index: '1'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
stepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.		
SwitchToWindowIndexKeyword.switchToWindowIndex (SwitchToWindowIndexKeyword.groovy:85)		
at com.kms.katalon.core.webui.keyword.builtin.		
SwitchToWindowIndexKeyword.execute(SwitchToWindowIndexKeyword.groovy:		
67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
switchToWindowIndex(WebUiBuiltInKeywords.groovy:1891)		
at com.kms.katalon.core.webui.keyword.		
WebUiBuiltInKeywords\$switchToWindowIndex\$3.call(Unknown Source)		
at ActivityOverview-EmailDownloadPreview-CopiedURL.run		
(ActivityOverview-EmailDownloadPreview-CopiedURL:27)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:442)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:433)		
at com.kms.katalon.core.main.TestCaseExecutor.		
processExecutionPhase(TestCaseExecutor.java:412)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:404)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:281)		
at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:164)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(TestSuiteExecutor.java:105)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite		
(TestCaseMain.java:185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
(Unknown Source)		
at TempTestSuite1645877329087.run(TempTestSuite1645877329087.		
groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:		
53' System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch:		
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'		
Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Capabilities {acceptInsecureCerts: false, browserName: chrome,		
browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36		
(747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.u8kVkA}, goog:		
chromeOptions: {debuggerAddress: localhost:43891}, javascriptEnabled: true,		
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,		
platformName: LINUX, proxy: Proxy(), setWindowRect: true,		
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:		
30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:		
credBlob: true, webauthn:extension:largeBlob: true, webauthn:		

ActivityOverview-EmailDownloadPreview-CopiedURL

Elapsed

Status

```
Description
virtualAuthenticators: true}
Session ID: 1178bebca8e0059312838badcee99565
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:609)
         at org.openga.selenium.remote.RemoteWebDriver.getWindowHandles
(RemoteWebDriver.java:460)
         at org.openqa.selenium.support.events.EventFiringWebDriver.
lambda$new$1(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.getWindowHandles(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver.
getWindowHandles(EventFiringWebDriver.java:216)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
switchToWindowUsingIndex(WebUiCommonHelper.java:174)
         at com.kms.katalon.core.webui.keyword.builtin.
SwitchToWindowIndexKeyword$_switchToWindowIndex_closure1.doCall
(SwitchToWindowIndexKeyword.groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.
SwitchToWindowIndexKeyword$_switchToWindowIndex_closure1.call
(SwitchToWindowIndexKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.
SwitchToWindowIndexKeyword.switchToWindowIndex
(SwitchToWindowIndexKeyword.groovy:85)
         at com.kms.katalon.core.webui.keyword.builtin.
SwitchToWindowIndexKeyword.execute(SwitchToWindowIndexKeyword.groovy:
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
switchToWindowIndex(WebUiBuiltInKeywords.groovy:1891)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$switchToWindowIndex$3.call(Unknown Source)
         at Script1643787465621.run(Script1643787465621.groovy:27)
```

... 13 more