CancelOrder-CopiedURL

Execution Environment

Host name root - 6cfc5c2788e7

Local OS Linux 64bit Katalon version 8.2.5.208

Browser Chrome 97.0.4692.99

Summary

ID Test Suites/CancelOrder-CopiedURL

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-26 15:30:49 End 2022-02-26 15:38:30

Elapsed 7m - 40.931s

#	ID	Description	Status
1	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-CancelOrder- GetOrderIDAndRefund - CopiedURL	Redirect to New Activity Overview	FAILED

Information

Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelOrder-GetOrderIDAndRefund -

CopiedURL

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 15:30:49 End 2022-02-26 15:38:30

Elapsed 7m - 40.723s

Status FAILED

Details


#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	26.840s	PASSED

Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' successfully



2	switchToDefaultContent()	0.033s	PASSED
3	click (find Test Object ("Super Admin Left Navigation/New Activity Overview-Left Navigation"))	14.717s	PASSED

Object: 'Object Repository/SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation' is clicked on



#	Description	Elapsed	Status
9	println(sizeoflisting)	0.003s	PASSED
10	logInfo(Size of Order Listing: \$sizeoflisting) Size of Order Listing: 11	0.029s	PASSED

#	Description	Elapsed	Status
11	if (sizeoflisting > 2)	6m - 47.111s	FAILED
	Unable to switch to window with index: '0' (Root cause: com.kms.katalon.core.		
	exception.StepFailedException: Unable to switch to window with index: '0'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	SwitchToWindowIndexKeyword.switchToWindowIndex		
	(SwitchToWindowIndexKeyword.groovy:85)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	SwitchToWindowIndexKeyword.execute(SwitchToWindowIndexKeyword.groovy:		
	67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	switchToWindowIndex(WebUiBuiltInKeywords.groovy:1891)		
	at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$switchToWindowIndex\$13.call(Unknown Source)		
	at ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL.run		
	(ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL:135)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:442)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:433)		
	at com.kms.katalon.core.main.TestCaseExecutor.		
	processExecutionPhase(TestCaseExecutor.java:412)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:281)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:164)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite		
	(TestCaseMain.java:185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
	(Unknown Source)		
	at TempTestSuite1645881203466.run(TempTestSuite1645881203466.		
	groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:		
	53'		
	System info: host: '6cfc5c2788e7', ip: '172.17.0.2', os.name: 'Linux', os.arch:		
	'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	Capabilities {acceptInsecureCerts: false, browserName: chrome,		
	browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36		
	(747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.cKNNCW}, goog:		
	chromeOptions: {debuggerAddress: localhost:42627}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,		
	platformName: LINUX, proxy: Proxy(), setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:		
	30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:		
	credBlob: true, webauthn:extension:largeBlob: true, webauthn:		

credBlob: true, webauthn:extension:largeBlob: true, webauthn:

Elapsed

Status

```
Description
virtualAuthenticators: true}
Session ID: 86ebc4f356950866ccadb91f2bd9e5c5
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:609)
         at org.openga.selenium.remote.RemoteWebDriver.getWindowHandles
(RemoteWebDriver.java:460)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver.
lambda$new$1(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.getWindowHandles(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver.
getWindowHandles(EventFiringWebDriver.java:216)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
switchToWindowUsingIndex(WebUiCommonHelper.java:174)
         at com.kms.katalon.core.webui.keyword.builtin.
SwitchToWindowIndexKeyword$_switchToWindowIndex_closure1.doCall
(SwitchToWindowIndexKeyword.groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.
SwitchToWindowIndexKeyword$_switchToWindowIndex_closure1.call
(SwitchToWindowIndexKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.
SwitchToWindowIndexKeyword.switchToWindowIndex
(SwitchToWindowIndexKeyword.groovy:85)
         at com.kms.katalon.core.webui.keyword.builtin.
SwitchToWindowIndexKeyword.execute(SwitchToWindowIndexKeyword.groovy:
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.
switchToWindowIndex(WebUiBuiltInKeywords.groovy:1891)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$switchToWindowIndex$13.call(Unknown Source)
         at Script1644597056783.run(Script1644597056783.groovy:135)
         ... 13 more
```

