CancelOrder-OnIframeView

Execution Environment

Host name intersoft-admin - DESKTOP-ANQSRIJ

Local OS Windows 10 64bit

Katalon version 8.2.5.208
Browser Firefox 97.0

Summary

ID Test Suites/CancelOrder-OnIframeView

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-11 23:30:06 End 2022-02-11 23:37:29

Elapsed 7m - 22.400s

#	ID	Description	Status
1	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-CancelOrder- GetOrderIDAndRefund	Redirect to New Activity Overview	FAILED

Information

 $ID \\ {\color{blue} Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelOrder-GetOrderIDAndRefund} \\$

Description Redirect to New Activity Overview

Tag

Start 2022-02-11 23:34:23 End 2022-02-11 23:37:29

Elapsed 3m - 5.849s

Status FAILED

Details


#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	38.609s	PASSED

Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' successfully



2	switchToDefaultContent()	0.034s	PASSED
3	click(findTestObject("SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation"))	9.398s	PASSED

Object: 'Object Repository/SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation' is clicked on



#	Description	Elapsed	Status
9	println(sizeoflisting)	0.004s	PASSED
10	logInfo(Size of Order Listing: \$sizeoflisting) Size of Order Listing: 11	0.002s	PASSED

table to click on object 'Object Repository/GetOrderID/GetOrderID' talon.core.exception.StepFailedException: Unable to click on object 'Object pository/GetOrderID/GetOrderID' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed ebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword debUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.buyy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click lebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview-IncelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.ta:142) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.ta:442) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase astCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase astCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ta:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ta:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ta:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ta:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ta:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ta:363)	- 4.165s	FAILE
talon.core.exception.StepFailedException: Unable to click on object 'Object pository/GetOrderID/GetOrderID' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed ebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.builtin.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.groovy:40) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. eecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click ebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview-nncelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScript(TestCaseExecutor.a:19) at com.kms.katalon.core.main.TestCaseExecutor.noExecute(TestCaseExecutor.a:442) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:363)		
talon.core.exception.StepFailedException: Unable to click on object 'Object pository/GetOrderID/GetOrderID' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed ebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.builtin.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.groovy:40) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. eecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click ebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview-nncelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScript(TestCaseExecutor.a:19) at com.kms.katalon.core.main.TestCaseExecutor.noExecute(TestCaseExecutor.a:442) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:363)		
pository/GetOrderID/GetOrderID' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed lebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword lebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.buiy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. lickKeywordFortPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click lebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call loknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- nncelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. latin) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.lativity) at com.kms.katalon.core.main.TestCaseExecutor.groovsExecute(TestCaseExecutor.lativity) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.lativity) at com.kms.kat		
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed ebUlKeywordMain.groovy;64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword ebUlKeywordMain.groovy;26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy;40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy;74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click lebUiBuiltInKeywords.groovy;620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- incelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. a:442) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor. a:433) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. a:243) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. a:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. a:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. a:283) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. a:283) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. a:283) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. a:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. a:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. a:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
debUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword debUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.covy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute dickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. decuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click debUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call dinknown Source) at ActivityOverview-CancelOrder-GetOrderlDAndRefund.run(ActivityOverview- dincelOrder-GetOrderlDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptTengine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. da:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(T		
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword lebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.buvy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. lickKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click lebUBuiltlnKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords\$click\$2.call linknown Source) at ActivityOverview-CancelOrder-GetOrderlDAndRefund.run(ActivityOverview- lincelOrder-GetOrderlDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. la:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. la:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.la:443) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase lestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase lestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.la:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.la:363)		
debUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.execute dickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. decuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click debUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- dicelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. dea:119) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.do: dea:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.do: dea:443) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase destCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase destCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.dea:363)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.bovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. lickKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click lebUiBuiltlnKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords\$click\$2.call linknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- lincelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. la:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.la:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.la:443) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase lestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase lestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.la:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.la:363)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click lebUiBuiltlnKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- nncelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. la:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. la:442) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutor.la:443) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase lestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase lestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.la:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.la:363)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click lebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- locelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. la:119) at com.kms.katalon.core.main.TestCaseExecutor.unScript(TestCaseExecutor.la:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.la:433) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase lestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase lestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.la:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.la:363)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click ebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- uncelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. ra:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. ra:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. ra:443) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (ebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- nncelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. ra:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. ra:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. ra:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click lebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- IncelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. Ina:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. Ina:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. Ina:443) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase lestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase lestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. Ina:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. Ina:363)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click lebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- IncelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase astCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase astCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
debUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- incelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. ia:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. ia:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. ia:443) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase iestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase iestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ia:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ia:363)		
debUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- incelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. ia:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. ia:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. ia:443) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase iestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase iestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ia:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ia:363)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call nknown Source) at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview- incelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. ia:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. ia:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. ia:4433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase iestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase iestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ia:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ia:363)		
at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview-IncelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.ra:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.ra:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.ra:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase astCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase astCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363)		
at ActivityOverview-CancelOrder-GetOrderIDAndRefund.run(ActivityOverview-IncelOrder-GetOrderIDAndRefund:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.ra:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.ra:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.ra:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase astCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase astCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ra:363)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.accessMainPhase)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. ra:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. ra:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. ra:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. ra:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. ra:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. ra:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase restCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase restCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. ra:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. ra:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase restCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase restCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. ra:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.aa:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.aa:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.aa:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.aa:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.aa:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.aa:363)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ex		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ex		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ea:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ea:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ea:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ea:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ea:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ea:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ea:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ea:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ea:363)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.at com.kms.katalon.core.main.TestCaseExecutor.at com.kms.katalon.core.main.at com.kms.katalon.core.main.TestCaseExecutor.at com.kms.katalon.core.main.testCaseExecutor.at com.kms.katalon.core.main.testCaseExecutor.at com.kms.katalon.core.main.testCaseExecutor.at com.kms.katalon.core.main.testCaseExecutor.at com.kms.katalon.core.main.testCaseExecutor.at com.kms.katalon.core.main.testCaseExecutor.at com.kms.katalon.core.main.testCaseExecutor.at com.kms.katalon.core.main.testCaseExecutor.at com.kms.katalon.core.main.testCa		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:363)		
ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ea:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executo		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ea:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
ra:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
ra:363)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
estSuiteExecutor.java:202)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
estSuiteExecutor.java:164)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
5)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
5)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
urce)		
at TempTestSuite1644602310607.run(TempTestSuite1644602310607.groovy:36)		
used by: org.openqa.selenium.ElementNotInteractableException: Element <tr class="</td><td></td><td></td></tr><tr><td>der-company-row"> could not be scrolled into view</tr>		
ild info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
stem info: host: 'DESKTOP-ANQSRIJ', ip: '192.168.1.59', os.name: 'Windows 10', os.		
ch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'		

Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 97.0,

```
Description
                                                                                           Elapsed
                                                                                                             Status
javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220202182137,
moz:geckodriverVersion: 0.23.0, moz:headless: false, moz:processID: 8240, moz:profile: C:
\Users\intersoft-admin\Ap..., moz:shutdownTimeout: 60000, moz:
useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy:
normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy:
Proxy(direct), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,
pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: d7386213-c9c9-449a-ac01-c7b23070f435
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
27)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
         at Script1644557691426.run(Script1644557691426.groovy:122)
```

... 16 more

