CancelSingleBookingNotHavingStatusRefunded

Execution Environment

Host name intersoft-admin - DESKTOP-ANQSRIJ

Local OS Windows 10 64bit

Katalon version 8.2.5.208 Browser Firefox 97.0

Summary

ID Test Suites/CancelSingleBookingNotHavingStatusRefunded

Description In this case we refund one booking which have not status refunded on page 1

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-11 23:30:27 End 2022-02-11 23:33:44

Elapsed 3m - 17.258s

#	ID	Description	Status
1	Test Cases/NewActivityOverview-	Redirect to New Activity Overview	FAILED
	LeftNavigation/ActivityOverview-CancelBooking		

Information

ID Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelBooking

Description Redirect to New Activity Overview

Tag

Start 2022-02-11 23:32:42 End 2022-02-11 23:33:44

Elapsed 1m - 1.793s

Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Status
callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:],	1m - 1.617s	FAILE
STOP_ON_FAILURE)		
Unable to call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' (Root		
cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:74)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords		
groovy:334)	•	
at ActivityOverview-CancelBooking.run(ActivityOverview-CancelBooking:26)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:442)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:433)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:412)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:404)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:281)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:363)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:363)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:363)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:202)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:164)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java	a:	
105)		
$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: test Case Main. j$		
185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1644602312292.run(TempTestSuite1644602312292.groovy:36)	
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser		
with url: "		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywor	d	
CHEVALLACIONALICACIONALICANIE, WELLILACEV VICTO THEOLOGI AVELLI INTEVIVIDILIMIZATI THIN PAVVIII		

(WebUIKeywordMain.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.

Status

```
Description
                                                                                                                                                            Elapsed
 openBrowser(OpenBrowserKeyword.groovy:81)
                 at\ com. kms. katalon. core. webui. keyword. builtin. Open Browser Keyword. execute
 (OpenBrowserKeyword.groovy:67)
                 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
 (WebUiBuiltInKeywords.groovy:64)
                at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
 (Unknown Source)
                at SuperAdmin-Login.run(SuperAdmin-Login:20)
                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:442)
                 at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
java:433)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:412)
                at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
 (TestCaseExecutor.java:404)
                 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:281)
                 at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 142)
                at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                 ... 23 more
 Caused by: org.openga.selenium.WebDriverException: connection refused
 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'DESKTOP-ANQSRIJ', ip: '192.168.1.59', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: CGeckoDriver
remote stacktrace:
                 at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
                at org.openga.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
                 at org.openga.selenium.remote.ProtocolHandshake.lambda$createSession$0
 (ProtocolHandshake.java:126)
                 at org.openqa.selenium.remote.ProtocolHandshake.createSession
 (ProtocolHandshake.java:128)
                at org.openqa.selenium.remote.ProtocolHandshake.createSession
 (ProtocolHandshake.java:74)
                at org.openqa.selenium.remote.HttpCommandExecutor.execute
 (HttpCommandExecutor.java:136)
                at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
 (DriverCommandExecutor.java:83)
                at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
                at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
27)
                at org.openga.selenium.remote.RemoteWebDriver.startSession
 (RemoteWebDriver.java:213)
                at org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
 131)
                at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:147)
```

at com.kms.katalon.selenium.driver.CFirefoxDriver.<init>(CFirefoxDriver.java:21)

Description Elapsed Status at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver.<init>(CGeckoDriver. java:12) $at\ com. kms. katalon. core. we bui. driver. firefox. CGecko Driver. from (CGecko Driver. from CGecko Dr$ java:17) $at\ com. kms. katalon. core. we bui. driver. Driver Factory. create New Firefox Driver$ (DriverFactory.java:700) $at\ com. kms. katalon. core. we bui. driver. Driver Factory. start New Browser$ (DriverFactory.java:357) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:253) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) ... 38 more