RefundOrder-CopiedURL

Execution Environment

Host name root - 6cfc5c2788e7

Local OS Linux 64bit Katalon version 8.2.5.208

Browser Chrome 97.0.4692.99

Summary

ID Test Suites/RefundOrder-CopiedURL

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-26 13:39:33 End 2022-02-26 13:44:59

Elapsed 5m - 26.294s

#	ID	Description	Status
1	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-RefundOrder- GetOrderIDAndRefund - CopiedURL	Redirect to New Activity Overview	FAILED

Information

Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-RefundOrder-GetOrderIDAndRefund

CopiedURL

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 13:39:33 End 2022-02-26 13:44:59

Elapsed 5m - 26.027s

Status FAILED

Details


#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	27.767s	PASSED

Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' successfully



2	switchToDefaultContent()	0.025s	PASSED
3	${\it click} (find Test Object ("Super Admin Left Navigation/New Activity Overview-Left Navigation")) \\$	14.396s	PASSED

Object: 'Object Repository/SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation' is clicked on



#	Description	Elapsed	Status
9	println(sizeoflisting)	0.002s	PASSED
10	logInfo(Size of Order Listing: \$sizeoflisting) Size of Order Listing: 11	0.010s	PASSED

#	Description	Elapsed	Status
11	if (sizeoflisting > 2)	4m - 31.664s	FAILED
		· · · · · · · · · · · · · · · · · · ·	
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor.		
	processExecutionPhase(TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281)		
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite		
	(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)		
	at TempTestSuite1645881179112.run(TempTestSuite1645881179112.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'		
	System info: host: '6cfc5c2788e7', ip: '172.17.0.2', os.name: 'Linux', os.arch: 'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36		
	(747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.350FVe}, goog: chromeOptions: {debuggerAddress: localhost:40303}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,		

Elapsed

Status

Description platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn: virtualAuthenticators: true} Session ID: c9cbc45f279a1ad5b3a08785237089af *** Element info: {Using=xpath, value=//div[@class='custom-selectbox ml8 more-actions ']//input[@class='select-dropdown dropdown-trigger']} at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openga.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver. findElementsByXPath(RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at org.openqa.selenium.support.events.EventFiringWebDriver. lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy10.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver. findElements(EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1016) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:733) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword\$findWebElement.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. WaitForElementVisibleKeyword\$_waitForElementVisible_closure1.doCall (WaitForElementVisibleKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin. WaitForElementVisibleKeyword\$_waitForElementVisible_closure1.doCall (WaitForElementVisibleKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.

runKeyword(WebUIKeywordMain.groovy:20)

Description Elapsed Status

at com.kms.katalon.core.webui.keyword.internal.

WebUIKeywordMain\$runKeyword.call(Unknown Source)

at com.kms.katalon.core.webui.keyword.builtin.

WaitFor Element Visible Keyword. waitFor Element Visible

(WaitForElementVisibleKeyword.groovy:98)

at com.kms.katalon.core.webui.keyword.builtin.

WaitForElementVisibleKeyword.execute(WaitForElementVisibleKeyword.groovy: 68)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.


waitForElementVisible(WebUiBuiltInKeywords.groovy:438)


at com.kms.katalon.core.webui.keyword.


WebUiBuiltInKeywords\$waitForElementVisible\$13.call(Unknown Source)

at Script1644674366296.run(Script1644674366296.groovy:131)

... 13 more







Status

