CancelAndRefundMultipleBookings

Execution Environment

Host name	root - 598f98d4bf79
Local OS	Linux 64bit
Katalon version	8.2.5.208
Browser	null

Summary

ID	Test Suites/CancelAndRefundMultipleBookings
Description	Here We can refund on basis of multiple booking exist on page 1

Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2022-02-26 12:10:02	End	2022-02-26 12:10:04
Elapsed	2.164s		

#	ID	Description	Status
1	Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelBooking-GetOrderIDAndRefund	Redirect to New Activity Overview	FAILED

ActivityOverview-CancelBooking-GetOrderIDAndRefund

Information

ID	Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelBooking-GetOrderIDAndRefund
Description	Redirect to New Activity Overview
Tag	

Start	2022-02-26 12:10:02	End	2022-02-26 12:10:04
Elapsed	1.926s		
Status	FAILED		

Details

#	Description	Elapsed	Status

ActivityOverview-CancelBooking-GetOrderIDAndRefund

#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	1.391s	FAILED

Unable to call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword. groovy:63)
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:334)
        at ActivityOverview-CancelBooking-GetOrderIDAndRefund.run (ActivityOverview-CancelBooking-GetOrderIDAndRefund:26)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:442)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433)
        at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:412)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)
        at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:164)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source)
        at TempTestSuite1645877319127.run(TempTestSuite1645877319127. groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set viewport size for browser
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin. SetViewPortSizeKeyword.setViewPortSize(SetViewPortSizeKeyword.groovy:73)
        at com.kms.katalon.core.webui.keyword.builtin. SetViewPortSizeKeyword.execute(SetViewPortSizeKeyword.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. setViewPortSize(WebUiBuiltInKeywords.groovy:4468)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$setViewPortSize$0.call(Unknown Source)
  at SuperAdmin-Login.run(SuperAdmin-Login:23)
  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
  at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:442)
  at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:433)
  at com.kms.katalon.core.main.TestCaseExecutor.
processExecutionPhase(TestCaseExecutor.java:412)
  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
  at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:281)
  at com.kms.katalon.core.main.TestCaseMain.runTestCase
(TestCaseMain.java:142)
  at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.
groovy:59)
  ... 20 more
Caused by: org.openqa.selenium.WebDriverException: chrome not reachable
 (Session info: chrome=97.0.4692.99)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch:
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome,
browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36
(747e0a0f19c13..., userDataDir: /tmp/.com.google.Chrome.D660uJ}, goog:
chromeOptions: {debuggerAddress: localhost:46243}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,
platformName: LINUX, proxy: Proxy(), setWindowRect: true,
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:
30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:
virtualAuthenticators: true}
Session ID: 9ce3f592182092b6f3c789dd75c03691
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
  at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
  at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
  at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.setSize
(RemoteWebDriver.java:802)
  at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWindow.setSize(EventFiringWebDriver.java:
749)
  at com.kms.katalon.core.webui.keyword.builtin.
SetViewPortSizeKeyword$_setViewPortSize_closure1.doCall

#	Description	Elapsed	Status

(SetViewPortSizeKeyword.groovy:82)
        at com.kms.katalon.core.webui.keyword.builtin.
SetViewPortSizeKeyword$_setViewPortSize_closure1.call
(SetViewPortSizeKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
        ... 35 more
)