# CancelAndRefundMultipleBookings-CopiedURL

## Execution Environment

| | |
|---|---|
| Host name | root - bab3ec907815 |
| Local OS | Linux 64bit |
| Katalon version | 8.2.5.208 |
| Browser | Chrome 97.0.4692.99 |

## Summary

| | |
|---|---|
| ID | Test Suites/CancelAndRefundMultipleBookings-CopiedURL |
| Description | In this case we will check cancel functionality on copied url |

| | | | |
|---|---|---|---|
| Total | 1 | | |
| Passed | 0 | Failed | 1 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 2022-02-26 11:52:04 | End | 2022-02-26 11:52:37 |
| Elapsed | 32.524s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelBooking-GetOrderIDAndRefund - CopiedURL | Redirect to New Activity Overview | FAILED |

# ActivityOverview-CancelBooking-GetOrderIDAndRefund - CopiedURL

## Information

| | |
|---|---|
| ID | Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelBooking-GetOrderIDAndRefund - CopiedURL |
| Description | Redirect to New Activity Overview |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2022-02-26 11:52:05 | End | 2022-02-26 11:52:37 |
| Elapsed | 32.291s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# ActivityOverview-CancelBooking-GetOrderIDAndRefund - CopiedURL

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE) | 31.916s | FAILED |

Unable to call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword. groovy:63)
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:334)
        at ActivityOverview-CancelBooking-GetOrderIDAndRefund - CopiedURL. run(ActivityOverview-CancelBooking-GetOrderIDAndRefund - CopiedURL:26)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:442)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433)
        at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:412)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)
        at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:164)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source)
        at TempTestSuite1645876245703.run(TempTestSuite1645876245703. groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Cannot take screenshot
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin. TakeScreenshotKeyword.takeScreenshot(TakeScreenshotKeyword.groovy:126)
        at com.kms.katalon.core.webui.keyword.builtin. TakeScreenshotKeyword.execute(TakeScreenshotKeyword.groovy:84)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. takeScreenshot(WebUiBuiltInKeywords.groovy:2961)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$takeScreenshot$5.call(Unknown Source)
        at SuperAdmin-Login.run(SuperAdmin-Login:35)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:442)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:433)
        at com.kms.katalon.core.main.TestCaseExecutor.
processExecutionPhase(TestCaseExecutor.java:412)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:281)
        at com.kms.katalon.core.main.TestCaseMain.runTestCase
(TestCaseMain.java:142)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.
groovy:59)
        ... 20 more
Caused by: org.openqa.selenium.WebDriverException: unknown error: session
deleted because of page crash
from unknown error: cannot determine loading status
from tab crashed
  (Session info: chrome=97.0.4692.99)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: 'bab3ec907815', ip: '172.17.0.2', os.name: 'Linux', os.arch:
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome,
browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36
(747e0a0f19c13..., userDataDir: /tmp/.com.google.Chrome.sFqahk}, goog:
chromeOptions: {debuggerAddress: localhost:37673}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,
platformName: LINUX, proxy: Proxy(), setWindowRect: true,
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:
30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:
virtualAuthenticators: true}
Session ID: 496ba19a92008f0c786a3d38734a3fdf
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
        at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:609)
        at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs
(RemoteWebDriver.java:295)
        at org.openqa.selenium.support.events.EventFiringWebDriver.

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| | lambda$new$1(EventFiringWebDriver.java:105)<br>        at com.sun.proxy.$Proxy10.getScreenshotAs(Unknown Source)<br>        at org.openqa.selenium.support.events.EventFiringWebDriver.<br>getScreenshotAs(EventFiringWebDriver.java:302)<br>        at com.kms.katalon.core.webui.util.FileUtil.takeDefaultScreenshot<br>(FileUtil.java:333)<br>        at com.kms.katalon.core.webui.util.FileUtil.takesScreenshot(FileUtil.<br>java:58)<br>        at com.kms.katalon.core.webui.keyword.builtin.<br>TakeScreenshotKeyword$_takeScreenshot_closure1.doCall<br>(TakeScreenshotKeyword.groovy:127)<br>        at com.kms.katalon.core.webui.keyword.builtin.<br>TakeScreenshotKeyword$_takeScreenshot_closure1.call<br>(TakeScreenshotKeyword.groovy)<br>        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.<br>runKeyword(WebUIKeywordMain.groovy:20)<br>        ... 35 more<br>) | | |