DetailPop-up-BothSideUrlBasedAndNormal

Execution Environment

Host name root - 598f98d4bf79

Local OS Linux 64bit Katalon version 8.2.5.208

Browser Chrome 97.0.4692.99

Summary

ID Test Suites/DetailPop-up-BothSideUrlBasedAndNormal

Description Testing of detail pop-up with all section Lying in the product detail and as well as product details for all sub

products

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-26 12:10:28 End 2022-02-26 12:11:13

Elapsed 44.566s

#	ID	Description	Status
1	Test Cases/NewActivityOverview-	Redirect to New Activity Overview	FAILED

Information

ID Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-OpenDetailPop-up

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 12:10:29 End 2022-02-26 12:11:13

Elapsed 44.229s Status FAILED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:],	36.331s	PASSED

Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' successfully



2 switchToDefaultContent() 0.116s PASSED

#	Description	Elapsed	Statu
3	click(findTestObject("SuperAdminLeftNavigation/NewActivityOverview-	7.098s	FAILE
J	LeftNavigation"))	7.0000	171122
	Unable to click on object 'Object		
	Repository/SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to		
	click on object 'Object		
	Repository/SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.		
	call(Unknown Source)		
	at ActivityOverview-OpenDetailPop-up.run(ActivityOverview-		
	OpenDetailPop-up:31)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:442)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433)		
	at com.kms.katalon.core.main.TestCaseExecutor.		
	processExecutionPhase(TestCaseExecutor.java:412)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:404)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:164)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite		
	(TestCaseMain.java:185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
	(Unknown Source) at TempTestSuite1645877327727.run(TempTestSuite1645877327727.		
	groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'		
	System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch:		
	'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	Capabilities {acceptInsecureCerts: false, browserName: chrome,		
	browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36 (747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.0PM3HJ}, goog:		
	chromeOptions: {debuggerAddress: localhost:32899}, javascriptEnabled: true,		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,		
	platformName: LINUX, proxy: Proxy(), setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:		
	30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:		

Elapsed

Status

```
Description
credBlob: true, webauthn:extension:largeBlob: true, webauthn:
virtualAuthenticators: true}
Session ID: fc373fb64284b9e5ee80bf7aee36531c
*** Element info: {Using=xpath, value=//span[contains(text(),'Activity
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openga.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.
findElementsByXPath(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
         at org.openga.selenium.support.events.EventFiringWebDriver.
lambda$new$1(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.
findElements(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1016)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:733)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElements(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElement(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.
WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.
ClickKeyword$_click_closure1.doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.
ClickKeyword$ click closure1.call(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click
(ClickKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
```

(WebUiBuiltInKeywords.groovy:620)

Description Elapsed Status

```
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call(Unknown Source)
at Script1643703980676.run(Script1643703980676.groovy:31)
... 13 more
)
```