Activity Overview detail Pop-up Other Section

Execution Environment

Host name root - bab3ec907815

Local OS Linux 64bit Katalon version 8.2.5.208

Browser Chrome 97.0.4692.99

Summary

ID Test Suites/Activity Overview detail Pop-up Other SectionDescription Checking vailable Action on listing in the New Activity Overview

Total 4

Passed 0 Failed 3
Error 1 Incomplete 0

Skipped 0

Start 2022-02-26 11:51:43 End 2022-02-26 11:52:23

Elapsed 39.583s

#	ID	Description	Status
1	Test Cases/StepToReUse/ActivityOverview-RedirectionLogin	Redirect to New Activity Overview	FAILED
2	Test Cases/StepToReUse/SearchProducts	Redirect to New Activity Overview	ERROR
3	Test Cases/StepToReUse/GoToDetailPop-up	Redirect to New Activity Overview	FAILED
4	Test Cases/StepToReUse/OtherProductDetails	Redirect to New Activity Overview	FAILED

Information

ID Test Cases/StepToReUse/ActivityOverview-RedirectionLogin

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 11:51:43 End 2022-02-26 11:52:19

Elapsed 35.315s Status FAILED

Details

Status FAILED

Description	Elapsed
callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	35.075s
Unable to call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed	
at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.	
groovy:63) at com.kms.katalon.core.keyword.builtin.	
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword	
(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81)	
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)	
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase	
(BuiltinKeywords.groovy:334) at ActivityOverview-RedirectionLogin.run(ActivityOverview-	
RedirectionLogin:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText	
(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.invo.142)	
(TestCaseExecutor.java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433)	
at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:412)	
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute	
(TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestSuiteExecutor.	
accessTestCaseMainPhase(TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:164)	
at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105)	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call	
(Unknown Source) at TempTestSuite1645876239206.run(TempTestSuite1645876239206.	
groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Cannot take screenshot	
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)	
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)	
at com.kms.katalon.core.webui.keyword.builtin. TakeScreenshotKeyword.takeScreenshot(TakeScreenshotKeyword.groovy:126) at com.kms.katalon.core.webui.keyword.builtin.	
TakeScreenshotKeyword.execute(TakeScreenshotKeyword.groovy:84) at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.	
takeScreenshot(WebUiBuiltInKeywords.groovy:2961) at com.kms.katalon.core.webui.keyword.	

Elapsed

Status

```
Description
WebUiBuiltInKeywords$takeScreenshot$5.call(Unknown Source)
         at SuperAdmin-Login.run(SuperAdmin-Login:35)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
         at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:442)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:433)
         at com.kms.katalon.core.main.TestCaseExecutor.
processExecutionPhase(TestCaseExecutor.java:412)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
         at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:281)
         at com.kms.katalon.core.main.TestCaseMain.runTestCase
(TestCaseMain.java:142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.
         ... 20 more
Caused by: org.openqa.selenium.WebDriverException: unknown error: session
deleted because of page crash
from unknown error: cannot determine loading status
from tab crashed
 (Session info: chrome=97.0.4692.99)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: 'bab3ec907815', ip: '172.17.0.2', os.name: 'Linux', os.arch:
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome,
browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36
(747e0a0f19c13..., userDataDir: /tmp/.com.google.Chrome.c89Br3}, goog:
chromeOptions: {debuggerAddress: localhost:35065}, javascriptEnabled: true,
network Connection Enabled: false, page Load Strategy: normal, platform: LINUX,\\
platformName: LINUX, proxy: Proxy(), setWindowRect: true,
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:
30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:
virtualAuthenticators: true}
Session ID: 52fb59c837b82caeba1e94674965187e
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:609)
         at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs
(RemoteWebDriver.java:295)
         at org.openga.selenium.support.events.EventFiringWebDriver.
lambda$new$1(EventFiringWebDriver.java:105)
```

at com.sun.proxy.\$Proxy10.getScreenshotAs(Unknown Source)

Description Elapsed Status

at org.openqa.selenium.support.events.EventFiringWebDriver.
getScreenshotAs(EventFiringWebDriver.java:302)

at com.kms.katalon.core.webui.util.FileUtil.takeDefaultScreenshot (FileUtil.java:333)

at com.kms.katalon.core.webui.util.FileUtil.takesScreenshot(FileUtil.

java:58)

at com.kms.katalon.core.webui.keyword.builtin.

TakeScreenshotKeyword\$_takeScreenshot_closure1.doCall

(TakeScreenshotKeyword.groovy:127)

at com.kms.katalon.core.webui.keyword.builtin.

TakeScreenshotKeyword\$_takeScreenshot_closure1.call

(TakeScreenshotKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.

runKeyword(WebUIKeywordMain.groovy:20)

... 35 more

)

SearchProducts

Information

ID Test Cases/StepToReUse/SearchProducts

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 11:52:19 End 2022-02-26 11:52:20

Elapsed 1.500s Status ERROR

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

SearchProducts

Status ERROR

#	Description	Elapsed
1	sizeoflisting = findWebElements(findTestObject ("ListingArea/ListingContainsData"), 5).size()	1.141s
	Test Cases/StepToReUse/SearchProducts FAILED. Reason:	
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'	
	System info: host: 'bab3ec907815', ip: '172.17.0.2', os.name: 'Linux', os.arch: 'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36 (747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.c89Br3}, goog: chromeOptions: {debuggerAddress: localhost:35065}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:	
	credBlob: true, webauthn:extension:largeBlob: true, webauthn: virtualAuthenticators: true} Session ID: 52fb59c837b82caeba1e94674965187e	
	*** Element info: {Using=xpath, value=//table[@id='main-table']//tbody//tr[1]} at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)	
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute	
	(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83)	
	at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552)	
	at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.findElements	
	(RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.	
	findElementsByXPath(RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements	
	(RemoteWebDriver.java:311) at org.openqa.selenium.support.events.EventFiringWebDriver.	
	lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy10.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.	
	findElements(EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1016)	
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper.	
	findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper.	
	findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885)	
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsWithSelfHealing(WebUiCommonHelper.java:733)	
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements(WebUiCommonHelper.java:718)	

SearchProducts

Elapsed

Status

Description at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword.findWebElements(WebUIAbstractKeyword.groovy:32) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords. findWebElements(WebUiBuiltInKeywords.groovy:2860) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$findWebElements\$6.call(Unknown Source) at SearchProducts.run(SearchProducts:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:412) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1645876239206.run(TempTestSuite1645876239206. groovy:36)

Information

ID Test Cases/StepToReUse/GoToDetailPop-up

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 11:52:20 End 2022-02-26 11:52:21

Elapsed 1.221s
Status FAILED

Details

Description	Elapsed	Statu
click(findTestObject("Object Repository/ListingArea/ClickondetailPOp-up", ["position":"1"]))	1.093s	FAILE
Unable to click on object 'Object Repository/ListingArea/ClickondetailPOp-up'		
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to		
click on object 'Object Repository/ListingArea/ClickondetailPOp-up'		
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.		
stepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click		
(ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.		
call(Unknown Source)		
at GoToDetailPop-up.run(GoToDetailPop-up:27)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:442)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor.		
processExecutionPhase(TestCaseExecutor.java:412)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:404)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:281)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:164)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(TestSuiteExecutor.java:105)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite		
(TestCaseMain.java:185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
(Unknown Source)		
at TempTestSuite1645876239206.run(TempTestSuite1645876239206.		
groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:		
53'		
System info: host: 'bab3ec907815', ip: '172.17.0.2', os.name: 'Linux', os.arch:		
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'		
Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Capabilities {acceptInsecureCerts: false, browserName: chrome,		
browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36		
(747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.c89Br3}, goog:		
chromeOptions: {debuggerAddress: localhost:35065}, javascriptEnabled: true,		
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,		
platformName: LINUX, proxy: Proxy(), setWindowRect: true,		
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:		
30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:		
credBlob: true, webauthn:extension:largeBlob: true, webauthn:		
virtualAuthenticators: true}		
Session ID: 52fb59c837b82caeba1e94674965187e		

Status

Description Elapsed *** Element info: {Using=xpath, value=(//table[@id='main-table']//tbody//tr//tr [1])[1]} at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) $at\ org. open qa. selenium. remote. service. Driver Command Executor.$ execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver. findElementsByXPath(RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at org.openga.selenium.support.events.EventFiringWebDriver. lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy10.findElements(Unknown Source) at org.openga.selenium.support.events.EventFiringWebDriver. findElements(EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1016) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:733) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.

at Script1643869141052.run(Script1643869141052.groovy:27)

call(Unknown Source)

Description Elapsed Status
... 13 more

Information

ID Test Cases/StepToReUse/OtherProductDetails

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 11:52:21 End 2022-02-26 11:52:23

Elapsed 1.307s Status FAILED

Details

Description	Elapsed	Status
scrollToElement(findTestObject("Object Repository/DetailPop-	1.108s	FAILED
up/OrderPaymentInformation-OrderSummary- Activity/OrderSummaryPaymentActivity", ["position":"1"]), 15)		
Unable to scroll to object 'Object Repository/DetailPop-		
up/OrderPaymentInformation-OrderSummary-		
Activity/OrderSummaryPaymentActivity' (Root cause: com.kms.katalon.core.		
exception.StepFailedException: Unable to scroll to object 'Object Repository/DetailPop-up/OrderPaymentInformation-OrderSummary-		
Activity/OrderSummaryPaymentActivity'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
stepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.		
ScrollToElementKeyword.scrollToElement(ScrollToElementKeyword.groovy:88)		
at com.kms.katalon.core.webui.keyword.builtin. ScrollToElementKeyword.execute(ScrollToElementKeyword.groovy:68)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
scrollToElement(WebUiBuiltInKeywords.groovy:4061)		
at com.kms.katalon.core.webui.keyword.		
WebUiBuiltInKeywords\$scrollToElement\$7.call(Unknown Source)		
at OtherProductDetails.run(OtherProductDetails:27)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:442)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:433)		
at com.kms.katalon.core.main.TestCaseExecutor.		
processExecutionPhase(TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:404)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:281)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(TestSuiteExecutor.java:105)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite		
(TestCaseMain.java:185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
(Unknown Source)		
at TempTestSuite1645876239206.run(TempTestSuite1645876239206.		
groovy:36) Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:		
53'		
System info: host: 'bab3ec907815', ip: '172.17.0.2', os.name: 'Linux', os.arch:		
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'		
Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Capabilities {acceptInsecureCerts: false, browserName: chrome,		
browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 97.0.4692.36		
(747e0a0f19c13, userDataDir: /tmp/.com.google.Chrome.c89Br3}, goog:		
chromeOptions: {debuggerAddress: localhost:35065}, javascriptEnabled: true,		
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true,		
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:		

Elapsed

Status

Description 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn: virtualAuthenticators: true} Session ID: 52fb59c837b82caeba1e94674965187e *** Element info: {Using=xpath, value=(//lif@class='order-summary white-box']) at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openga.selenium.remote.RemoteWebDriver. findElementsByXPath(RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at org.openga.selenium.support.events.EventFiringWebDriver. lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy10.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver. findElements(EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1016) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:733) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. ScrollToElementKeyword\$ scrollToElement_closure1.doCall (ScrollToElementKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin. ScrollToElementKeyword\$_scrollToElement_closure1.call (ScrollToElementKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin. ScrollToElementKeyword.scrollToElement(ScrollToElementKeyword.groovy:88)

at com.kms.katalon.core.webui.keyword.builtin.

```
ScrollToElementKeyword.execute(ScrollToElementKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. scrollToElement(WebUiBuiltInKeywords.groovy:4061) at com.kms.katalon.core.webui.keyword.

WebUiBuiltInKeywords$scrollToElement$7.call(Unknown Source) at Script1643868741616.run(Script1643868741616.groovy:27) ... 13 more
```