CalendarTestingWithSearchAndSorting

Execution Environment

Host name intersoft-admin - intersoftadmin-desktop

Local OS Linux 64bit
Katalon version 8.2.5.208

Browser Chrome 98.0.4758.102

Summary

ID Test Suites/CalendarTestingWithSearchAndSorting

Description Testing of search and sorting apply calendar custom date range

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-26 17:45:44 End 2022-02-26 17:52:43

Elapsed 6m - 58.890s

#	ID	Description	Status
1	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-ListingCalendar- SearchSorting	Redirect to New Activity Overview	FAILED

Information

ID Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-ListingCalendar-SearchSorting

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 17:50:58 End 2022-02-26 17:52:43

Elapsed 1m - 44.154s

Status FAILED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	25.899s	PASSED


Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' successfully



2 switchToDefaultContent() 0.030s PASSED

3 click(findTestObject("SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation")) 13.879s PASSED

Object: 'Object Repository/SuperAdminLeftNavigation/NewActivityOverview-LeftNavigation' is clicked on



#	Description	Elapsed	Status
10	logInfo(Size of Order Listing: \$sizeoflisting)	0.000s	PASSED
	Size of Order Listing: 11		

#	Description	Elapsed	Status
11	if (sizeoflisting > 2)	42.892s	FAILED
	Unable to send keys 'a' to object 'Object		
	Repository/CalendarObjects/InputStartDate' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to send keys 'a' to object 'Object		
	Repository/CalendarObjects/InputStartDate'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.		
	sendKeys(SendKeysKeyword.groovy:60)		
	at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute(SendKeysKeyword.groovy:38)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. sendKeys(WebUiBuiltInKeywords.groovy:864)		
	at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$sendKeys\$9.call(Unknown Source) at ActivityOverview-ListingCalendar-SearchSorting.run		
	(ActivityOverview-ListingCalendar-SearchSorting:67)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:442)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor.		
	processExecutionPhase(TestCaseExecutor.java:412)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:363)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:363)		
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:105)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
	(Unknown Source) at TempTestSuite1645877704378.run(TempTestSuite1645877704378.		
	groovy:36)		
	Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable		
	(Session info: chrome=98.0.4758.102)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'		
	System info: host: 'intersoftadmin-desktop', ip: '127.0.1.1', os.name: 'Linux', os.		
	arch: 'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_312'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome,		
	browserVersion: 98.0.4758.102. chrome: {chromedriverVersion: 97.0.4692.36		

browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 97.0.4692.36

Elapsed

Status

```
(747e0a0f19c13..., userDataDir: /tmp/.com.google.Chrome.t0WBjJ}, goog:
chromeOptions: {debuggerAddress: localhost:40395}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,
platformName: LINUX, proxy: Proxy(), setWindowRect: true,
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script:
30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:
virtualAuthenticators: true}
Session ID: 53fd2e9ce7ad1afe41b750d63b2c0ffc
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openqa.selenium.remote.RemoteWebElement.sendKeys
(RemoteWebElement.iava:106)
         at org.openga.selenium.support.events.
{\bf Event Firing WebDriver \$ Event Firing Web Element. lambda \$ new\$ 0}
(EventFiringWebDriver.java:404)
         at com.sun.proxy.$Proxy11.sendKeys(Unknown Source)
         at org.openqa.selenium.support.events.
\label{thm:event-firing-webElement} Event Firing Web Element. send Keys (Event Firing Web Driver.) \\
java:429)
         at com.kms.katalon.core.webui.keyword.builtin.
SendKeysKeyword$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:53)
         at com.kms.katalon.core.webui.keyword.builtin.
SendKeysKeyword$_sendKeys_closure1.call(SendKeysKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.
sendKeys(SendKeysKeyword.groovy:60)
         at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.
execute(SendKeysKeyword.groovy:38)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
sendKeys(WebUiBuiltInKeywords.groovy:864)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$sendKeys$9.call(Unknown Source)
         at Script1643615815620.run(Script1643615815620.groovy:67)
         ... 16 more
```

Description

