CancelOrder-CopiedURL

Execution Environment

Host name	root - 598f98d4bf79
Local OS	Linux 64bit
Katalon version	8.2.5.208
Browser	null

Summary

ID	Test Suites/CancelOrder-CopiedURL		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2022-02-26 12:10:08	End	2022-02-26 12:10:12
Elapsed	3.410s		

#	ID	Description	Status
1	Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL	Redirect to New Activity Overview	FAILED

ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL

Information

ID	Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL
Description	Redirect to New Activity Overview
Tag	

Start	2022-02-26 12:10:09	End	2022-02-26 12:10:12
Elapsed	3.176s		
Status	FAILED		

Details

#	Description	Elapsed	Status

ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL

#	Description	Elapsed	Status
1	callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	2.799s	FAILED

Unable to call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed
		at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.
groovy:63)
		at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
		at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:74)
		at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.
callTestCase(CallTestCaseKeyword.groovy:81)
		at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
		at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
		at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase
(BuiltinKeywords.groovy:334)
		at ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL.run
(ActivityOverview-CancelOrder-GetOrderIDAndRefund - CopiedURL:26)
		at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
		at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
		at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:442)
		at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:433)
		at com.kms.katalon.core.main.TestCaseExecutor.
processExecutionPhase(TestCaseExecutor.java:412)
		at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
		at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:281)
		at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestCaseMainPhase(TestSuiteExecutor.java:202)
		at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:164)
		at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:105)
		at com.kms.katalon.core.main.TestCaseMain.startTestSuite
(TestCaseMain.java:185)
		at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
		at TempTestSuite1645877321658.run(TempTestSuite1645877321658.
groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: ''
		at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
		at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
		at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
		at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
		at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
		at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
        at SuperAdmin-Login.run(SuperAdmin-Login:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:442)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:433)
        at com.kms.katalon.core.main.TestCaseExecutor.
processExecutionPhase(TestCaseExecutor.java:412)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:281)
        at com.kms.katalon.core.main.TestCaseMain.runTestCase
(TestCaseMain.java:142)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.
groovy:59)
        ... 20 more
Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome
failed to start: crashed.
  (chrome not reachable)
  (The process started from chrome location /usr/bin/google-chrome is no longer
running, so ChromeDriver is assuming that Chrome has crashed.)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch:
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'
Driver info: driver.version: CChromeDriver
remote stacktrace: #0 0x564f96fdbf23 <unknown>
#1 0x564f96aa6838 <unknown>
#2 0x564f96ac9975 <unknown>
#3 0x564f96ac50fa <unknown>
#4 0x564f96afff4a <unknown>
#5 0x564f96afa073 <unknown>
#6 0x564f96acfbca <unknown>
#7 0x564f96ad0c95 <unknown>
#8 0x564f9700b73d <unknown>
#9 0x564f97021a40 <unknown>
#10 0x564f9700d435 <unknown>
#11 0x564f97022465 <unknown>
#12 0x564f97000e6f <unknown>
#13 0x564f9703d2d8 <unknown>
#14 0x564f9703d458 <unknown>
#15 0x564f970581fd <unknown>
#16 0x7f245c6ac6ba <unknown>

        at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
        at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
        at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)

#	Description	Elapsed	Status
	at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createNewChromeDriver(DriverFactory.java:433) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:366) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:253) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 35 more)		