Cancel Single Booking Not Having Status Refunded

Execution Environment

Host name root - 598f98d4bf79

Local OS Linux 64bit
Katalon version 8.2.5.208
Browser null

Summary

ID Test Suites/CancelSingleBookingNotHavingStatusRefunded

Description In this case we refund one booking which have not status refunded on page 1

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-02-26 12:10:19 End 2022-02-26 12:10:24

Elapsed 4.462s

#	ID	Description	Status
1	Test Cases/NewActivityOverview- LeftNavigation/ActivityOverview-CancelBooking	Redirect to New Activity Overview	FAILED

Information

ID Test Cases/NewActivityOverview-LeftNavigation/ActivityOverview-CancelBooking

Description Redirect to New Activity Overview

Tag

Start 2022-02-26 12:10:20 End 2022-02-26 12:10:24

Elapsed 3.894s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Statu
callTestCase(findTestCase("LoginWithSuperAdmin/SuperAdmin-Login"), [:], STOP_ON_FAILURE)	3.442s	FAILE
Unable to call Test Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login'		
(Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test		
Case 'Test Cases/LoginWithSuperAdmin/SuperAdmin-Login' failed		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.		
groovy:63)		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(eywordMain.groovy:74)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.		
allTestCase(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
xecuteKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase		
BuiltinKeywords.groovy:334)		
at ActivityOverview-CancelBooking.run(ActivityOverview-		
ancelBooking:26)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
criptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
estCaseExecutor.java:442)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
estCaseExecutor.java:433)		
at com.kms.katalon.core.main.TestCaseExecutor.		
ocessExecutionPhase(TestCaseExecutor.java:412)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
estCaseExecutor.java:404)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
estCaseExecutor.java:281)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
ccessTestCaseMainPhase(TestSuiteExecutor.java:202)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
ccessTestSuiteMainPhase(TestSuiteExecutor.java:164)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute		
estSuiteExecutor.java:105)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite		
TestCaseMain.java:185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
Unknown Source)		
at TempTestSuite1645877325397.run(TempTestSuite1645877325397.		
roovy:36)		
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to		
pen browser with url: "		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
tepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
unKeyword(WebUlKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
penBrowser(OpenBrowserKeyword.groovy:81)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
xecute(OpenBrowserKeyword.groovy:67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
openBrowser(WebUiBuiltInKeywords.groovy:64)		
at com.kms.katalon.core.webui.keyword.		

Elapsed

Status

```
Description
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
         at SuperAdmin-Login.run(SuperAdmin-Login:20)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
         at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:442)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:433)
         at com.kms.katalon.core.main.TestCaseExecutor.
processExecutionPhase(TestCaseExecutor.java:412)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:404)
         at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:281)
         at com.kms.katalon.core.main.TestCaseMain.runTestCase
(TestCaseMain.java:142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.
         ... 20 more
Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome
failed to start: crashed.
 (chrome not reachable)
 (The process started from chrome location /usr/bin/google-chrome is no longer
running, so ChromeDriver is assuming that Chrome has crashed.)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: '598f98d4bf79', ip: '172.17.0.2', os.name: 'Linux', os.arch:
'amd64', os.version: '5.4.0-99-generic', java.version: '1.8.0_292'
Driver info: driver.version: CChromeDriver
remote stacktrace: #0 0x55b14d42af23 <unknown>
#1 0x55b14cef5838 <unknown>
#2 0x55b14cf18975 <unknown>
#3 0x55b14cf140fa <unknown>
#4 0x55b14cf4ef4a <unknown>
#5 0x55b14cf49073 <unknown>
#6 0x55b14cf1ebca <unknown>
#7 0x55b14cf1fc95 <unknown>
#8 0x55b14d45a73d <unknown>
#9 0x55b14d470a40 <unknown>
#10 0x55b14d45c435 <unknown>
#11 0x55b14d471465 <unknown>
#12 0x55b14d44fe6f <unknown>
#13 0x55b14d48c2d8 <unknown>
#14 0x55b14d48c458 <unknown>
#15 0x55b14d4a71fd <unknown>
#16 0x7fed2d2356ba <unknown>
         at org.openga.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openga.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openga.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
```

at org.openqa.selenium.remote.service.DriverCommandExecutor.

execute(DriverCommandExecutor.java:83)

Elapsed

Status

at org.openga.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createNewChromeDriver(DriverFactory.java:433) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:366) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:253) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

Description

... 35 more