

Bangladesh University of Engineering and Technology

Department of Computer Science & Engineering

CHEM 113 Question Bank

Chemistry

CHEM 113 / CHEM 101 (L-1/T-2)

Year Coverage: 2006–07 to 2023–24

Topics: Quantum Mechanics, Bonding, Solutions, Colloids, Phase Diagrams,
Electrochemistry & more

Authors & Contributors

Md Ratul Hasan (2405009) — Question Curation & Organisation
— $\text{\LaTeX}$ Typesetting

NotebookLM — Research & Extraction

Claude AI — $\text{\LaTeX}$ Typesetting

ChatGPT — Prompt

Table of Contents

Part I — Atomic & Molecular Theory

- ▷ **S1.** Quantum Concept & Atomic Structure
- ▷ **S2.** Molecular Geometry
- ▷ **S3.** Chemical Bonding

Part II — Solution Chemistry

- ▷ **S4.** Properties of Solutions
- ▷ **S5.** Colloid & Nanochemistry
- ▷ **S6.** Phase Rule & Phase Diagram

Part III — Energy & Electrochemistry

- ▷ **S7.** Energy & Chemistry
- ▷ **S8.** Electrochemistry

Part IV — Advanced Topics

- ▷ **S9.** Polymers
- ▷ **S10.** Electronic Materials
- ▷ **S11.** Biomolecules
- ▷ **S12.** Computational Chemistry
- ▷ **S13.** Miscellaneous

BUET · CHEM 113

Chemistry

Section S1

Quantum Concept & Atomic Structure

S1 — Quantum Concept & Atomic Structure

- Q1.** Explain why each element having a characteristic emission and absorption spectra is significant in understanding dual nature of electron? **(5–10 marks)** [CHEM 113 | 2023–24; 2020–21]
- Q2.** Describe the relationship between electron shielding and Z_{eff} on the outermost electrons of an atom. Predict how chemical reactivity is affected by a decreased effective nuclear charge. **(5–10 marks)** [CHEM 113 | 2020–21; 2022–23; 2023–24]
- Q3.** Analyze the radial distribution functions for the hydrogenic 1s, 2s, and 2p orbitals, clearly illustrating their nodal structures. Based on your analysis, justify why the electron in the 2s orbital exhibits a greater probability of being found closer to the nucleus compared to the 2p orbital. **(10 marks)** [CHEM 113 | 2023–24]
- Q4.** Evaluate the case of a Ca^{19+} ion with its electron in the 6th excited state: (i) Calculate the longest wavelength of light emitted when the electron transitions to a lower energy level. (ii) Suppose the same transition as in part (i) took place in a hydrogen atom. Would the wavelength of emission be longer than, shorter than, or the same as your answer? **(10 marks)** [CHEM 113 | 2023–24]
- Q5.** Discuss the periodic trends in ionization energy, electron affinity, atomic size, and metallic properties of elements, illustrating your explanation with the help of a labeled outline of the periodic table. **(10 marks)** [CHEM 113 | 2023–24]
- Q6.** Consider a photoelectric experiment in which light of variable frequency strikes a metal surface. Plot the kinetic energy of emitted electrons as a function of the frequency of the incident light. From this graph, derive the work function of the metal, and discuss how the graph would differ if the light source were replaced with a source of lower frequency which is below the threshold frequency. **(10 marks)** [CHEM 113 | 2022–23]
- Q7.** Inside an atom, the uncertainty in the position of an electron is 0.1 nm. Calculate the minimum uncertainty in the momentum of the particle. If the electron has a de Broglie wavelength $\lambda = 2.0 \times 10^{-10}$ m, calculate its velocity and discuss how the uncertainty in the particle's position influences its momentum and velocity. **(10 marks)** [CHEM 113 | 2022–23]
- Q8.** Sketch the wave functions and the probabilities for 3s, 3p, and 4s orbitals. **(5 marks)** [CHEM 113 | 2022–23]
- Q9.** Demonstrate the relationship between blackbody radiation and Planck's quantum theory. **(10 marks)** [CHEM 113 | 2021–22]
- Q10.** Concisely describe the physical significance of Ψ^2 for a hydrogen atom. **(5 marks)**

[CHEM 113 | 2021–22]

- Q11.** Plot the radial probability distribution for a 2s orbital (as a solid line) and a 2p orbital (as a dashed line). For each orbital indicate any radial nodes with an arrow. Compare the shielding experienced by a 2s electron to that of a 2p electron and provide a brief explanation. (10 marks) [CHEM 113 | 2021–22]
- Q12.** Consider a Ca^{19+} ion with its electron in the 5th excited state. (i) Calculate the longest wavelength of light that could be emitted when the Ca^{19+} electron transitions to a lower energy state. (ii) Suppose the same transition as in part (i) took place in a hydrogen atom. Would the wavelength of emission be longer than, shorter than, or the same as your answer? (10 marks) [CHEM 113 | 2021–22]
- Q13.** Explain why elements produce their own characteristic colors when they emit photons. How is the concept of electron density used to describe the motions and energies of submicroscopic particles in the quantum mechanical treatment of an atom? (15 marks) [CHEM 113 | 2020–21 (Jan 21)]
- Q14.** What role did Einstein's explanation of the photoelectric effect play in the development of the particle-wave interpretation of the nature of electromagnetic radiation? Does a baseball in motion possess wave properties? If so, why can we not determine its wave properties? (20 marks) [CHEM 113 | 2020–21 (Jan 21)]
- Q15.** Show the radial distribution function for hydrogenic 1s, 2s and 2p orbitals with nodes. Why does 2s give the electron a greater probability of close approach to the nucleus compared to 2p orbital? (10 marks) [CHEM 113 | 2020–21]
- Q16.** In making a transition from an orbital with a principal quantum number of 4 to an orbital with a principal quantum number of 7, does the electron of a hydrogen atom emit or absorb a photon of energy? What would be the energy of the photon? To what region of the electromagnetic spectrum does this energy correspond? (10 marks) [CHEM 113 | 2020–21]
- Q17.** Account for the large decrease in electron affinity between Li and Be despite the increase in nuclear charge? (5 marks) [CHEM 113 | 2020–21]
- Q18.** How is the concept of electron density used to describe the position of an electron in the quantum mechanical treatment of an atom? (7–15 marks) [CHEM 113 | 2017–18; 2019–20]
- Q19.** Point out three characteristic features in the photoelectric effect that cannot be explained on the basis of wave theory of light. Provide a brief explanation of those features. (15 marks) [CHEM 113 | 2019–20]
- Q20.** The wave nature of matter is not noticeable in our daily observations — Why? (5

marks)

[CHEM 113 | 2017–18]

- Q21.** Describe the experimental basis for believing that the electrons in an atom behave as tiny bar magnets. (15 marks) [CHEM 113 | 2017–18]
- Q22.** Describe the role played in elucidating the atomic structures by each of the following: (i) Positive rays, (ii) Cathode rays, (iii) X-rays. (18 marks) [CHEM 113 | 2017–18]
- Q23.** Crystal diffraction can be studied by electron diffraction as well as by neutron diffraction method. What should be the ratio of the velocities of electron and neutron for the de Broglie wavelength to be the same? (You don't need to use any data to solve this problem.) (5 marks) [CHEM 113 | 2017–18]
- Q24.** Schrödinger equation can be represented in a simpler form as $H\Psi = E\Psi$, where E is the energy and Ψ is called a wave function. What information can you get from the equation about an electron in an atom? (6 marks) [CHEM 113 | 2016–17]
- Q25.** Justify the statement: “The probability of finding two electrons with the same four quantum numbers in an atom is zero.” (10 marks) [CHEM 113 | 2016–17]
- Q26.** The He^+ ion contains only one electron and is therefore hydrogen-like. Calculate the wavelength, in increasing order, of the first four transitions in the Balmer series of the He^+ ion. Compare these wavelengths with the same transitions in an H atom. Comment on the differences. (The Rydberg constant for He^+ is 8.72×10^{-18} J and that for H is 2.18×10^{-18} J.) (9 marks) [CHEM 113 | 2016–17]
- Q27.** What are photons? What role did Einstein's explanation of the photoelectric effect play in the development of the particle-wave interpretation of the nature of electromagnetic radiation? (9–12 marks) [CHEM 113 | 2015–16; 2011–12]
- Q28.** What do you mean by Eigen values and Eigen functions? (6–8 marks) [CHEM 113 | 2015–16; 2011–12]
- Q29.** The electron in the hydrogen atom makes a transition from an energy state of principal quantum number n_i to the $n = 2$ state. If the photon emitted has a wavelength of 434 nm, what is the value of n_i ? (7–8 marks) [CHEM 113 | 2015–16; 2014–15]
- Q30.** Matter and radiation have a “dual nature” — Explain. (5 marks) [CHEM 113 | 2015–16]
- Q31.** What is meant by the term “Shielding of electrons” in an atom? Using the Li atom as an example, describe the effect of shielding on the energy of electrons in an atom. (7 marks) [CHEM 113 | 2015–16]

- Q32.** In your own words, explain the photoelectric effect. (4 marks) [CHEM 113 | 2014–15]
- Q33.** The binding energy of an electron in a metal surface is 5.86×10^{-19} J. (i) Calculate the minimum frequency of light required to release electrons from the metal. (ii) Calculate the kinetic energy of the ejected electron if light frequency $2.00 \times 10^{15} \text{ s}^{-1}$ is used for irradiating the metal ($h = 6.63 \times 10^{-34} \text{ J}\cdot\text{s}$). (6 marks) [CHEM 113 | 2014–15]
- Q34.** What is meant by the term “Effective nuclear charge (Z_{eff})” in an atom? Using the Sodium ($z = 11$) atom as an example, describe the effect of shielding on the 1st ionization energy. (4 marks) [CHEM 113 | 2014–15]
- Q35.** Describe how you build up the detailed electron configuration with the help of all four quantum numbers. (10 marks) [CHEM 113 | 2014–15]
- Q36.** Draw a rough sketch of a periodic table (no details required). Indicate where alkali metals, chalcogens and halogens are located. Write the name and symbol for an element in each of these groups. (– marks) [CHEM 113 | 2014–15]
- Q37.** Explain with a figure how each of these properties of the representative elements generally increases or decreases across the periodic table: (i) atomic size, (ii) electron affinity, (iii) ionization energy, (iv) metallic character, (v) acidity of oxides. (12 marks) [CHEM 113 | 2014–15]
- Q38.** Give a brief description of the wave nature of light. What are the two main characteristics of light wave? (4 marks) [CHEM 113 | 2014–15]
- Q39.** Give the equation that relates wave-particle properties of light. Explain the meaning of each symbol in the equation. (4 marks) [CHEM 113 | 2014–15]
- Q40.** What is Heisenberg’s Uncertainty principle? Prove that the product of uncertainty in position of an electron with uncertainty in momentum of the same electron is of the order of Planck’s constant. (11 marks) [CHEM 113 | 2013–14]
- Q41.** Draw emission spectra of hydrogen atom. Why does a hydrogen atom give so many lines in its spectrum although there is only one electron in it? (8 marks) [CHEM 113 | 2012–13]
- Q42.** Derive the equation by which you can calculate the wavelength of a line in the hydrogen spectrum. Calculate the wavelength of the line in the Brackett series of hydrogen spectrum that is associated with a drop of the electron from the 7th orbit. (Rydberg constant = 1097 m^{-1}) (17 marks) [CHEM 113 | 2012–13]

- Q43.** Give a brief account of the wave-particle duality nature of the electron. **(10 marks)**
[CHEM 113 | 2012–13]
- Q44.** Group the species that are isoelectronic: Be^{2+} , F^- , Fe^{2+} , N^{3-} , He, S^{2-} , Co^{3+} , Ar. **(8 marks)**
[CHEM 113 | 2011–12]
- Q45.** Ionization energy is usually measured in the gaseous state. Why? **(7 marks)** [CHEM 113 | 2011–12]
- Q46.** What are the limitations of Bohr's atomic theory? **(4 marks)** [CHEM 113 | 2011–12]
- Q47.** State the general periodic trends in size of atomic radii. Arrange the following atoms in order of decreasing atomic radius: Na, Al, P, Cl, Mg. **(9 marks)** [CHEM 113 | 2011–12]
- Q48.** Derive an expression applying Bohr atom model for the calculation of wavelength of radiation obtained in the emission spectrum of hydrogen. **(10 marks)** [CHEM 101 | 2010–11]
- Q49.** What does Schrödinger wave equation describe? Deduce the equation and comment on its solution. **(10 marks)** [CHEM 101 | 2010–11]
- Q50.** Mention the variations of the following properties of the elements within periods and groups in the periodic table and give reasons for these variations: (i) Oxidation power, (ii) Metallic character, (iii) Ionic radii, (iv) Reducing power, (v) Atomic size. **(7 marks)** [CHEM 101 | 2010–11]
- Q51.** Calculate the magnitude of energy in erg of a quantum associated with light of wavelength $60.0 \text{ \AA}$. **(8 marks)** [CHEM 101 | 2010–11]
- Q52.** What is quantum theory of radiation? Discuss photoelectric effect in relation to quantization of energy. **(10 marks)** [CHEM 101 | 2009–10]
- Q53.** What are the limitations of Bohr's atomic theory and how are they overcome? **(10 marks)** [CHEM 101 | 2009–10]
- Q54.** Justify the stability of a nucleus of an atom. **(8 marks)** [CHEM 101 | 2009–10]
- Q55.** What is periodic law? How many periods and groups are there in a periodic table? Why are the periods not equal? **(8 marks)** [CHEM 101 | 2009–10]
- Q56.** How would you conceive the idea of having an electron cloud around the nucleus of an atom? How is it experimentally proved that the electron has wave nature? **(11 marks)** [CHEM 101 | 2009–10]

- Q57.** Deduce an equation by which the propagation of electron wave in space can be described. How can the solutions of the equation be used to describe the different shapes of orbitals? **(12 marks)** [CHEM 101 | 2009–10]
- Q58.** What are the transition elements and which periods of the periodic table do they belong to? Discuss the important properties of transition elements. **(7 marks)** [CHEM 101 | 2008–09]
- Q59.** What are noble gases? Discuss the important physical and chemical properties of noble gases. **(7 marks)** [CHEM 101 | 2008–09]
- Q60.** Discuss the quantum theory of radiation. How is Planck's hypothesis for radiation of energy related to the spectral properties of an atom described by Bohr? **(13 marks)** [CHEM 101 | 2008–09]
- Q61.** What are the limitations of Bohr's atomic structure? How was the structure modified by Sommerfeld? **(10 marks)** [CHEM 101 | 2008–09]
- Q62.** Deduce de Broglie's equation. Explain with suitable examples the physical significance of the equation. **(11 marks)** [CHEM 101 | 2008–09]
- Q63.** State Heisenberg's Uncertainty principle. Show that the uncertainty principle is applicable only for small particles like the electron. **(9 marks)** [CHEM 101 | 2007–08]
- Q64.** Discuss the classification of the elements present in the periodic table on the basis of electronic configuration. Mention the characteristics of two important classes of elements. **(15 marks)** [CHEM 101 | 2007–08]
- Q65.** What are the postulates of Bohr's atomic model? Based on the postulates, deduce an equation for the calculation of the difference in energies between two levels for an electron in an atom. How far is the Bohr model successful in explaining the spectral properties of an atom? **(17 marks)** [CHEM 101 | 2006–07]
- Q66.** What is the general electronic configuration of transition elements? Discuss the general properties of transition elements. **(10 marks)** [CHEM 101 | 2006–07]
- Q67.** Deduce de Broglie's equation. With a suitable example, discuss the applicability of the equation in the case of electron-like particles. **(9 marks)** [CHEM 101 | 2006–07]
- Q68.** How would you conceive the idea of having an electron cloud around the nucleus of an atom? **(6 marks)** [CHEM 101 | 2006–07]

BUET · CHEM 113

Chemistry

Section S2

Molecular Geometry

S2 — Molecular Geometry

- Q1.** Predict the shapes of (i) SO_3^{2-} and (ii) PCl_4^+ ions showing all the necessary steps. (10 marks) [CHEM 113 | 2020–21]
- Q2.** Sketch the shape or three-dimensional structure of each of the following: BrO_3^- and AsF_4^- . Name the shapes and state the status of hybridization in the central atoms. (6 marks) [CHEM 113 | 2017–18]
- Q3.** Draw the trigonal bipyramidal geometry and mark the axial and equatorial positions. Which position is suitable for the accommodation of a lone pair in the system? Why? (6 marks) [CHEM 113 | 2016–17]
- Q4.** Draw the geometry of the following and predict the angles: (i) PO_4^{3-} (ii) I_3^- . (6 marks) [CHEM 113 | 2016–17]
- Q5.** How does VBT apply the concept of hybridization? Illustrate the hybridization process of water. (9 marks) [CHEM 113 | 2016–17]
- Q6.** Use the VSEPR model to predict the geometry of the following ions: (i) N_3^- (ii) BH_4^- (iii) SO_3^{2-} (iv) NO_2^- . (8 marks) [CHEM 113 | 2015–16]
- Q7.** In the trigonal bipyramidal arrangement for a system AB_4E , why does the lone pair occupy an equatorial position rather than an axial position? Sketch the bond moments and resultant dipole moments for the following molecules: H_2O , PCl_3 , XeF_4 , PCl_5 , SF_6 . (12 marks) [CHEM 113 | 2014–15]
- Q8.** Discuss the shapes of the following molecules: H_2O , NH_3 , BaCl_2 , CH_4 . (8 marks) [CHEM 113 | 2013–14]
- Q9.** Discuss the basic features of the VSEPR model. Explain why the magnitude of repulsion decreases in this order: lone pair–lone pair > lone pair–bond pair > bond pair–bond pair. (13 marks) [CHEM 113 | 2011–12]
- Q10.** Predict whether each of the following molecules has a dipole moment: BrCl ; BF_3 ; CH_2Cl_2 . (6 marks) [CHEM 113 | 2011–12]
- Q11.** Discuss the basis of determining the molecular structure by Valence Shell Electron Pair Repulsion (VSEPR) theory. Determine structure of H_2O , BrF_3 and ICl_4^- according to VSEPR theory. (10 marks) [CHEM 101 | 2009–10]
- Q12.** Discuss hybridization and the valence shell electron pair repulsion model in determining the structure of molecules. Cite suitable examples. (12 marks) [CHEM 101 | 2008–09]

- Q13.** What should be the possible geometrical structure of PCl_5 molecule? Justify on the basis of hybridization and VSEPR model. **(8 marks)** [CHEM 101 | 2006–07]

BUET · CHEM 113

Chemistry

Section S3

Chemical Bonding

S3 — Chemical Bonding

- Q1.** Can you explain the existence of the transient ions like H_2^+ ? How? **(5 marks)**
[CHEM 113 | 2023–24]
- Q2.** From the three possible ways to connect carbon, nitrogen, and oxygen to form a monoanion: CNO^- , CON^- and OCN^- , one is the cyanate ion, a common and stable species; one is the fulminate ion, salts of which are used as explosive detonators; and one is so unstable that it has never been isolated. Use the concept of formal charge to determine which isomer is cyanate, which is the fulminate, and which is the least stable one. **(10 marks)**
[CHEM 113 | 2023–24; 2020–21]
- Q3.** Apply molecular orbital theory to explain the polar nature of HF molecule. **(5–10 marks)**
[CHEM 113 | 2023–24; 2022–23]
- Q4.** Draw a diagram that illustrates how atomic p orbitals can form both σ and π molecular orbitals. What effect of 2s–2p mixing is observed in relative energy level of molecular orbitals (MOs) in homonuclear diatomic molecules of period 2 elements? **(10 marks)**
[CHEM 113 | 2023–24]
- Q5.** If a great deal of energy is required to form gaseous ions, why do ionic compounds form at all? Sketch the Born-Haber cycle for formation of CaO(s) from its elements and find out the steps which will require an input of energy. **(10 marks)** [CHEM 113 | 2023–24]
- Q6.** According to the frontier molecular orbital theory, explain the conduction mechanism in n-Type and p-Type Semiconductors. **(10 marks)** [CHEM 113 | 2023–24]
- Q7.** Explain how the lattice energy of an ionic compound such as MgO (or KCl) can be determined using the Born-Haber cycle. On what law is this procedure based? How do the ionization energy and the electron affinity determine whether atoms of elements will combine to form ionic compounds? **(10–15 marks)** [CHEM 113 | 2022–23; 2020–21 (Jan 21); 2014–15]
- Q8.** Draw the possible π -molecular orbitals formed by the overlapping of four atomic p orbitals in 1,3-butadiene and identify HOMO and LUMO. **(5–10 marks)** [CHEM 113 | 2022–23; 2020–21]
- Q9.** Demonstrate the formation of σ and π molecular orbitals from atomic p orbitals. **(5 marks)**
[CHEM 113 | 2022–23; 2021–22]
- Q10.** Draw the Lewis structure of cyanate anion (CNO^-) including all relevant resonance forms. Determine which resonance form contributes more to the resonance hybrid by calculating formal charges. What are the oxidation numbers for C, N, and O? **(10 marks)**
[CHEM 113 | 2022–23]

- Q11.** Apply the frontier molecular orbital theory of solids to explain the properties of metals. (10 marks) [CHEM 113 | 2022–23]
- Q12.** Explain the observations that the bond length in N_2^+ is 0.02 Å greater than N_2 , while the bond length in NO^- is 0.09 Å less than in NO . (10 marks) [CHEM 113 | 2022–23]
- Q13.** Explain the relationship between electron shielding and effective nuclear charge (Z_{eff}) on the outermost electrons of an atom. Predict how the chemical reactivity of second-period elements changes as the effective nuclear charge changes along the period. (10 marks) [CHEM 113 | 2022–23]
- Q14.** Draw the Lewis structure of NNO (atom order as indicated) including all relevant resonance forms. Determine which resonance form contributes more to the resonance hybrid by calculating formal charges. (10 marks) [CHEM 113 | 2021–22]
- Q15.** Apply the concept of ‘Linear Combination of Atomic Orbitals’ to illustrate the creation of molecular orbitals, and then contrast the characteristics of bonding and antibonding molecular orbitals. (10 marks) [CHEM 113 | 2021–22]
- Q16.** Using an example explain the role of conjugation in facilitating the delocalization of electrons and enhancing the stability of molecules. (10 marks) [CHEM 113 | 2021–22]
- Q17.** Analyze the molecular orbital theory of the oxygen molecule and discuss how it leads to its paramagnetic behavior. (10 marks) [CHEM 113 | 2021–22]
- Q18.** Explain in molecular orbital terms the changes in H–H inter-nuclear distance that occur as the molecular H_2 is ionized first to H_2^+ and then to H_2^{2+} . Explain why the bond order of N_2 is greater than that of N_2^+ , but the bond order of O_2 is less than that of O_2^+ . (20 marks) [CHEM 113 | 2020–21 (Jan 21)]
- Q19.** “Benzene has no single bond or double bond.” — justify by applying your knowledge of chemical bonding. (10 marks) [CHEM 113 | 2020–21]
- Q20.** Using ‘Linear Combination of Atomic Orbitals’ explain why hydrogen is found as H_2 molecule in nature. (10 marks) [CHEM 113 | 2020–21]
- Q21.** The ionization energy of O_2 is smaller than the ionization energy of atomic O; the opposite is true for the ionization energies of N_2 and atomic N. Explain this behavior in terms of the molecular orbital energy diagrams. (15 marks) [CHEM 113 | 2019–20]
- Q22.** A compound of chlorine and fluorine, ClF_n , reacts at about 75°C with uranium metal to produce uranium hexafluoride (UF_6), and chlorine monofluoride (ClF)(g).

- A quantity of uranium produced 3.53 g of UF_6 and 343 mL of ClF at 75°C and 2.50 atm. What is the formula (n) of the compound? Describe the bonding in the molecule, using valence bond theory. (15 marks) [CHEM 113 | 2019–20]
- Q23.** Draw a potential energy diagram for a molecule such as Cl_2 . Indicate the bond length (194 pm) and the bond dissociation energy (240 kJ/mol). (5 marks) [CHEM 113 | 2017–18]
- Q24.** Why does sodium chloride normally exist as a crystal rather than as a molecule composed of one cation and one anion? (5 marks) [CHEM 113 | 2017–18]
- Q25.** Arrange the following molecular ions in order of increasing bond dissociation energy: NO , Be_2^+ , N_2^+ . (6 marks) [CHEM 113 | 2017–18]
- Q26.** Explain what energy terms are involved in the formation of an ionic solid from atoms. In what way should these terms change (become larger or smaller) to give the lowest energy possible for the solid? (10 marks) [CHEM 113 | 2017–18]
- Q27.** Describe the bonding in H_3CCN using the Valence Bond Theory concept. Draw and label one or more pictures to show the types of orbitals used to form the various σ and π bonds. (10 marks) [CHEM 113 | 2017–18]
- Q28.** Dinitrogen (N_2) and carbon monoxide (CO) molecules are quite similar when it comes to their bonding. (i) Sketch and fill up a molecular orbital diagram for CO . (ii) Provide the molecular orbital electron configuration of CO . (iii) Calculate the bond order of CO . Should it be paramagnetic or diamagnetic? (13 marks) [CHEM 113 | 2017–18]
- Q29.** Show the change of potential energy of the system when two atoms are getting closer to form a covalent bond. How the energy diagram can be used for the calculation of bond length and bond dissociation energy? (10 marks) [CHEM 113 | 2016–17]
- Q30.** Calculate the bond order of the following species: F_2^{2-} , F_2^- , F_2^+ , F_2^{2+} . List the species in order of increasing bond energy and increasing bond length. (9 marks) [CHEM 113 | 2016–17]
- Q31.** Use molecular orbital theory to describe the bonding in the following. For each one, find the bond order and decide whether it is stable. Is the substance diamagnetic or paramagnetic? (i) Be_2^+ ; (ii) Ne_2 ; (iii) B_2^- . (9 marks) [CHEM 113 | 2015–16]
- Q32.** What is a polar covalent bond? Draw Lewis structure of two compounds that contain one or more polar covalent bonds. (5 marks) [CHEM 113 | 2014–15]
- Q33.** What is lattice energy and what role does it play in the stability of ionic compounds? Explain how the lattice energy of KCl can be determined using the Born-Haber cycle.

(12 marks)

[CHEM 113 | 2014–15]

- Q34.** (i) Sketch the shapes of the following molecular orbitals: σ_{1s} , σ_{1s}^* , π_{2p} and π_{2p}^* . (ii) Describe the bonding scheme in the C_2^{2-} ion in terms of molecular orbital theory. Compare the bond order in C_2^{2-} with that in C_2 . (12 marks) [CHEM 113 | 2014–15]
- Q35.** An atom of a certain element has 14 electrons. (i) What is the ground-state configuration of the element? (ii) Are the atoms of this element diamagnetic or paramagnetic? (4 marks) [CHEM 113 | 2014–15]
- Q36.** Explain why bond in BeCl_2 is covalent but bond in CaCl_2 is ionic though Be and Ca are in the same group of the periodic table. (4 marks) [CHEM 113 | 2013–14]
- Q37.** Draw molecular orbital diagram of CO^+ , NO^- , O_2 . Comment on their magnetic properties and calculate their bond order. Write down their molecular electronic configurations. (18 marks) [CHEM 113 | 2013–14]
- Q38.** Discuss the molecular orbital theory of covalent bonding. Show with examples how it compares with the valence bond theory. (13 marks) [CHEM 113 | 2012–13]
- Q39.** Explain the following: (i) The paramagnetism of oxygen molecule (ii) The strength of nitrogen-nitrogen bond in N_2 molecule (iii) The nitrogen-oxygen bond in NO molecule is weaker than the carbon-oxygen bond in CO molecule. (12 marks) [CHEM 113 | 2012–13]
- Q40.** Discuss different classes of Lewis acids and bases. Cite two examples in each class. (10 marks) [CHEM 113 | 2012–13]
- Q41.** Explain the significance of bond order. Can bond order be used for quantitative comparison of the strength of chemical bonds? Explain why bond order of N_2 is greater than that of N_2^+ but the bond order of O_2 is less than that of O_2^+ . (12 marks) [CHEM 113 | 2011–12]
- Q42.** What are the main features of Molecular Orbital Theory (MOT)? Show the formation of CO molecule according to both Valence Bond Theory (VBT) and Molecular Orbital Theory (MOT). Comment on the advantages of MOT over VBT. (15 marks) [CHEM 101 | 2010–11]
- Q43.** Write down the conditions for the formation of coordinate covalent bond. How did Werner develop the theory of coordination compounds? Discuss the main points of the theory. (12 marks) [CHEM 101 | 2010–11]
- Q44.** What do you mean by low spin and high spin complexes? Illustrate your answer

- with examples. (8 marks) [CHEM 101 | 2010–11]
- Q45.** What are paramagnetism and diamagnetism? How would you predict paramagnetic and diamagnetic properties in substances? Discuss the formation of N_2^- and NO molecules according to molecular orbital theory and comment on their magnetic properties. (12 marks) [CHEM 101 | 2009–10]
- Q46.** Give an experimental evidence in favour of the secondary valence of a metal. (6 marks) [CHEM 101 | 2009–10]
- Q47.** Show the different shapes of s, p and d orbitals. Also show the formation of NH_3 molecule according to the overlapping method (Valence Bond Theory). (8 marks) [CHEM 101 | 2009–10]
- Q48.** Describe how the relative strength of acids is determined. (11 marks) [CHEM 101 | 2009–10]
- Q49.** Why do ionic compounds usually have high melting and boiling points while simple covalent compounds have low melting and boiling points? (7 marks) [CHEM 101 | 2009–10]
- Q50.** What should be the magnetic property of the fluorine molecule (F_2)? Explain with the help of molecular orbital theory. (7 marks) [CHEM 101 | 2008–09]
- Q51.** Discuss the general properties of ionic and covalent bonds/compounds. (12 marks) [CHEM 101 | 2008–09]
- Q52.** With the help of a potential energy diagram, explain bond length and bond energy. (8 marks) [CHEM 101 | 2007–08]
- Q53.** What are the limitations of valence bond theory (VBT) for the formation of a covalent bond? Using the valence shell electron pair repulsion (VSEPR) model, develop the geometrical structure of the water molecule starting from oxide (O). (12 marks) [CHEM 101 | 2007–08]
- Q54.** Write down the molecular orbital electronic configuration and draw the molecular orbital diagram of the following: (i) CO, (ii) O_2^+ , (iii) NO. Comment on the magnetic properties of the above molecules and also calculate their bond order. (15 marks) [CHEM 101 | 2007–08]
- Q55.** Discuss the properties of electrovalent compounds which are related to the directional properties of the bond. Compare them with covalent compounds. (9 marks) [CHEM 101 | 2006–07]
- Q56.** What are donor and acceptor atoms? Discuss their role in the formation of a co-

ordinate covalent bond. Comment on the formation of H_3O^+ , H_4O^{2+} , O_2Cl^+ and O_4Cl^- ions. (9 marks) [CHEM 101 | 2006–07]

Q57. What are the noble gas elements and why are they called so? Discuss the important uses of noble gas elements. (9 marks) [CHEM 101 | 2006–07]

Q58. Show the formation of O_2 molecule according to both Valence Bond Theory (VBT) and Molecular Orbital Theory (MOT). Comment on the advantages of MOT over VBT. (10 marks) [CHEM 101 | 2006–07]

Q59. What are the possible interactions between two atoms when they approach each other for the formation of a bond? What is the optimum condition at which a chemical bond forms? Discuss with the help of a potential energy diagram. (10 marks) [CHEM 101 | 2006–07]

BUET · CHEM 113

Chemistry

Section S4

Properties of Solutions

S4 — Properties of Solutions

- Q1.** Explain Henry's law in terms of the kinetic molecular theory of gases. Give an exception to Henry's law. **(10 marks)** [CHEM 113 | 2023–24; 2021–22]
- Q2.** An aqueous solution is 0.907 M $\text{Pb}(\text{NO}_3)_2$. What is the molality of lead(II) nitrate in this solution? The density of the solution is 1.252 g/mL. **(10 marks)** [CHEM 113 | 2023–24]
- Q3.** What are colligative properties? Write the equations relating each of these properties to the concentration of a non-electrolyte solution. **(5 marks)** [CHEM 113 | 2022–23]
- Q4.** Ethylene glycol (EG), $\text{CH}_2(\text{OH})\text{CH}_2(\text{OH})$, is a common automobile antifreeze. Calculate the freezing point of a solution containing 724 g of this substance in 2603 g of water. ($K_f = 1.86^\circ\text{C}/\text{m}$, $K_b = 0.52^\circ\text{C}/\text{m}$, molar mass of EG = 62.07 g.) **(10 marks)** [CHEM 113 | 2022–23]
- Q5.** A solution is prepared by dissolving 35.0 g of hemoglobin in enough water to make up 1 L. If the osmotic pressure of the solution is found to be 10.0 mmHg at 25°C , calculate the molar mass of hemoglobin. **(10 marks)** [CHEM 113 | 2022–23]
- Q6.** Define boiling-point elevation and freezing-point depression of a dilute solution. Explain why molality is used for boiling-point elevation and freezing-point depression calculations and molarity is used for osmotic pressure calculations. **(13 marks)** [CHEM 113 | 2021–22]
- Q7.** A 7.85 g sample of a compound with the empirical formula C_5H_4 is dissolved in 301 g of benzene. The freezing point of the solution is 1.05°C below that of pure benzene. What are the molar mass and molecular formula of this compound? ($K_f = 5.12^\circ\text{C}/\text{m}$) **(12 marks)** [CHEM 113 | 2021–22]
- Q8.** Define 'thermal pollution'. How can you relate the solubility of gas in liquid with thermal pollution? **(10 marks)** [CHEM 113 | 2020–21 (Jan 21)]
- Q9.** Calculate the freezing point of a solution containing 0.135 mol of a nonionic solute in 2.50 kg of benzene. $k_f = 5.12^\circ\text{C}/\text{m}$. **(5 marks)** [CHEM 113 | 2020–21 (Jan 21)]
- Q10.** How can you account for the abnormal molar mass from the measurement of colligative properties of electrolytes? Derive an equation showing the relationship between the degree of dissociation of electrolytes with Van't Hoff factor. **(20 marks)** [CHEM 113 | 2020–21 (Jan 21)]
- Q11.** The deviation of Raoult's law is associated with the unequal adhesive and cohesive

- forces — Justify with explanation and suitable diagram. **(25 marks)** [CHEM 113 | 2020–21 (Jan 21)]
- Q12.** Bends (decompression sickness) is a medical condition for divers. Relate this with the effect of pressure on the solubility of gas in liquid. **(12 marks)** [CHEM 113 | 2020–21]
- Q13.** Define lattice energy and hydration energy for ionic compounds. Explain that both lattice and hydration energy mutually control the solubility of ionic crystals in polar solvent. **(15 marks)** [CHEM 113 | 2020–21]
- Q14.** The ecological imbalance in aquatic systems is one of the consequences of thermal pollution — Explain. **(8 marks)** [CHEM 113 | 2020–21]
- Q15.** Compare the vapor pressure theory and membrane solution theory of the osmosis process through the semipermeable membrane. **(12 marks)** [CHEM 113 | 2020–21]
- Q16.** Identify the reason for the use of van't Hoff factor i in the mathematical expressions of colligative properties and identify the conditions when i (i) is equal to one (ii) less than one and (iii) greater than one. **(15 marks)** [CHEM 113 | 2020–21]
- Q17.** Scale formation in boiler pipe is nothing but the consequence of solubility of the gas in liquid — justify the statement. **(10 marks)** [CHEM 113 | 2019–20]
- Q18.** What are the different factors that control the solubility of solid in liquid? The effect of temperature on the solubility of solid in liquid can be applied for the determination of heat of solution of the solute — justify. **(20 marks)** [CHEM 113 | 2019–20]
- Q19.** Show that the depression of freezing point is dependent on the concentration of the solute but independent of the nature of the solute. **(10 marks)** [CHEM 113 | 2019–20]
- Q20.** Why is the dissolution of NaCl an endothermic process? **(5 marks)** [CHEM 113 | 2017–18]
- Q21.** How does the increase in concentration of a nonvolatile solute in a solvent affect the following properties of solution? (i) Vapor pressure and (ii) osmotic pressure. **(10 marks)** [CHEM 113 | 2017–18]
- Q22.** Identify the factors that influence the solubility of solute in a solvent. Discuss about two factors. **(10 marks)** [CHEM 113 | 2017–18]
- Q23.** A lithium salt used in lubricating grease has the formula $\text{LiC}_n\text{H}_{2n+1}\text{O}_2$. The salt is soluble in water to the extent of 0.036 g per 100 g of water at 25°C. The osmotic

pressure is found to be 57.1 torr. Assuming that molality and molarity in such a dilute solution are the same and that the lithium salt is completely dissociated, determine an appropriate value of n in the formula of the salt. (10 marks) [CHEM 113 | 2017–18]

- Q24.** Define 'Solution'. Explain that the solution process is governed by energy and entropy. (3+6 marks) [CHEM 113 | 2016–17]
- Q25.** Describe an equation which can be well applied for the determination of heat of solution using experimental data of solubility. Design the experiment. (9 marks) [CHEM 113 | 2016–17]
- Q26.** Give a molecular interpretation of the positive and negative deviation from ideal behaviour from Raoult's law. (10 marks) [CHEM 113 | 2016–17]
- Q27.** A certain soft drink is bottled so that a bottle at 25°C contains CO₂ gas at a pressure of 5.0 atm over the liquid. Calculate the equilibrium concentrations of CO₂ both before and after the bottle is opened. (Henry's law constant for CO₂ in aqueous solution is 3.1×10^{-2} mol/L·atm at 25°C; partial pressure of CO₂ in atmosphere = 4×10^{-4} atm.) Can you relate the 'flat' taste of the drink with concentration? (7 marks) [CHEM 113 | 2016–17]
- Q28.** The freezing point depression measurement of benzoic acid in acetone yields a molar mass of 122 g; the same measurement in benzene gives a value of 244 g. Account for this discrepancy. (5 marks) [CHEM 113 | 2016–17]
- Q29.** A commercial bleach solution contains 3.62 mass% NaOCl in water. Calculate (i) mole fraction (ii) molality of NaOCl in the solution. (5 marks) [CHEM 113 | 2016–17]
- Q30.** A solution of 0.5 g of an unknown nonvolatile, non-electrolyte solute is added to 100 mL of water and placed across a semipermeable membrane from pure water. When the system reaches equilibrium, the solution compartment is 5.6 cm above the solvent compartment. Assuming the density of the solution is 1.0 g/mL, calculate the molecular mass of the unknown. (9 marks) [CHEM 113 | 2016–17]
- Q31.** What is ion-dipole force? How does this force work in determining the solubility of ionic solid in water? Use the dissolution of KCl in water as an example. (10 marks) [CHEM 113 | 2015–16]
- Q32.** KCl and glucose undergo the following reactions when dissolved in water: $\text{KCl(s)} \rightarrow \text{K}^+(\text{aq}) + \text{Cl}^-(\text{aq})$; $\text{Glucose(s)} \rightarrow \text{Glucose(aq)}$. Consider equal molar amounts dissolved in equal volumes of water. (i) Which solution would have a higher freezing point? Why? (ii) Which would have higher vapor pressure? Why? (iii) How would

- the boiling point of a concentrated KCl solution compare? (iv) If the freezing point of KCl solution is -1.0°C , what would be the freezing point and boiling point of the glucose solution? (16 marks) [CHEM 113 | 2015–16]
- Q33.** Desalination by reverse osmosis: (i) Draw a diagram showing how reverse osmosis can be carried out. (ii) You are to desalinate sea water that is 0.70 M NaCl solution. What minimum pressure (in atm) must be applied at 25°C for reverse osmosis to occur? (9 marks) [CHEM 113 | 2015–16]
- Q34.** What are colligative properties? What is the meaning of the word “Colligative” in this context? Use a phase diagram to show the difference in freezing point and boiling point between an aqueous urea solution and pure water. (10 marks) [CHEM 113 | 2014–15]
- Q35.** A 9.66 g sample of a compound with the empirical formula C_5H_4 is dissolved in 284 g of benzene. The freezing point of the solution is 1.37°C below that of pure benzene. What are the molar mass and molecular formula of this compound? (8 marks) [CHEM 113 | 2014–15]
- Q36.** The osmotic pressure of blood is about 7.4 atm. What is the approximate concentration of a saline solution (NaCl) a physician should use for intravenous injection? Use 37°C for physiological temperature. (6 marks) [CHEM 113 | 2014–15]
- Q37.** A physician dissolves 21.5 mg of hemoglobin in water to make 1.50 mL of solution at 5.08°C . He measures an osmotic pressure of 3.61 torr. What is the molar mass of the protein? (1 torr = 1/760 atmosphere) (9 marks) [CHEM 113 | 2013–14]
- Q38.** Write down Van’t Hoff’s law of osmosis and show that the molecular mass of a non-electrolyte, non-volatile solute can be determined from osmotic pressure. (8 marks) [CHEM 113 | 2013–14]
- Q39.** Two liter (2.0 L) distilled water is mixed with three liter (3.0 L) H_2SO_4 of specific gravity 1.85. Calculate the specific gravity of the acid mixture. (5 marks) [CHEM 113 | 2013–14]
- Q40.** How can you account for the exceptional solubility of some gases in liquid? (7 marks) [CHEM 113 | 2013–14]
- Q41.** Some dissolution processes are exothermic and others are endothermic. Provide a molecular interpretation for the difference. (10 marks) [CHEM 113 | 2013–14]
- Q42.** Show that in dissolution process at equilibrium, the partial molal free energies of each constituent must be same in all phases. (10 marks) [CHEM 113 | 2013–14]
- Q43.** An aqueous solution of H_2O_2 is 30% by mass and has a density of 1.11 g/mL.

- Calculate (i) molality, (ii) mole fraction of H_2O_2 , and (iii) molarity. (8 marks)
[CHEM 113 | 2013–14]
- Q44. Show that the lowering of vapour pressure is dependent on the nature of solvent but not on the nature of the solute. (8 marks) [CHEM 113 | 2013–14]
- Q45. How does Arrhenius account for the application of the theories of colligative properties to weak electrolytes? (10 marks) [CHEM 113 | 2013–14]
- Q46. How much ethylene glycol ($\text{C}_2\text{H}_4\text{O}_2$, molar mass = 62.1), must be added to 10.0 L of water to produce a solution that freezes at -23.3°C ? Assume the density of water is exactly 1 g/mL. (10 marks) [CHEM 113 | 2012–13]
- Q47. What is the effect of temperature on the solubility of gases in liquid? How is this process related to thermal pollution in aquatic environments? (8 marks) [CHEM 113 | 2012–13]
- Q48. Explain the principle of reverse osmosis in the case of desalination and purification of water. (8 marks) [CHEM 113 | 2012–13]
- Q49. How does heat evolve or absorb during dissolution of solute in a solvent? (11 marks) [CHEM 113 | 2011–12]
- Q50. Explain the principle underlying the process of steam distillation. (6 marks) [CHEM 113 | 2011–12]
- Q51. A mixture of an organic compound (M.W. 123) which is immiscible with water has a boiling point of 99°C at 760 mm pressure. If the vapour pressure of water is 733 mm, calculate the ratio by weight of the two substances in the distillate. (9 marks) [CHEM 113 | 2011–12]
- Q52. Explain the following terms: (i) Ideal solution, (ii) Salting out effect, (iii) Critical Solution Temperature (CST). (9 marks) [CHEM 113 | 2011–12]
- Q53. What are colligative properties? What is meant by the relative lowering of vapour pressure? Mention the application of lowering of vapour pressure in determining the molecular weight of a dissolved substance. (9 marks) [CHEM 113 | 2011–12]
- Q54. Thermodynamically prove that the elevation of boiling point of a solvent produced by a dissolved non-volatile substance is proportional to mole fraction and also to molality of the substance in the solution. (12 marks) [CHEM 113 | 2011–12]
- Q55. Calculate the boiling point of the solution containing 12.5 g of benzoic acid ($\text{C}_7\text{H}_6\text{O}_2$) in 110 g of benzene (C_6H_6). The boiling point of benzene is 80.1°C and its K_b is

2.53°C·m⁻¹. (8 marks)

[CHEM 113 | 2011–12]

Q56. Derive Van't Hoff equation for the osmotic pressure of a dilute solution. (6 marks)
[CHEM 113 | 2011–12]

Q57. Discuss the mechanism of dissolution of sodium chloride in water and sucrose in water. (10 marks)
[CHEM 101 | 2010–11]

Q58. State and explain different forms of Henry's law. Mention the limitations of Henry's law. (8 marks)
[CHEM 101 | 2010–11]

Q59. With the help of a diagram discuss the variation of mutual solubility of the phenol–water system at various temperatures. (7 marks)
[CHEM 101 | 2010–11]

Q60. Calculate the amount of oxygen dissolved in 1 dm³ water at 293 K and 2.1 atmospheric pressure. The Henry's law constant for oxygen is 4.58×10^4 atmosphere at 293 K. (10 marks)
[CHEM 101 | 2010–11]

Q61. Thermodynamically derive an expression for the depression of freezing point of a solvent on the addition of a solute in terms of mole fraction and molality. Show how the lowering of freezing point can be used for the determination of the molecular weight of a compound. (14 marks)
[CHEM 101 | 2010–11]

Q62. Derive a mathematical relation between osmotic pressure and vapour pressure of a dilute solution of a solid in a solvent and give van't Hoff equation for the osmotic pressure of a dilute solution. (11 marks)
[CHEM 101 | 2010–11]

Q63. The osmotic pressure of horse blood at 10.0°C was found to be 58.75 torr. A 100 mL sample of horse blood contains 5.27 g of hemoglobin. Calculate the molar mass of horse hemoglobin, assuming that it is the only solute in horse blood. ($R = 0.0821$ L·atm·mol⁻¹·K⁻¹) (10 marks)
[CHEM 101 | 2010–11]

Q64. What do you understand by absorption coefficient? Explain the effect of (i) temperature, (ii) nature of solute, and (iii) presence of salt on the solubility (absorption coefficient) of a gas in water. (17 marks)
[CHEM 101 | 2009–10]

Q65. Define super-saturated solution. Describe the different steps involved in the preparation of a super-saturated solution. (3 marks)
[CHEM 101 | 2009–10]

Q66. What is CST? Explain the effect of presence of salt and pressure on CST of a partially miscible liquid–liquid solution. (10 marks)
[CHEM 101 | 2009–10]

Q67. Write at least two statements of Raoult's law with their mathematical expressions.

Prove that the vapour pressure of a solution of non-volatile solute is always less than that of its solvent. **(12 marks)** [CHEM 101 | 2009–10]

- Q68.** With the derivation of a mathematical equation, show that the elevation of boiling point of a solution is directly proportional to the molality of the solution. **(13 marks)** [CHEM 101 | 2009–10]
- Q69.** What is ebullioscopic constant? An aqueous solution containing 6.3 g urotropine in 500 g solvent boils at 105°C. Calculate the ebullioscopic constant of the solvent. **(10 marks)** [CHEM 101 | 2009–10]
- Q70.** Define saturated solution, unsaturated solution, and super-saturated solution. Show that there exists a dynamic equilibrium in a saturated solution. **(9 marks)** [CHEM 101 | 2008–09]
- Q71.** Explain the effect of temperature and pressure on the solubility of a solid in water. **(8 marks)** [CHEM 101 | 2008–09]
- Q72.** Distinguish between “common ion effect” and “salting out effect” with suitable examples. **(8 marks)** [CHEM 101 | 2008–09]
- Q73.** With the help of a diagram, discuss the system of a partially miscible liquid–liquid solution having an upper critical solution temperature. **(8 marks)** [CHEM 101 | 2008–09]
- Q74.** Define the following terms: (i) Boiling point (w.r.t. vapour pressure), (ii) Freezing point (w.r.t. vapour pressure), (iii) Osmosis, (iv) Osmotic pressure. **(8 marks)** [CHEM 101 | 2008–09]
- Q75.** Derive a mathematical equation which expresses the relation between the molecular weight of a non-volatile non-electrolyte solute and the freezing point of its solution. Define the constant term involved. **(10 marks)** [CHEM 101 | 2008–09]
- Q76.** An aqueous solution containing 3.42 g of sugar in 100 g of water freezes at –3°C. Calculate the cryoscopic constant of water. **(8 marks)** [CHEM 101 | 2008–09]
- Q77.** Which of the following systems has the lowest and highest freezing points? Explain your answer. (i) 100 g water containing 0.1 mol NaCl; (ii) 100 g water containing 0.1 mol AgCl; (iii) 100 g water containing 0.1 mol (NH₄)₂SO₄; (iv) 100 g water containing 0.1 mol Na₃PO₄. **(8 marks)** [CHEM 101 | 2008–09]
- Q78.** “Like dissolves like.” Give arguments in favour of the statement. **(3 marks)** [CHEM 101 | 2007–08]

- Q79.** Express the composition of a solution on the basis of a percentage scale. (5 marks)
[CHEM 101 | 2007–08]
- Q80.** Justify the following statements: (i) The volume of gas absorbed by a given volume of solvent is constant at a given temperature. (ii) The mole fraction of the dissolved gas is proportional to the pressure of the gas. (8 marks) [CHEM 101 | 2007–08]
- Q81.** A solution of acetic acid containing 8.08% (w/v) of acetic acid at 20°C has a density of 1.0097 g/cc. Calculate the molality, molarity, and mole fraction. (9 marks)
[CHEM 101 | 2007–08]
- Q82.** Calculate the osmotic pressure of a solution obtained by mixing (i) 100 mL of 3.4% urea (mol. wt = 60) and (ii) 100 mL of 1.6% cane sugar (mol. wt = 342) at 20°C. (10 marks) [CHEM 101 | 2007–08]
- Q83.** Classify the binary solutions of solid, liquid and gas with examples. (5 marks)
[CHEM 101 | 2006–07]
- Q84.** What are the factors affecting the solubility of a gas in liquids? Discuss the pressure effect on the solubility of a gas in liquid. (10 marks) [CHEM 101 | 2006–07]
- Q85.** An aqueous solution containing 0.126 kg of a solute (molar mass 126 g) and 0.882 kg of water has a density of 1.10 kg/dm³. Calculate (i) mass percent, (ii) mole fraction, (iii) molality, and (iv) molarity of the solute in the solution. (10 marks) [CHEM 101 | 2006–07]
- Q86.** With the help of a diagram, prove that the depression of freezing point produced by a dissolved non-volatile solute in a solvent is proportional to the corresponding lowering of vapour pressure and also proportional to the molality of solute in the solution. (15 marks) [CHEM 101 | 2006–07]
- Q87.** What is meant by osmotic pressure? What are the laws of osmotic pressure and how is the molecular weight of a solute determined from osmotic pressure measurement? (10 marks) [CHEM 101 | 2006–07]
- Q88.** Camphor is a white solid that melts at 179.5°C and its freezing point depression constant is 40°C/m. A 1.07 mg sample of a compound was dissolved in 78.1 mg of camphor. The mixture melted at 176.0°C. What is the molecular weight of the compound? If the empirical formula of the compound is CH, what is the molecular formula? (10 marks) [CHEM 101 | 2006–07]
- Q89.** State how many components, phases and degrees of freedom each of the following systems possesses: (i) H₂(g) + N₂(g), (ii) NH₃(g), (iii) a saturated solution of NaCl in water, (iv) H₂O(l) ⇌ H₂O(g), (v) CaCO₃(s) ⇌ CaO(s) + CO₂(g). (15 marks)
[CHEM 101 | 2006–07]

BUET · CHEM 113

Chemistry

Section S5

Colloid & Nanochemistry

S5 — Colloid & Nanochemistry

- Q1.** How does the electrophoresis phenomenon provide information about the sign of charge on colloidal particles? (5 marks) [CHEM 113 | 2023–24]
- Q2.** What is a protective colloid? Explain the concept of the gold number and its significance in evaluating the protective power of colloids. (10 marks) [CHEM 113 | 2023–24]
- Q3.** Why does the Lycurgus cup appear blue on reflection and red/purple on transmission? (10 marks) [CHEM 113 | 2023–24]
- Q4.** What is clay? How can it be classified? Write down the factors influencing the properties of polymer-clay nanocomposites. (12 marks) [CHEM 113 | 2023–24]
- Q5.** The electrical, mechanical and thermal properties of carbon nanotubes are quite remarkable — why? Discuss how the structural differences of carbon nanotubes influence their physical properties. (13 marks) [CHEM 113 | 2023–24]
- Q6.** What do you mean by nanocomposite materials? How does reinforcement occur in polymer-clay nanocomposites? (10 marks) [CHEM 113 | 2022–23]
- Q7.** What is Stern double layer? Discuss the effect of electrolyte concentration on Zeta potential value of a colloidal solution. (10 marks) [CHEM 113 | 2022–23]
- Q8.** Discuss the role played by an emulsifier in the process of emulsification. (13 marks) [CHEM 113 | 2022–23]
- Q9.** What is nanotoxicology? How can they impose detrimental effects on living organisms? (12 marks) [CHEM 113 | 2022–23]
- Q10.** What do you understand by cadmium-free quantum dots? Discuss the applications of quantum dots. (10 marks) [CHEM 113 | 2021–22]
- Q11.** Define gold number. The gold numbers of A, B, C and D are 0.005, 0.05, 0.5 and 5 respectively. Which of these has the greatest protective action? Explain your answer. (12 marks) [CHEM 113 | 2021–22]
- Q12.** What do you mean by Torus and Carbon nanobuds? How do the colloidal particles acquire electrical charge? (13 marks) [CHEM 113 | 2021–22]
- Q13.** Aluminium hydroxide forms a positively charged sol. Which of the following ionic substances should be most effective in coagulating the sol and why? NaCl, CaCl₂,

- $\text{Fe}_2(\text{SO}_4)_3$ and K_3PO_4 . (12 marks) [CHEM 113 | 2021–22]
- Q14. Define Tyndall effect. Draw a schematic diagram for the determination of particle size with dynamic light scattering. (15 marks) [CHEM 113 | 2020–21 (Jan 21)]
- Q15. How can you differentiate the association or condensation method with the disintegration or dispersion method for the preparation of particles with nano dimensions? Explain with suitable examples. (20 marks) [CHEM 113 | 2020–21 (Jan 21)]
- Q16. Selective adsorption of ions from solution imparts charge on colloidal particles — justify. (8 marks) [CHEM 113 | 2020–21]
- Q17. Identify and explain the different methods involved in the purification of colloids. (15 marks) [CHEM 113 | 2020–21]
- Q18. Differentiate the sol-gel method and gel formation method for the preparation of nanoparticles with suitable examples. (12 marks) [CHEM 113 | 2020–21]
- Q19. Adsorption is an important phenomenon to form the charge on the colloidal particles — justify with examples. (10 marks) [CHEM 113 | 2019–20]
- Q20. Zeta potential is very important in different applications of colloids and nanoparticles. Show the drop in potential in a schematic diagram and explain the potential change from surface to bulk. (20 marks) [CHEM 113 | 2019–20]
- Q21. Why are the properties of nanoparticles different from conventional materials? (15 marks) [CHEM 113 | 2019–20]
- Q22. Explain that the color of gold nanoparticles can be tuned by controlling the aspect ratio of size. (10–7 marks) [CHEM 113 | 2017–18; 2016–17]
- Q23. Draw a graph showing the approximate percentage of surface atoms as a function of size of nanocrystal and explain that surface energy of nanomaterials increases with decrease in size. (10–7 marks) [CHEM 113 | 2017–18; 2016–17]
- Q24. What is the dimensional classification of nanomaterials? Give examples and draw structures of each type. (5 marks) [CHEM 113 | 2017–18]
- Q25. Discuss the stability of colloids. How can colloids be removed from solutions? (10 marks) [CHEM 113 | 2017–18]
- Q26. What is the length scale of nanomaterials? Why is the length scale of nanosubstances fascinating in material science? (7 marks) [CHEM 113 | 2016–17]
- Q27. How can surface curvature of a nanostructure be used to control the solubility of

materials? (7 marks)

[CHEM 113 | 2016–17]

Q28. How can cancer cells be diagnosed by nanomaterials? What are the health hazards associated with nanomaterials? (7 marks)

[CHEM 113 | 2016–17]

Q29. Eight types of colloidal dispersions were listed in class. Give four types and give one example for each. Explain how the Tyndall effect is used to distinguish colloids and solutions. (9 marks)

[CHEM 113 | 2015–16]

Q30. One of the first computers, ENIAC, weighing 30 tons and occupying a $15\text{ m} \times 9\text{ m}$ room, was built in the 1940s. Explain how nanochemistry helped the evolution of computers to their current form. (8 marks)

[CHEM 113 | 2015–16]

Q31. “Everything when miniaturized to the sub-100-nanometer scale has new properties, regardless of what it is.” (i) List four examples that support this statement. (ii) What are the microscopes that scientists use to see at sub-100-nanometer scale? (10 marks)

[CHEM 113 | 2015–16]

Q32. There are two general approaches to the synthesis of nanomaterials. Compare these two approaches and give the pros and cons. (8 marks)

[CHEM 113 | 2015–16]

Q33. What is coagulation? Arsenic(III) sulfide forms a sol with a negative charge. Which of the following ionic substances should be most effective in coagulating the sol: (i) KCl, (ii) MgCl_2 , (iii) $\text{Al}_2(\text{SO}_4)_3$, (iv) Na_3PO_4 ? Explain your answer. (5 marks)

[CHEM 113 | 2014–15]

BUET · CHEM 113

Chemistry

Section S6

Phase Rule & Phase Diagram

S6 — Phase Rule & Phase Diagram

- Q1.** Draw a ternary phase diagram and indicate the point of composition of A = 40%, B = 30% and C = 30%. (4 marks) [CHEM 113 | 2023–24]
- Q2.** Suggest the phases of the following cases: (i) Mixture of N₂, CO₂, and O₂, (ii) NaCl dissolved in water, (iii) Mixture of graphite and diamond, (iv) Alloy of Al and Cu with α - and β -forms. (8 marks) [CHEM 113 | 2023–24]
- Q3.** Draw the phase diagram of water. Explain its different zones, important points, and different boundary lines using the phase rule and the Clausius-Clapeyron equation. (13 marks) [CHEM 113 | 2023–24]
- Q4.** Draw the phase diagram illustrating the boiling point elevation and freezing point depression of an aqueous solution and compare it with pure solvent. (12 marks) [CHEM 113 | 2022–23]
- Q5.** Draw a well-labeled phase diagram of the sulphur system and discuss its salient features. (13 marks) [CHEM 113 | 2022–23]
- Q6.** The melting point curve of ice in the water system has a negative slope. Explain it with the help of the phase diagram of the water system. (10 marks) [CHEM 113 | 2022–23]
- Q7.** Discuss the salient features of the phase diagram of the sulphur system. Why can four phases of a heterogeneous system not exist at equilibrium? (13 marks) [CHEM 113 | 2021–22]
- Q8.** A four-phase equilibrium is not usually possible — Justify the statement. (5 marks) [CHEM 113 | 2020–21 (Jan 21)]
- Q9.** Carbon dioxide is a gas but water is a liquid at room temperature — Illustrate with suitable phase diagrams. (15 marks) [CHEM 113 | 2020–21 (Jan 21)]
- Q10.** Applying the appropriate thermodynamic conditions, derive the phase rule for a condensed system. (15 marks) [CHEM 113 | 2020–21 (Jan 21)]
- Q11.** Draw the phase diagram of sulfur. (i) Demonstrate the three-phase equilibria in the diagram. (ii) The existence of monoclinic sulfur is not possible in metastable equilibrium — justify. (15 marks) [CHEM 113 | 2020–21]
- Q12.** With the appropriate phase diagrams, interpret the physical state of water and carbon dioxide on a summer day. (12 marks) [CHEM 113 | 2020–21]
- Q13.** Show the freezing point depression in a phase diagram. A sample weighing 0.546

- g was dissolved in 15.0 g benzene, and the freezing-point depression was determined to be 0.240°C . Calculate the molar mass of the hormone. (K_f for benzene = $5.12^{\circ}\text{C}\cdot\text{kg}/\text{mol}$) (20 marks) [CHEM 113 | 2019–20]
- Q14.** How is the phase diagram of CO_2 different from H_2O ? (5 marks) [CHEM 113 | 2017–18]
- Q15.** What is meant by a phase diagram? Draw and discuss the phase diagram for the sulphur system with the application of phase rule. (10 marks) [CHEM 113 | 2017–18]
- Q16.** Draw the phase diagram of the solvent-solute system and show that the boiling point elevation due to the addition of non-electrolyte and non-volatile solute is proportional to the molality of the solute. (10 marks) [CHEM 113 | 2016–17]
- Q17.** Acetylene has a critical point of 36°C , 62 atm. What can be inferred about the liquefaction of acetylene from this data? (6 marks) [CHEM 113 | 2015–16]
- Q18.** Sketch a rough phase diagram of SO_2 from the following information: normal freezing point = -72.7°C , normal boiling point = -10°C , triple point = -75.5°C and 1.65×10^{-3} atm, Critical point = 157°C and 78 atm. Label each phase region and calculate degrees of freedom at all regions and equilibria. (12 marks) [CHEM 113 | 2015–16]
- Q19.** Draw the phase diagrams of water and carbon dioxide. Why does water's phase diagram have a solid-liquid boundary line with a negative slope? Which one will sublime at room temperature and pressure? Why? (12 marks) [CHEM 113 | 2014–15]
- Q20.** What is phase diagram? Why is such a diagram important? (8 marks) [CHEM 113 | 2012–13]
- Q21.** What is metastable equilibrium? Draw the phase diagram of the sulfur (S) system and explain the formation of the following metastable equilibrium: $\text{S}(\text{rhombic}) \rightleftharpoons \text{S}(\text{liquid}) \rightleftharpoons \text{S}(\text{vapor})$. (12 marks) [CHEM 113 | 2012–13]
- Q22.** Draw the phase diagram of two partially miscible liquid pairs and define Critical Solution Temperature. (10 marks) [CHEM 113 | 2012–13]
- Q23.** What is the triple point in a phase diagram? With the help of the phase rule, show that the triple point of water is invariant. (10 marks) [CHEM 113 | 2012–13]
- Q24.** Thermodynamically derive the Gibbs phase rule. Draw the phase diagram of the water system and describe its main features. (12 marks) [CHEM 113 | 2011–12]

- Q25.** State how many phases, components and degrees of freedom are present in each of the following systems: (i) Saturated solution of NaCl (ii) Mixture of O_2 and N_2 (iii) $H_2O_{(s)} \rightleftharpoons H_2O_{(l)} \rightleftharpoons H_2O_{(g)}$ (iv) $CaCO_{3(s)} \rightleftharpoons CaO_{(s)} + CO_{2(g)}$. (8 marks) [CHEM 101 | 2010–11]
- Q26.** Thermodynamically derive the Gibbs phase rule. (7 marks) [CHEM 101 | 2010–11]
- Q27.** Derive the phase rule. Draw the phase diagram of water and describe its main features. (18 marks) [CHEM 101 | 2009–10]
- Q28.** Write the mathematical expression of the phase rule and explain the terms involved. Draw the phase diagram of sulphur and describe the different parts of the diagram with the help of the phase rule. (14 marks) [CHEM 101 | 2008–09]

BUET · CHEM 113

Chemistry

Section S7

Energy & Chemistry

S7 — Energy & Chemistry

- Q1.** Explain the working principle of a heat engine and its efficiency with the necessary equation. **(10 marks)** [CHEM 113 | 2023–24]
- Q2.** Calculate the standard enthalpy of formation of acetylene (C_2H_2) from its elements: $2\text{C}(\text{graphite}) + \text{H}_2(\text{g}) \rightarrow \text{C}_2\text{H}_2(\text{g})$. Use: (i) $\Delta H = -393.5 \text{ kJ/mol}$ for combustion of C; (ii) $\Delta H = -285.8 \text{ kJ/mol}$ for formation of $\text{H}_2\text{O}(\text{l})$; (iii) $\Delta H = -2598.8 \text{ kJ/mol}$ for combustion of C_2H_2 . **(10 marks)** [CHEM 113 | 2022–23; 2012–13]
- Q3.** When 23.6 g of calcium chloride, CaCl_2 , was dissolved in water in a calorimeter, the temperature rose from 25.0°C to 38.7°C . If the heat capacity of the solution is $1258 \text{ J/}^\circ\text{C}$, what is the enthalpy change when 1.20 mol of calcium chloride dissolves in water? **(13 marks)** [CHEM 113 | 2022–23]
- Q4.** Enthalpy is a state function — Justify. A lead (Pb) pellet having a mass of 26.47 g at 89.98°C was placed in a constant-pressure calorimeter of negligible heat capacity containing 100.0 mL of water. The water temperature rose from 22.50°C to 23.17°C . What is the specific heat of the lead pellet? **(13 marks)** [CHEM 113 | 2021–22]
- Q5.** Ammonia will burn in the presence of a platinum catalyst to produce nitric oxide: $4\text{NH}_3(\text{g}) + 5\text{O}_2(\text{g}) \rightarrow 4\text{NO}(\text{g}) + 6\text{H}_2\text{O}(\text{g})$. What is the heat of reaction at constant pressure? Use: $\text{N}_2(\text{g}) + \text{O}_2(\text{g}) \rightarrow 2\text{NO}(\text{g})$; $\Delta H = 180.6 \text{ kJ}$; $\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \rightarrow 2\text{NH}_3(\text{g})$; $\Delta H = -91.8 \text{ kJ}$; $2\text{H}_2(\text{g}) + \text{O}_2(\text{g}) \rightarrow 2\text{H}_2\text{O}(\text{g})$; $\Delta H = -483.7 \text{ kJ}$. **(10 marks)** [CHEM 113 | 2021–22]
- Q6.** What is Fuel? Describe three fuel-oxidizer systems used in rockets. **(12 marks)** [CHEM 113 | 2021–22]
- Q7.** Two pollutants that form in auto exhaust are CO and NO. Calculate ΔH for the reaction $\text{CO}(\text{g}) + \text{NO}(\text{g}) \rightarrow \text{CO}_2(\text{g}) + \frac{1}{2}\text{N}_2(\text{g})$ from the following information: $\text{CO}(\text{g}) + \frac{1}{2}\text{O}_2(\text{g}) \rightarrow \text{CO}_2(\text{g})$; $\Delta H = -283.0 \text{ kJ}$; $\text{N}_2(\text{g}) + \text{O}_2(\text{g}) \rightarrow 2\text{NO}(\text{g})$; $\Delta H = 180.6 \text{ kJ}$. **(8 marks)** [CHEM 113 | 2020–21]
- Q8.** 0.5 g of a carbon sample is placed in a calorimeter with excess oxygen at 25°C and 1 atm pressure. On reaction, the calorimeter temperature rises from 25°C to 25.89°C . The heat capacity of the calorimeter is $20.7 \text{ kJ/}^\circ\text{C}$. Calculate the heat of reaction at 25°C and express the result as a thermochemical equation. **(8 marks)** [CHEM 113 | 2020–21]
- Q9.** How are the internal energies of chemical substances changed in a chemical reaction? State and explain the second law of thermodynamics. Under what conditions does a substance have a standard entropy of zero? **(20 marks)** [CHEM 113 | 2020–21 (Jan 21)]

- Q10.** Explain why the bond enthalpy of a molecule is usually defined in terms of a gas-phase reaction. How would you determine the fuel values of different food items? (15 marks) [CHEM 113 | 2020–21 (Jan 21)]
- Q11.** For years, chemists and physicists focused on enthalpy changes as a way to measure the spontaneity of a reaction. What arguments would you use to convince them not to use this method? (9 marks) [CHEM 113 | 2019–20]
- Q12.** Is the distance a person travels on a trip a state function? Why or why not? (6 marks) [CHEM 113 | 2019–20]
- Q13.** Describe how a swinging pendulum that slows with time illustrates the first law of thermodynamics. (15 marks) [CHEM 113 | 2019–20]
- Q14.** How is the internal energy of a system changed during a chemical reaction? Explain why internal energy and Gibbs free energy are considered as state functions. (8 marks) [CHEM 113 | 2017–18]
- Q15.** How does temperature affect reaction enthalpies? Derive the Kirchhoff's equation for the temperature dependence of reaction enthalpies. (12 marks) [CHEM 113 | 2017–18]
- Q16.** Explain why enthalpy is a state function and why it is an extensive property. (8 marks) [CHEM 113 | 2015–16]
- Q17.** What is pressure-volume work? How is this work related to enthalpy? (8 marks) [CHEM 113 | 2015–16]
- Q18.** Given the following hypothetical thermochemical equations: $A + B \rightarrow 2C$; $\Delta H = -447 \text{ kJ}$; $A + 3D \rightarrow 2E$; $\Delta H = -484 \text{ kJ}$; $2D + B \rightarrow 2F$; $\Delta H = -429 \text{ kJ}$. Calculate ΔH for the equation: $4E + 5B \rightarrow 4C + 6F$. (9 marks) [CHEM 113 | 2015–16]
- Q19.** Why is the Kirchhoff's equation so important in thermochemistry? Calculate the heat of formation of $\text{H}_2\text{O}(\text{l})$ at 60°C if the standard heat of formation is 68.370 Kcal . (C_p of H_2 : 6.90, O_2 : 7.05, $\text{H}_2\text{O}(\text{l})$: $18.0 \text{ cal}\cdot\text{mol}^{-1}\cdot\text{deg}^{-1}$.) (10 marks) [CHEM 113 | 2015–16]
- Q20.** Define these terms: Open system, closed system, isolated system, exothermic process, endothermic process. Explain the sign conventions in the equation $\Delta E = q + W$. (10 marks) [CHEM 113 | 2014–15]
- Q21.** From the following data, calculate the enthalpy change for the reaction: $2\text{C}(\text{graphite}) + 3\text{H}_2(\text{g}) \rightarrow \text{C}_2\text{H}_6(\text{g})$. Use: $\text{C}(\text{graphite}) + \text{O}_2(\text{g}) \rightarrow \text{CO}_2(\text{g})$; $\Delta H = -393.5 \text{ kJ/mol}$; $\text{H}_2(\text{g}) + \frac{1}{2}\text{O}_2(\text{g}) \rightarrow \text{H}_2\text{O}(\text{l})$; $\Delta H = -285.8 \text{ kJ/mol}$; $2\text{C}_2\text{H}_6(\text{g}) + 7\text{O}_2(\text{g}) \rightarrow 4\text{CO}_2(\text{g}) + 6\text{H}_2\text{O}(\text{l})$; $\Delta H = -3119.6 \text{ kJ/mol}$. (8 marks) [CHEM 113 | 2014–15]

- Q22.** ‘Chemical energy is a form of potential energy’ — justify the statement. (8 marks)
[CHEM 113 | 2013–14]
- Q23.** What is a fuel? Discuss the prospect of hydrogen as next generation fuel. (22 marks)
[CHEM 113 | 2013–14]
- Q24.** What do you mean by the term “thermodynamic equilibrium constant”? How is the equilibrium constant of a reaction related to the free energy change? (10 marks)
[CHEM 113 | 2013–14]
- Q25.** Derive an expression for the variation of equilibrium constant with temperature. (16 marks)
[CHEM 113 | 2013–14]
- Q26.** Define ‘chemical potential’ and ‘free energy’. (8 marks) [CHEM 113 | 2012–13]
- Q27.** What are the characteristic features of the thermodynamic equilibrium constant? (6 marks)
[CHEM 113 | 2012–13]
- Q28.** The value of K_p for a reaction is 1.06×10^6 at 25°C . Calculate the standard free energy change for the reaction. (7 marks)
[CHEM 113 | 2012–13]
- Q29.** The heat of reaction of $\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \rightleftharpoons 2\text{NH}_3(\text{g})$ at 27°C was found to be -21.97 Kcal. What will be the heat of reaction at 100°C ? The molar heat capacities at constant pressure for nitrogen, hydrogen and ammonia are 6.80, 6.77 and 8.86 cal/mol-deg respectively. (7 marks)
[CHEM 113 | 2011–12]
- Q30.** What is internal energy of a system? How is it related to the enthalpy of the system? (11 marks)
[CHEM 113 | 2011–12]
- Q31.** What are the factors affecting the enthalpy change of a reaction? (5 marks) [CHEM 113 | 2011–12]
- Q32.** What is internal energy of a system? How is it related to the heat of the system at constant volume and at constant pressure? (10 marks) [CHEM 101 | 2010–11]
- Q33.** Derive Kirchhoff’s equations at constant volume and at constant pressure. (10 marks)
[CHEM 101 | 2010–11]
- Q34.** Explain the dynamic nature of equilibrium. (5 marks) [CHEM 101 | 2010–11]
- Q35.** Derive an expression relating the free energy change and the equilibrium constant of a reaction. (11 marks)
[CHEM 101 | 2010–11]
- Q36.** Discuss the variation of equilibrium constant with temperature. (12 marks) [CHEM 101 | 2010–11]

- Q37.** The equilibrium constant for the dissociation $2\text{H}_2\text{S}(\text{g}) \rightleftharpoons 2\text{H}_2(\text{g}) + \text{S}_2(\text{g})$ is 0.0118 at 1065°C , while the heat of dissociation is 42400 cal. Find the equilibrium constant at 1200°C . (7 marks) [CHEM 101 | 2010–11]
- Q38.** What do you mean by the term “dynamic equilibrium”? (6 marks) [CHEM 101 | 2009–10]
- Q39.** The equilibrium constants K_p of the reaction $\text{N}_2\text{O}_4(\text{g}) \rightleftharpoons 2\text{NO}_2(\text{g})$ are 0.141 and 2.80 at 25°C and 65°C respectively. Calculate the average heat of reaction and comment on the result. (10 marks) [CHEM 101 | 2009–10]
- Q40.** What is meant by chemical potential and Gibbs free energy? (6 marks) [CHEM 101 | 2008–09]
- Q41.** Derive an equation relating the free energy change (ΔG) and equilibrium constant. Mention the significance of the obtained equation. Also explain the effect of temperature on the equilibrium constant. (12 marks) [CHEM 101 | 2008–09]
- Q42.** Explain the following with suitable examples: (i) Heat of neutralization, (ii) Heat of solution. (6 marks) [CHEM 101 | 2008–09]
- Q43.** Define heat of combustion and show how heat of combustion can be measured using a bomb calorimeter. (12 marks) [CHEM 101 | 2008–09]
- Q44.** The heat of reaction $\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \rightleftharpoons 2\text{NH}_3(\text{g})$ at 27°C is -21.976 Kcal. What will be the heat of reaction at 50°C ? (The molar heat capacities at constant pressure at 27°C for nitrogen, hydrogen and ammonia are 6.80, 6.77 and $8.86 \text{ cal}\cdot\text{mol}^{-1}\cdot\text{deg}^{-1}$ respectively.) (9 marks) [CHEM 101 | 2007–08]
- Q45.** Explain the effect of temperature and pressure on the equilibrium of a chemical reaction. (7 marks) [CHEM 101 | 2007–08]
- Q46.** Derive the equilibrium constant expression of a reaction $x\text{A} + y\text{B} \rightleftharpoons m\text{C} + n\text{D}$ using the thermodynamic approach. What information can be obtained from such a mathematical relationship? (12 marks) [CHEM 101 | 2006–07]
- Q47.** How can pressure and temperature be optimized for the following reactions? Use Le Chatelier’s principle for explanation. (i) $\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \rightleftharpoons 2\text{NH}_3(\text{g})$, $\Delta H = -ve$; (ii) $\text{N}_2\text{O}_4(\text{g}) \rightleftharpoons 2\text{NO}_2(\text{g})$, $\Delta H = +ve$. (12 marks) [CHEM 101 | 2006–07]
- Q48.** The equilibrium constant K_p for the reaction $\text{C}_2\text{H}_4(\text{g}) + \text{H}_2(\text{g}) \rightleftharpoons \text{C}_2\text{H}_6(\text{g})$ is $5.04 \times 10^7 \text{ atm}^{-1}$ at 25°C . Calculate the value of standard free energy ΔG° and comment on the result. (11 marks) [CHEM 101 | 2006–07]

BUET · CHEM 113

Chemistry

Section S8

Electrochemistry

S8 — Electrochemistry

- Q1.** Illustrate the function of the proton exchange membrane (PEM) fuel cell. List its key characteristics and applications. (5 marks) [CHEM 113 | 2023–24]
- Q2.** Give a short account of electrolytic media, including ionic liquids. (10 marks) [CHEM 113 | 2023–24]
- Q3.** As an energy storage device, supercapacitor technology is lucrative. Describe the energy storage protocols of this class of energy device with schematic diagrams. (10 marks) [CHEM 113 | 2023–24]
- Q4.** How would you contrast batteries and supercapacitors as energy storage devices? (5 marks) [CHEM 113 | 2022–23; 2021–22]
- Q5.** Write all the redox reactions that take place during the discharge of secondary lithium-ion and lead-acid batteries. Identify the half-reactions as oxidation and reduction. (10 marks) [CHEM 113 | 2022–23]
- Q6.** The concentration of K^+ ion in the interior and exterior of a nerve cell are 400 mM and 15 mM, respectively. For $K^+ + e^- = K$; $E^\circ = -2.92$ V, find the electrical potential across the membrane. Which direction will the K^+ movement be spontaneous? (10 marks) [CHEM 113 | 2022–23]
- Q7.** Given that the standard reduction potentials for vitamin B_{12} ($E^\circ = -0.526$ V) and the protein flavodoxin ($E^\circ = -0.230$ V): (i) Calculate ΔG° in kJ for the one-electron reduction of vitamin B_{12} by flavodoxin. (ii) Which is the superior reducing agent: vitamin B_{12} or flavodoxin? Justify your choice. (10 marks) [CHEM 113 | 2021–22]
- Q8.** Why do cations and anions carry different fractions of the current in electrolytic conduction? (5 marks) [CHEM 113 | 2017–18]
- Q9.** How does conduction of electricity through a solution differ from metallic conduction? Explain the effect of some factors which influence the conduction of electricity in solution. (10 marks) [CHEM 113 | 2017–18]
- Q10.** Differentiate molar conductivity and specific conductivity. Explain why hydrogen and hydroxide ions exhibit exceptionally large ionic mobilities. (10 marks) [CHEM 113 | 2017–18]
- Q11.** Mention the main apparatus for conductometric titrations. How can conductometric titration be used for the determination of the percentage of HCl and CH_3COOH in a supplied solution? (10 marks) [CHEM 113 | 2017–18]

- Q12.** Briefly explain how you can use molar conductivity data to calculate acidity constant of a weak acid. The molar conductivity of 0.010 M $\text{CH}_3\text{COOH}(\text{aq})$ at 25°C is $1.65 \text{ ms}\cdot\text{m}^2\cdot\text{mol}^{-1}$. (i) Calculate the limiting molar conductivity of $\text{CH}_3\text{COOH}(\text{aq})$. (ii) Calculate the degree of deprotonation, α . (iii) Calculate the acidity constant, K_a , of CH_3COOH . (10 marks) [CHEM 113 | 2015–16; 2014–15]

Appendixes - Chem 113

Appendix A. Boiling-Point-Elevation Constants (K_b) and Freezing-Point-Depression Constants (K_f)

Solvent	Boiling Point ($^\circ\text{C}$)	Freezing Point ($^\circ\text{C}$)	$K_b(^\circ\text{C}/m)$	$K_f(^\circ\text{C}/m)$
Acetic Acid (CH_3COOH)	118.5	16.60	3.08	3.59
Benzene (C_6H_6)	80.2	5.455	2.61	5.065
Camphor ($\text{C}_{10}\text{H}_{16}\text{O}$)	---	179.5	---	40
Carbon disulfide (CS_2)	46.3	---	2.40	---
Cyclohexane (C_6H_{12})	80.74	6.55	2.79	20.0
Ethanol ($\text{C}_2\text{H}_5\text{OH}$)	78.3	---	1.07	---
Water (H_2O)	100.000	0.000	0.512	1.858

Appendix B. Limiting ionic conductivities in water at 298 K, $\lambda / (\text{mS m}^2 \text{ mol}^{-1})$

Cations	Anions
Ba^{2+} 127.2	Br^- 78.1
Ca^{2+} 119.0	CH_3CO_2^- 4.09
Cs^+ 77.2	Cl^- 76.35
Cu^{2+} 107.2	ClO_4^- 6.73
H^+ 34.96	CO_3^{2-} 13.86
K^+ 73.50	$(\text{CO}_3)_2^{4-}$ 14.82
Li^+ 38.7	F^- 5.54
Mg^{2+} 106.0	$[\text{Fe}(\text{CN})_6]^{4-}$ 30.27
Na^+ 50.10	$[\text{Fe}(\text{CN})_6]^{3-}$ 44.20
$[\text{N}(\text{C}_2\text{H}_5)_4]^+$ 3.26	HCO_2^- 5.46
$[\text{N}(\text{CH}_3)_4]^+$ 4.49	I^- 7.68
NH_4^+ 73.5	NO_3^- 71.46
Rb^+ 77.8	OH^- 19.91
Sr^{2+} 118.9	SO_4^{2-} 16.00
Zn^{2+} 105.6	

- Q13.** What is meant by limiting ionic conductivity? Explain why the limiting ionic conductivity of H^+ is so high compared to other cations. (7 marks) [CHEM 113 | 2015–16]
- Q14.** State Kohlrausch's law and Ostwald's dilution law. How can you use these two equations to determine the limiting values of the molar conductivity of solutions? (9 marks) [CHEM 113 | 2014–15]
- Q15.** For the reaction $\text{Ag}(\text{s}) + \frac{1}{2}\text{Cl}_2(\text{g}) \rightarrow \text{AgCl}(\text{s})$, $E^\circ = 0.839 \text{ V}$ at 1000 K. If $a_{\text{Ag}} = a_{\text{AgCl}} = 1.00$ and $a_{\text{Cl}_2} = 0.77$, find the value of E . Is the reaction less favored under non-standard conditions? Justify from the values of K and ΔG . (9 marks) [CHEM 113 | 2013–14]

- Q16.** Define reversible cell. Give an example and explain how it is reversible. **(11 marks)**
[CHEM 113 | 2011–12]
- Q17.** Establish a relation between the emf of a reversible cell and the heat of reaction in the cell. **(14 marks)**
[CHEM 113 | 2011–12]
- Q18.** At 25°C the value of the emf for the reversible cell: $\text{Pb}, \text{PbCl}_2(\text{s})|\text{KCl}(\text{aq})|\text{AgCl}(\text{s}), \text{Ag}$ is 0.4902 volt and $(\partial E/\partial T)_p = -1.86 \times 10^{-4} \text{ volt}\cdot\text{deg}^{-1}$. Calculate the values of ΔG and ΔH showing the reaction involved in the cell. **(10 marks)** [CHEM 113 | 2011–12]
- Q19.** What are reversible and irreversible cells? Give one example of each. **(3 marks)**
[CHEM 101 | 2009–10]
- Q20.** State the Kohlrausch law of independent migration of ions. Discuss its applications. **(9 marks)**
[CHEM 101 | 2009–10]
- Q21.** Briefly discuss the chronological development of the mechanism of electrolytic conduction. **(8 marks)**
[CHEM 101 | 2008–09]
- Q22.** Define transport number. Show that $t_+ + t_- = 1.0$. **(4 marks)** [CHEM 101 | 2008–09]
- Q23.** Explain the terms: conductance, specific conductance, equivalent conductance, and molecular conductance. Derive a relation between specific conductance and equivalent conductance. **(15 marks)**
[CHEM 101 | 2007–08]
- Q24.** Give a brief description of the lead storage cell. **(10 marks)** [CHEM 101 | 2007–08]
- Q25.** What is an electrochemical cell? How do you understand the terms “half cell”, “half-cell reaction” and “salt bridge”? **(10 marks)**
[CHEM 101 | 2006–07]

BUET · CHEM 113

Chemistry

Section S9

Polymers

S9 — Polymers

- Q1.** Describe the mechanism of polymer conductivity. Discuss the effect of doping and other factors on the degree of conductivity. **(10 marks)** [CHEM 113 | 2023–24]
- Q2.** What are the different types of conducting polymers? Discuss the general mechanism of conduction in conjugated polymers. **(10 marks)** [CHEM 113 | 2022–23; 2020–21]
- Q3.** Show the chemical processes involved in doping polyacetylene and explain the increased conductivity of doped polyacetylene by discussing the mechanism of conduction in doped polymers. **(10 marks)** [CHEM 113 | 2022–23]
- Q4.** What distinguishes thermoplastics from thermosetting plastics? **(5 marks)** [CHEM 113 | 2021–22]
- Q5.** Apply your knowledge of intermolecular forces to explain the thermal transitions in amorphous and crystalline polymers. **(10 marks)** [CHEM 113 | 2021–22]
- Q6.** List the requirements of a conducting polymer for electrical conduction. Discuss a process for improving the conduction of polyacetylene, utilizing the concept of HOMO-LUMO. **(10 marks)** [CHEM 113 | 2021–22]
- Q7.** What are the different applications of conducting polymers? Discuss the general mechanism of conduction in conjugated polymers. **(10 marks)** [CHEM 113 | 2020–21]
- Q8.** “The conductivity of doped polyacetylene is more than undoped molecule” — Justify by showing the addition of Lewis acid and Lewis base as dopant. **(10 marks)** [CHEM 113 | 2020–21]
- Q9.** Name the different types of polymerization processes with examples. **(5 marks)** [CHEM 113 | 2020–21]
- Q10.** What is thermoplastic starch? Discuss the applications and limitations of thermoplastic starch. **(10 marks)** [CHEM 113 | 2017–18]
- Q11.** Identify the factors that influence the biodegradability of polymers. Discuss the effect of crystallinity on biodegradability of polymers. **(10 marks)** [CHEM 113 | 2017–18]
- Q12.** Why are polymers often insulating? Draw energy level diagrams of metal, semiconductor and insulator. Indicate the band gaps and comment on their conducting

behavior. (10 marks)

[CHEM 113 | 2016–17]

- Q13.** How can polyacetylene act as a semiconductor? Draw energy level diagram of the hybridized p orbitals of a polymer consisting of conjugated double bonds and indicate their HOMO, LUMO, valence band and conduction band. (10 marks) [CHEM 113 | 2016–17]
- Q14.** Describe different types of doping mechanisms in conjugated polymers. What is the difference in the doping process of conjugated polymers and semiconductors? (10 marks) [CHEM 113 | 2016–17]
- Q15.** What are the factors that affect the conduction behavior of polymers? (5 marks) [CHEM 113 | 2016–17]
- Q16.** Why are natural polymers more biodegradable than synthetic polymers? What are the advantages, disadvantages and applications of thermoplastic starch? (11 marks) [CHEM 113 | 2016–17]
- Q17.** Write down the factors that accelerate the polymer degradation. (9 marks) [CHEM 113 | 2015–16]
- Q18.** Show schematically how a soliton pair on a trans-polyacetylene is formed by doping. (6 marks) [CHEM 113 | 2015–16]
- Q19.** How can a conjugated conducting polymer be doped by chemical methods? (6 marks) [CHEM 113 | 2015–16]
- Q20.** Write down the structures of the following polymers (any seven): (i) Poly(glycolic acid) (ii) Poly(β -hydroxybutyrate) (iii) Poly-lysine (iv) Polyaniline emeraldine base (v) Polythiophene (vi) Polyazulene (vii) Poly(ϵ -caprolactone) (viii) Chitin (ix) Poly(dichlorophosphazene) (x) Starch. (14 marks) [CHEM 113 | 2015–16]

BUET · CHEM 113

Chemistry

Section S10

Electronic Materials

S10 — Electronic Materials

- Q1.** Light-emitting diode (LED) is a modern innovation in digital display technology. Explain its mechanism that is different from LCD in producing a color band with a suitable diagram. Briefly state the characteristic features of LCD. **(10 marks)**
[CHEM 113 | 2023–24]

BUET · CHEM 113

Chemistry

Section S11

Biomolecules

S11 — Biomolecules

- Q1.** Protein is a bio-polymer — explain by showing peptide bond formation. Explain the intermolecular forces responsible for stabilizing the secondary and tertiary structures of proteins. (10 marks) [CHEM 113 | 2023–24; 2021–22]
- Q2.** What can be inferred about the structure of DNA in terms of its double helix configuration and the complementary base pairing (A-T, G-C)? (10 marks) [CHEM 113 | 2021–22]
- Q3.** Explain the term “Bile Salts”. Describe the types of interactions that are involved in maintaining the tertiary structures of proteins. (15 marks) [CHEM 113 | 2020–21 (Jan 21)]
- Q4.** How does hydrogen bonding and hydrophobic interaction influence the structure of biomolecules? (10 marks) [CHEM 113 | 2020–21]
- Q5.** Describe the forces that work efficiently to hold proteins in their most stable three-dimensional structures. Briefly explain the different ways in which protein structures could be unfolded. (15 marks) [CHEM 113 | 2019–20]
- Q6.** Draw the mechanisms of the acid hydrolysis of methyl- β -D-glucopyranoside. (5 marks) [CHEM 113 | 2017–18]
- Q7.** Draw the chemical structure of β -D-(+)-glucopyranose in chair conformation. Discuss the significance of β , D and (+). (10 marks) [CHEM 113 | 2017–18]
- Q8.** Define carbohydrates. Give one example of monosaccharides, disaccharides and polysaccharides. Draw their structural formulas. (10 marks) [CHEM 113 | 2016–17]
- Q9.** Draw the Fischer projection formula of D-glucose and L-glucose. (5 marks) [CHEM 113 | 2016–17]
- Q10.** Write down the mechanism of the formation of methyl glycoside from β -D-glucopyranose. Explain which anomeric product of methyl glycoside is more stable than the other. (10 marks) [CHEM 113 | 2016–17]
- Q11.** What is mutarotation? Why does glucose undergo mutarotation? (5 marks) [CHEM 113 | 2016–17]
- Q12.** Prove that glucose is a reducing sugar. (5 marks) [CHEM 113 | 2016–17]
- Q13.** Draw the primary, secondary, tertiary and quaternary structures of proteins. (10

marks)

[CHEM 113 | 2016–17]

- Q14.** What sequence of bases on one strand of DNA is complementary to the sequence TATGCAT on another strand? **(3 marks)** [CHEM 113 | 2015–16]
- Q15.** “Mutarotation occurs by a reversible ring-opening of each anomer to the open-chain aldehyde, followed by reclosure” — Explain with a suitable example. **(5 marks)** [CHEM 113 | 2015–16]
- Q16.** What do you mean by rRNA, tRNA and mRNA? What are the differences between DNA and RNA? **(9 marks)** [CHEM 113 | 2015–16]
- Q17.** Why are amino acids amphiprotic? Find out what species are present in a 1.00 M solution of alanine at pH = 9.00. The pK_{a1} and pK_{a2} values of alanine are 2.34 and 9.69, respectively. **(10 marks)** [CHEM 113 | 2015–16]

BUET · CHEM 113

Chemistry

Section S12

Computational Chemistry

S12 — Computational Chemistry

- Q1.** What are the salient features of molecular mechanics in computational chemistry? Under what conditions or scenarios would you choose molecular mechanics as your preferred computational method? **(12 marks)** [CHEM 113 | 2023–24]
- Q2.** Draw a flow diagram illustrating the key stages of the modern drug discovery process. Explain how molecular docking is applied within this process. **(13 marks)** [CHEM 113 | 2023–24]
- Q3.** Write down the salient features of Density Functional Theory. Discuss the advantages and disadvantages of the Molecular Mechanics method. **(12 marks)** [CHEM 113 | 2022–23]
- Q4.** “The accuracy of a calculation is dependent on both the model and the type of basis set applied to it” — Explain. **(10 marks)** [CHEM 113 | 2021–22; 2015–16]
- Q5.** What kinds of questions can computational chemistry answer? How are the different types of models used in computational chemistry? What advantages does computational chemistry have over “wet chemistry”? **(20 marks)** [CHEM 113 | 2020–21 (Jan 21)]
- Q6.** What computable properties are studied by computational chemistry? Discuss the methods most commonly used in computational chemistry in terms of theories and cost (time) effectiveness. **(10 marks)** [CHEM 113 | 2020–21]
- Q7.** What precautions should one follow in computational chemistry? **(5 marks)** [CHEM 113 | 2020–21]
- Q8.** Discuss the importance of computational technology in drug delivery. **(15 marks)** [CHEM 113 | 2019–20]
- Q9.** How can computational chemistry be utilized to address real-world problems in chemistry? Briefly explain with specific examples. **(15 marks)** [CHEM 113 | 2019–20]
- Q10.** What do you mean by basis sets in computational chemistry? “The accuracy of a calculation is dependent on both the model and the type of basis set applied to it” — Explain. **(6 marks)** [CHEM 113 | 2015–16]
- Q11.** Discuss the advantages and disadvantages of the Semi-empirical method of computation. **(5 marks)** [CHEM 113 | 2015–16]
- Q12.** Write down the salient features of the Ab-initio method. When would you choose

this method for computation? (7 marks)

[CHEM 113 | 2015–16]

BUET · CHEM 113

Chemistry

Section S13


Miscellaneous

S13 — Miscellaneous

- Q1.** Explain why cis-1,2-dichloroethene has a higher boiling point compared to trans-1,2-dichloroethene. (5 marks) [CHEM 113 | 2023–24]
- Q2.** Draw a schematic diagram of the water desalination process and explain. (10 marks) [CHEM 113 | 2020–21 (Jan 21)]
- Q3.** Sea water contains dissolved salts at a total concentration of about 1.13 mol/L. Draw a desalination diagram for obtaining drinking water from sea water. (6 marks) [CHEM 113 | 2016–17]
- Q4.** What is soap? Write down the mechanism of saponification of triacylglycerols. (7 marks) [CHEM 113 | 2016–17]
- Q5.** What is omega-3 fatty acid? Why is consumption of omega-3 fatty acid containing oils good for our health? (7 marks) [CHEM 113 | 2016–17]
- Q6.** What is soap? Show the cleaning mechanism of soaps. (8 marks) [CHEM 113 | 2015–16]
- Q7.** List four factors that can shift the position of an equilibrium. Which one can alter the value of the equilibrium constant? Why? (8 marks) [CHEM 113 | 2014–15]
- Q8.** The pH of a bicarbonate-carbonic acid buffer is 8.00. Calculate the ratio of the concentration of carbonic acid (H_2CO_3) to that of the bicarbonate ion (HCO_3^-). $K_{a1} = 4.2 \times 10^{-7}$. (5 marks) [CHEM 113 | 2014–15]
- Q9.** Define reaction quotient. How does it differ from equilibrium constant? What are the uses of reaction quotient? (8 marks) [CHEM 113 | 2014–15]
- Q10.** The equilibrium constant K_c of the reaction $\text{N}_2(\text{g}) + \text{O}_2(\text{g}) \rightleftharpoons 2\text{NO}(\text{g})$ equals 4.6×10^{-31} at 25°C . (i) What does the magnitude of K_c tell you about the reaction? (ii) If you assume that the concentrations of N_2 and O_2 are 1.0 M, find the concentration of NO. (9 marks) [CHEM 113 | 2014–15]
- Q11.** At 128°C the equilibrium constant (K_c) for the reaction $\text{Br}_2(\text{g}) \rightleftharpoons 2\text{Br}(\text{g})$ is 1.1×10^{-3} . If the initial concentrations are $[\text{Br}_2] = 6.3 \times 10^{-2} \text{ M}$ and $[\text{Br}] = 1.2 \times 10^{-2} \text{ M}$, calculate the concentrations of these species at equilibrium. (10 marks) [CHEM 113 | 2014–15]
- Q12.** What are the four variables or factors that can affect the rate of reaction? Which of the factor(s) affect the magnitude of the rate constant? Which factor(s) do not affect the magnitude of the rate constant? Why? (8 marks) [CHEM 113 |

2014–15]

Q13. The reaction of thioacetamide with water is shown by the equation below:




The rate of reaction is given by the rate law: $\text{Rate} = k[\text{H}_3\text{O}^+][\text{CH}_3\text{CSNH}_2]$. Consider 1 L of solution that is 0.20 M in CH_3CSNH_2 and 0.15 M in HCl at 25°C . (i) For each of the changes listed below, state whether the rate of reaction increases, decreases, or remains the same. Why? (A) A 4-g sample of NaOH is added to the solution. (B) 500 mL of water is added to the solution. (ii) For each of the changes listed below, state whether the magnitude of the rate constant k will increase, decrease or remain the same. (A) A catalyst is added to the solution. (B) The reaction is carried out at 10°C . **(8 marks)** [CHEM 113 | 2014–15]

Q14. The following values of the rate constant were obtained for the decomposition of nitrogen dioxide at various temperatures:

Temperature ($^\circ\text{C}$)	k (L/mol·s)
320	0.527
330	0.776
340	1.121
350	1.607

Using the Arrhenius equation, determine the activation energy. **(10 marks)** [CHEM 113 | 2014–15]

Q15. The decomposition of hydrogen peroxide is a first-order reaction:



The half life of the reaction is 17.0 minutes. (i) What is the rate constant of the reaction? (ii) If you had a bottle of H_2O_2 , how long would it take for 86.0% to decompose? (iii) If you started the reaction with $[\text{H}_2\text{O}_2] = 0.100$ M, what would be the H_2O_2 concentration after 15.0 minutes? **(9 marks)** [CHEM 113 | 2014–15]

Q16. Define (i) rate of reaction, (ii) rate of conversion, and (iii) rate constant. **(8–9 marks)** [CHEM 113 | 2013–14; 2010–11]

Q17. Define Hard and Soft Acids and Bases (HSAB). Discuss the classification of HSAB taking three examples from each class. **(10 marks)** [CHEM 113 | 2013–14]

Q18. Discuss the principle of application of HSAB in the following fields: (i) Medicinal Chemistry, (ii) Geochemical classification of the elements and their occurrence in nature as minerals, (iii) Predicting favorable equilibria, (iv) Toxicology. **(20 marks)** [CHEM 113 | 2013–14]

- Q19.** Explain why: (i) Picric acid is as strong as nitric acid though picric acid is an organic acid. (ii) Gold and copper are colored but silver is not, though they are elements of the same group IB. (iii) The coordination number of Co^{3+} is six but that of Zn^{2+} is four, though they are ions of 'd' block elements. (iv) Potassium is more reactive than copper though they have $4s^1$ electron in their outer shell orbital. (v) Transition metals generally form colored compounds. **(20 marks)** [CHEM 113 | 2013–14]
- Q20.** Define buffer solution. How does buffer solution work when small quantities of strong acid or base are added to it? **(16 marks)** [CHEM 113 | 2013–14]
- Q21.** Derive an expression for the rate of a first-order reaction which is opposed by another first-order reaction. How can you determine the equilibrium constant of such a reaction? **(17 marks)** [CHEM 113 | 2013–14]
- Q22.** In studying the decomposition of ozone $2\text{O}_3(\text{g}) \rightleftharpoons 3\text{O}_2(\text{g})$ in a two liter (2 L) reaction vessel, it is found that $\frac{d[\text{O}_3]}{dt} = -1.5 \times 10^{-2} \text{ mol}\cdot\text{L}^{-1}\cdot\text{s}^{-1}$. (i) What is the rate of reaction? (ii) What is the rate of conversion? (iii) What is the value of $\frac{d[\text{O}_2]}{dt}$? **(9 marks)** [CHEM 113 | 2013–14]
- Q23.** Explain why: (i) Bond in BeCl_2 is covalent but bond in CaCl_2 is ionic though Be and Ca are in the same group of the periodic table. (ii) Picric acid is as strong as nitric acid though picric acid is an organic acid. (iii) Gold and copper are colored but silver is not, though they are elements of the same group IB. (iv) The coordination number of Co^{3+} is six but that of Zn^{2+} is four, though they are ions of 'd' block elements. (v) Potassium is more reactive than copper though they have $4s^1$ electron in their outer shell orbital. (vi) Transition metals generally form colored compounds. **(24 marks)** [CHEM 113 | 2013–14]
- Q24.** Explain how a buffer solution resists the change in its pH value upon the addition of small quantities of strong acid or base. **(8–11 marks)** [CHEM 113 | 2012–13; 2011–12; 2010–11]
- Q25.** Define buffer solution and buffer capacity. **(6 marks)** [CHEM 113 | 2011–12; 2012–13]
- Q26.** What are Hard and Soft Acids and Bases (HSAB)? Explain the HSAB principle with examples. Mention the applications of hard and soft acids and bases concept. **(13 marks)** [CHEM 113 | 2012–13]
- Q27.** Discuss different classes of Lewis acids and bases. Cite two examples in each class. **(10 marks)** [CHEM 113 | 2012–13]
- Q28.** How will you determine the strength of acids and bases? Illustrate your answer with examples. **(12 marks)** [CHEM 113 | 2012–13]

- Q29.** Outline the significant features in the properties of the following pairs of molecules:
(i) H_2O and H_2S , (ii) CO_2 and SiO_2 , (iii) AgF and AgI . (10 marks) [CHEM 113 | 2012–13]
- Q30.** What are the differences between order and molecularity of a reaction? (5 marks) [CHEM 113 | 2012–13]
- Q31.** Show how you can determine the order of a reaction by the half-life method. (6 marks) [CHEM 113 | 2012–13]
- Q32.** Derive an expression for the rate constant of a first-order reaction. (9 marks) [CHEM 113 | 2012–13]
- Q33.** From the following data for the decomposition of N_2O_5 at 45°C , show that the reaction is of the first order.

Time (min)	0	10	15	20	25	∞
Vol. of O_2 evolved (mL)	0	6.30	8.95	11.40	13.50	34.75

- (12 marks) [CHEM 113 | 2012–13]
- Q34.** Prove that buffer solution shows maximum buffer capacity when $\text{pH} = \text{pK}$. (14 marks) [CHEM 113 | 2011–12]
- Q35.** Define order of reaction. Show how you can determine the order of reaction by (i) half-life method and (ii) differential method. (11 marks) [CHEM 113 | 2011–12]
- Q36.** Derive an expression for the rate constant of a second order reaction. What are the characteristic features of a second order reaction? (16 marks) [CHEM 113 | 2011–12]
- Q37.** The decomposition of a gas follows second order kinetics. It takes 40 minutes for 40% of the gas to be decomposed when the initial concentration is $4 \times 10^{-2} \text{ mol}\cdot\text{L}^{-1}$. Calculate the specific reaction rate. (8 marks) [CHEM 113 | 2011–12]
- Q38.** Establish the condition for maximum buffer capacity. (12 marks) [CHEM 113 | 2011–12]
- Q39.** Explain what is meant by the diagonal relationship. List two pairs of elements that show this relationship. (8 marks) [CHEM 113 | 2011–12]
- Q40.** What is buffer solution? How is it prepared? (6 marks) [CHEM 101 | 2010–11]
- Q41.** Prove that buffer solution shows maximum buffer capacity when $\text{pH} = \text{pK}$. (14 marks) [CHEM 101 | 2010–11]

- Q42.** Calculate the pH of a buffer solution consisting of CH_3COOH and 1.0 M CH_3COONa solutions. What will be the pH after the addition of 0.10 mol of HCl to one litre of this buffer solution? (7 marks) [CHEM 101 | 2010–11]
- Q43.** Discuss with example the principle of Hard and Soft Acids and Bases (HSAB) and also discuss one of its applications. (8 marks) [CHEM 101 | 2010–11]
- Q44.** Calculate the normality of 95% (W/W) sulphuric acid solution of specific gravity (sp. gr.) 1.95 and also calculate the amount of water required per litre for this acid to convert its sp. gr. to 1.40. (10 marks) [CHEM 101 | 2010–11]
- Q45.** The reaction $\text{H}_2 + \text{Br}_2 = 2\text{HBr}$ is carried out in a 0.250 L reaction vessel. The change in the amount of Br_2 in 0.01 s is -0.001 mol. (i) What is the rate of conversion? (ii) What is the rate of reaction? (iii) What are the values of $d[\text{H}_2]/dt$, $d[\text{Br}_2]/dt$ and $d[\text{HBr}]/dt$? (9 marks) [CHEM 101 | 2010–11]
- Q46.** Define rate law. Write the rate law for the following reaction: $a\text{A} + b\text{B} \rightarrow n\text{N} + m\text{M}$. (10 marks) [CHEM 101 | 2009–10]
- Q47.** What is a reversible reaction? Derive the rate expression for a first-order reaction opposed by another first-order reaction. (15 marks) [CHEM 101 | 2009–10]
- Q48.** The reaction $\text{SO}_2\text{Cl}_2 \rightarrow \text{SO}_2 + \text{Cl}_2$ is a first-order reaction with the rate constant $2.2 \times 10^{-5} \text{ s}^{-1}$ at 302°C . What percentage of SO_2Cl_2 will get decomposed in 90 minutes when the reaction is carried out at 302°C ? (10 marks) [CHEM 101 | 2009–10]
- Q49.** What is buffer solution? Classify buffer solution and show how they operate. (9 marks) [CHEM 101 | 2009–10]
- Q50.** Explain the terms ‘rate’ and ‘rate constant’ of reactions. (8 marks) [CHEM 101 | 2008–09]
- Q51.** Derive an expression for the rate constant of a second-order reaction involving one reactant only. What are the characteristic features of a second-order reaction? (18 marks) [CHEM 101 | 2008–09]
- Q52.** What are the modern concepts of acids and bases? Which one is the most acceptable concept in your opinion? Give reasons. (12 marks) [CHEM 101 | 2007–08]
- Q53.** Discuss five important bases for determining the relative acidity of different acids. Cite an example in each case. (10 marks) [CHEM 101 | 2007–08]
- Q54.** What are buffer solutions? How can they be classified? Show how a buffer solution functions. (10 marks) [CHEM 101 | 2007–08]

- Q55.** Derive the rate law for a first-order reaction being opposed by another first-order reaction. (8 marks) [CHEM 101 | 2007–08]
- Q56.** Derive and explain the Arrhenius equation. Show its application. (16 marks) [CHEM 101 | 2007–08]
- Q57.** For the decomposition of an acid, the value of the rate constant (k) at 0°C is 2.46×10^{-5} and at 30°C is 1.63×10^{-5} . Calculate the energy of activation (E_a) of the process and comment on the result. (11 marks) [CHEM 101 | 2007–08]
- Q58.** What do you mean by the following terms used in chemical kinetics: (i) Order and Molecularity; (ii) Rate and Rate constant. (10 marks) [CHEM 101 | 2006–07]
- Q59.** Derive the integrated rate equation for the second order reaction $2A \rightarrow P$. Show how $t_{1/2}$ for such a reaction is dependent on the initial concentration. (11 marks) [CHEM 101 | 2006–07]
- Q60.** Describe two methods for the determination of the order of a reaction. (6 marks) [CHEM 101 | 2006–07]
- Q61.** The half-life period $t_{1/2}$ for a first-order reaction is 69.3 min at 27°C and 34.7 min at 37°C . Find out the energy of activation (E_a) for the reaction. (3 marks) [CHEM 101 | 2006–07]