



Building a **Secure** **Corporate IT** Infrastructure with Centralized Monitoring

Safeguarding Systems, Protecting Data,
Streamlining Management

Diploma Work | Step IT Academy

Rauf Mammadov

Zeynal Garajev


Instructor: Kamran Osmanli

1 tunnel - 10.255.255.1 - 2

2 tunnel 10.255.254.1-2

vlan 10 - 10.0.10.0 - users
vlan 20 - 10.0.20.0 - servers
vlan 30 - 10.0.99.0 - mgmt

vlan 10 - 192.168.10.0- users
vlan 20 - 192.168.20.0 - servers
vlan 30 - 192.168.99.0 - mgmt





Firewall Active

Interfaces

- Zones
- VLANs
- Virtual Wires
- Virtual Routers
- IPSec Tunnels
- GRE Tunnels
- DHCP
- DNS Proxy
- GlobalProtect
- Portals
- Gateways
- MDM
- Clientless Apps
- Clientless App Groups
- QoS
- LLDP
- Network Profiles
 - GlobalProtect IPSec Crypto
 - IKE Gateways
 - IPSec Crypto
 - IKE Crypto
 - Monitor
 - Interface Mgmt
 - Zone Protection
 - QoS Profile
 - LLDP Profile
 - BFD Profile
- SD-WAN Interface Profile

Ethernet | VLAN | Loopback | Tunnel | SD-WAN

Q

27 items → X

INTERFACE	INTERFACE TYPE	MANAGEMENT PROFILE	LINK STATE	IP ADDRESS	VIRTUAL ROUTER	TAG	VLAN / VIRTUAL-WIRE	SECURITY ZONE	SD-WAN INTERFACE PROFILE	UPSTREAM NAT	FEATURES	COMMENT
ethermet1/1	Layer3		🟢	none	none	Untagged	none	none		Disabled		
ethermet1/1.10	Layer3	allow ping	🟢	10.0.10.254/24	default	10	none	Users		Disabled	🔗	
ethermet1/1.20	Layer3	allow ping	🟢	10.0.20.254/24	default	20	none	Servers		Disabled		
ethermet1/1.99	Layer3	allow ping	🟢	10.0.99.254/24	default	99	none	mgmt		Disabled		
ethermet1/2	HA		🟢	none	none	Untagged	none	none		Disabled		
ethermet1/3	HA		🟢	none	none	Untagged	none	none		Disabled		
ethermet1/4	Layer3		🟢	172.20.31.55/24	default	Untagged	none	wan		Disabled		
ethermet1/5	Layer3	allow ping	🟢	172.20.10.100/24	default	Untagged	none	VPN-MAIN		Disabled	🔗	
ethermet1/6	Layer3	allow ping	🟢	172.15.20.100/24	default	Untagged	none	VPN_BACKUP		Disabled	🔗	
ethermet1/7			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/8			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/9			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/10			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/11			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/12			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/13			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/14			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/15			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/16			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/17			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/18			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/19			🟢	none	none	Untagged	none	none		Disabled		
ethermet1/20			🟢	none	none	Untagged	none	none		Disabled		

Add Subinterface Delete PDF/CSV



DASHBOARD

ACC

MONITOR

POLICIES

OBJECTS

NETWORK

DEVICE

Commit

Chat

Layout: 3 Columns

Widgets

Last updated: 16:42:17

1 min

High Availability

Mode	Active-passive
Local	Active
Peer (172.20.30.128)	Passive
Running Config	Synchronized
App Version	Match
Threat Version	Match
Antivirus Version	Match
PAN-OS Version	Match
GlobalProtect Version	Match
HA1	Up
HA2	Up
Plugin vm_series	Match
Plugin dlp	Match

General Information

Device Name	PA-VM
MGT IP Address	172.20.30.39 (DHCP)
MGT Netmask	255.255.252.0
MGT Default Gateway	172.20.31.254
MGT IPv6 Address	unknown
MGT IPv6 Link Local Address	fe80::528b:cbff:fe00:b00:64
MGT IPv6 Default Gateway	
MGT MAC Address	50:8b:cb:00:0b:00
Model	PA-VM
Serial #	unknown
CPU ID	KVM:63060000FDFB8B07
UUID	7143D8C5-1C90-41CE-A62D-F29502049604
VM Cores	5
VM Memory	5949740
VM License	none
VM Capacity Tier	unknown
VM Mode	KVM
Software Version	10.1.0
GlobalProtect Agent	0.0.0

Logged In Admins

Admin	From	Client	Session Start	Idle For
admin	10.2.11.10	CLI	04/06 05:27:22	00:11:05s
admin	10.2.11.10	Web	04/06 05:07:25	00:00:00s
admin	Console	CLI	04/06 05:25:19	00:02:51s

Data Logs

No data available.

System Logs

Description	Time
SSLMGR daemon not sync to HA peer for device block list	04/06 05:42:15
SSLMGR daemon not sync to HA peer for certificate status	04/06 05:42:15
SSLMGR daemon not sync to HA peer for satellite info	04/06 05:42:15
running configuration synchronized with HA peer by admin	04/06 05:41:44
Connection to Update server: updates.paloaltonetworks.com completed successfully, initiated by 172.20.30.39	04/06 05:39:47
HA Group 10: IOT Content version now matches	04/06 05:39:32
HA Group 10: IOT Content version mismatch due to device update	04/06 05:39:32
HA Group 10: Threat Content version now matches	04/06 05:39:32
HA Group 10: Threat Content version mismatch due to device update	04/06 05:39:32
HA Group 10: Anti-Virus version now matches	04/06 05:39:32

Interfaces

Zones

VLANs

Virtual Wires

Virtual Routers

IPSec Tunnels

GRE Tunnels

DHCP

DNS Proxy

GlobalProtect

Portals

Gateways

MDM

Clientless Apps

Clientless App Groups

QoS

LLDP

Network Profiles

GlobalProtect IPSec Crypto

IKE Gateways

IPSec Crypto

IKE Crypto

Monitor

Interface Mgmt

Zone Protection

QoS Profile

LLDP Profile

BFD Profile

SD-WAN Interface Profile

Ethernet | VLAN | Loopback | Tunnel | SD-WAN

3 items → ×

INTERFACE	MANAGEMENT PROFILE	IP ADDRESS	VIRTUAL ROUTER	SECURITY ZONE	FEATURES	COMMENT
tunnel	allow ping	none	none	none		
tunnel.1	allow ping	10.255.255.1/30	default	VPN-MAIN		
tunnel.2	allow ping	10.255.254.1/30	default	VPN_BACKUP		

- Interfaces
- Zones
- VLANs
- Virtual Wires
- Virtual Routers
- IPSec Tunnels**
- GRE Tunnels
- DHCP
- DNS Proxy
- GlobalProtect
- Portals
- Gateways
- MDM
- Clientless Apps
- Clientless App Groups
- QoS
- LLDP
- Network Profiles
 - GlobalProtect IPSec Crypto
 - IKE Gateways
 - IPSec Crypto
 - IKE Crypto
 - Monitor
 - Interface Mgmt
 - Zone Protection
 - QoS Profile
 - LLDP Profile
 - BFD Profile
- SD-WAN Interface Profile

Q

☐	NAME	STATUS	TYPE	IKE Gateway/Satellite				Tunnel Interface			
				INTERFACE	LOCAL IP	PEER ADDRESS	STATUS	INTERFACE	VIRTUAL ROUTER	VIRTUAL SYSTEM	SECURITY ZONE
☐	main_to_branch	 Tunnel Info	Auto Key	ethernet1/5	172.20.10.100/24	172.20.10.101	 IKE Info	tunnel.1	default (Show Routes)	vsys1	VPN-MAIN
☐	main_to_branch_backup	 Tunnel Info	Auto Key	ethernet1/6	172.15.20.100/24	172.15.20.101	 IKE Info	tunnel.2	default (Show Routes)	vsys1	VPN_BACKUP

PA-VM

DASHBOARDACCMONITORPOLICIESOBJECTSNETWORKDEVICE

Commit

Interfaces

Zones

VLANs

Virtual Wires

Virtual Routers

IPSec Tunnels

GRE Tunnels

DHCP

DNS Proxy

GlobalProtect

Portals

Gateways

MDM

Clientless Apps

Clientless App Groups

QoS

LLDP

Network Profiles

GlobalProtect IPSec Crypto

IKE Gateways

IPSec Crypto

IKE Crypto

Monitor

Interface Mgmt

Zone Protection

QoS Profile

LLDP Profile

BFD Profile

SD-WAN Interface Profile

NAME

PEER ADDRESS

INTERFACE

IP

ID

TYPE

ID

TYPE

VERSION

MODE

PASSIVE MODE

NAT TRAVERSAL

CRYPTO PROFILE

DPD

LIVENESS

COMMENT

2 items

Add

Delete

Enable

Disable

PDF/CSV

admin

Logout

Last Login Time: 04/15/2026 04:00:13

Session Expire Time: 05/15/2026 04:01:09

Not Ready

Tasks

Language

paloalto

network

































































































































































































































































































































































Interfaces

Zones

VLANs

Virtual Wires

Virtual Routers

IPSec Tunnels

GRE Tunnels

DHCP

DNS Proxy

GlobalProtect

Portals

Gateways

MDM

Clientless Apps

Clientless App Groups

QoS

LLDP

Network Profiles

GlobalProtect IPSec Crypto

IKE Gateways

IPSec Crypto

IKE Crypto

Monitor

Interface Mgmt

Zone Protection

QoS Profile

LLDP Profile

BFD Profile

SD-WAN Interface Profile



NAME	ENCRYPTION	AUTHENTICATION	DH GROUP	KEY LIFETIME
☐ default	aes-128-cbc, 3des	sha1	group2	8 hours
☐ Suite-B-GCM-128	aes-128-cbc	sha256	group19	8 hours
☐ Suite-B-GCM-256	aes-256-cbc	sha384	group20	8 hours
☐ main_to_branch	aes-256-cbc	sha256	group14	8 hours
☐ main_to_branch_backup	aes-256-cbc	sha256	group14	8 hours

Interfaces

Zones

VLANs

Virtual Wires

Virtual Routers

IPSec Tunnels

GRE Tunnels

DHCP

DNS Proxy

GlobalProtect

Portals

Gateways

MDM

Clientless Apps

Clientless App Groups

QoS

LLDP

Network Profiles

GlobalProtect IPSec Crypto

IKE Gateways

IPSec Crypto

IKE Crypto

Monitor

Interface Mgmt

Zone Protection

QoS Profile

LLDP Profile

BFD Profile

SD-WAN Interface Profile

DHCP Server | DHCP Relay

Q

1 item → X

INTERFACE	MODE	PROBE IP	OPTIONS	IP POOLS	RESERVED
☐ ethernet1/1.10	auto	☐	Lease: Unlimited DNS: 10.0.20.30 Gateway: 10.0.10.254	View Allocation 10.0.10.10-10.0.10.100	

Add Delete PDF/CSV

Setup

High Availability

Config Audit

Password Profiles

Administrators

Admin Roles

Authentication Profile

Authentication Sequence

User Identification

Data Redistribution

Device Quarantine

VM Information Sources

Troubleshooting

Certificate Management

Certificates

Certificate Profile

OCSP Responder

SSL/TLS Service Profile

SCEP

SSL Decryption Exclusion

SSH Service Profile

Response Pages

Log Settings

Server Profiles

SNMP Trap

Syslog

Email

HTTP

Netflow

RADIUS

TACACS+

LDAP

Kerberos

SAML Identity Provider

Multi Factor Authentication

Local User Database

General

HA Communications

Link and Path Monitoring

Operational Commands

Control Links

HA1

Port ethernet1/2

IPv4/IPv6 Address 192.168.100.1

Netmask 255.255.255.0

Gateway

Encryption Enabled ☐

Monitor Hold Time (ms) 3000

HA1 Backup

Port

IPv4/IPv6 Address

Netmask

Gateway

Data Links

HA2

Enable Session Synchronization ☒

Port ethernet1/3

IPv4/IPv6 Address 192.168.200.1

Netmask 255.255.255.0

Gateway

Transport ethernet

Action log-only

Threshold (ms) 10000

HA2 Backup

Port

IPv4/IPv6 Address

Netmask

Gateway

Packet Forwarding

HA3 Interface

VR Sync ☐

QoS Sync ☐

Tentative Hold Time (sec) 60

Session Owner Selection first-packet

Session Setup ip-module



Setup



High Availability



Config Audit



Password Profiles



Administrators



Admin Roles



Authentication Profile



Authentication Sequence



User Identification



Data Redistribution




Device Quarantine



VM Information Sources



Troubleshooting



Certificate Management

Certificates

Certificate Profile

OCSF Responder

SSL/TLS Service Profile

SCEP

SSL Decryption Exclusion


SSH Service Profile



Response Pages



Log Settings



Server Profiles

SNMP Trap

Syslog

Email

HTTP

Netflow

RADIUS


TACACS+

LDAP

Kerberos

SAML Identity Provider

Multi Factor Authentication



Local User Database

Users

...

General | HA Communications | Link and Path Monitoring | Operational Commands

Link Monitoring



Enabled ☒

Failure Condition any

Link Group

☐	NAME	ENABLED	GROUP FAILURE CONDITION	INTERFACES
☐	step	☒	any	ethernet1/1

+ Add - Delete

Path Monitoring



Enabled ☒

Failure Condition any

Path Group

☐	NAME	TYPE	ENAB...	FAILURE CONDITION	SOURCE IP	DESTINATION IP GROUP	PING INTERVAL	PING COUNT
--------------------------	------	------	---------	----------------------	-----------	----------------------	------------------	---------------

+ Add Virtual Wire Path + Add VLAN Path + Add Virtual Router Path - Delete

Servers							
NAME	LOCATION	NAME	SYSLOG SERVER	TRANSPORT	PORT	FORMAT	FACILITY
☐ wazuh-syslog		wazuh-syslog	172.20.30.110	UDP	514	BSD	LOG_USER

- Admin Roles
- Authentication Profile
- Authentication Sequence
- User Identification
- Data Redistribution
- Device Quarantine
- VM Information Sources
- Troubleshooting
- Certificate Management
 - Certificates
 - Certificate Profile
 - OCSP Responder
 - SSL/TLS Service Profile
 - SCEP
 - SSL Decryption Exclusion
 - SSH Service Profile
- Response Pages
- Log Settings
- Server Profiles
 - SNMP Trap
 - Syslog**
 - Email
 - HTTP
 - Netflow
 - RADIUS
 - TACACS+
 - LDAP
 - Kerberos
 - SAML Identity Provider
 - Multi Factor Authentication
- Local User Database
 - Users
 - User Groups
- Scheduled Log Export
- Software
 - GlobalProtect Client
 - Dynamic Updates
 - Plugins
- VM-Series

➕ Add ➖ Delete 🔄 Clone 📄 PDF/CSV



Firewall Passive

Layout 3 Columns

Widgets

Last updated 15:35:06

1 min

High Availability

Mode	Active-passive
Local	Passive
Peer (172.20.29.101)	Active
Running Config	Synchronized
App Version	Match
Threat Version	Match
Antivirus Version	Match
PAN-OS Version	Match
GlobalProtect Version	Match
HA1	Up
HA2	Up
Plugin vm_series	Match
Plugin dlp	Match

General Information

Device Name	PA-VM
MGT IP Address	172.20.29.102 (DHCP)
MGT Netmask	255.255.252.0
MGT Default Gateway	172.20.31.254
MGT IPv6 Address	unknown
MGT IPv6 Link Local Address	fe80::52dxd1ff:fe00:800/64
MGT IPv6 Default Gateway	
MGT MAC Address	50:da:d1:00:08:00
Model	PA-VM
Serial #	unknown
CPU ID	KVM:63060000DFB8B07
UUID	73B34237-BD62-4DE2-B9BE-2AC12AFF6B59
VM Cores	4
VM Memory	5949920
VM License	none
VM Capacity Tier	unknown
VM Mode	KVM
Software Version	10.1.0

Logged In Admins

Admin	From	Client	Session Start	Idle For
admin	10.2.11.1	Web	04/15 04:33:17	00:00:00s

Data Logs

No data available.

System Logs

Description	Time
HA Group 10: IOT Content version now matches	04/15 04:34:48
HA Group 10: IOT Content version mismatch due to device update	04/15 04:34:48
HA Group 10: Threat Content version now matches	04/15 04:34:48
HA Group 10: Threat Content version mismatch due to device update	04/15 04:34:48
HA Group 10: Anti-Virus version now matches	04/15 04:34:48
HA Group 10: Anti-Virus version mismatch due to device update	04/15 04:34:48
HA Group 10: Application Content version now matches	04/15 04:34:48
HA Group 10: Application Content version mismatch due to device update	04/15 04:34:48
SSLMGR daemon not sync to HA peer for device block list	04/15 04:34:47
SSLMGR daemon not sync to HA peer for certificate status	04/15 04:34:47



Branch-2 Firewall

Interfaces

Zones

VLANs

Virtual Wires

Virtual Routers

IPSec Tunnels

GRE Tunnels

DHCP

DNS Proxy

GlobalProtect

Portals

Gateways

MDM

Clientless Apps

Clientless App Groups

QoS

LLDP

Network Profiles

GlobalProtect IPSec Crypto

IKE Gateways

IPSec Crypto

IKE Crypto

Monitor

Interface Mgmt

Zone Protection

QoS Profile

LLDP Profile

BFD Profile

SD-WAN Interface Profile

Ethernet | VLAN | Loopback | Tunnel | SD-WAN

🔍

27 Items → ✕

INTERFACE	INTERFACE TYPE	MANAGEMENT PROFILE	LINK STATE	IP ADDRESS	VIRTUAL ROUTER	TAG	VLAN / VIRTUAL-WIRE	SECURITY ZONE	SD-WAN INTERFACE PROFILE	UPSTREAM NAT	FEATURES	COMMENT
ethernet1/1	Layer3		🟢	none	none	Untagged	none	none		Disabled		
ethernet1/1.10	Layer3	allow_ping	🟢	192.168.10.254/24	default	10	none	internal_users		Disabled	🇺🇸	
ethernet1/1.20	Layer3	allow_ping	🟢	192.168.20.254/24	default	20	none	servers		Disabled		
ethernet1/1.99	Layer3	allow_ping	🟢	192.168.99.254/24	default	99	none	mgmt		Disabled		
ethernet1/2	Layer3	allow_ping	🟢	172.20.10.101/24	default	Untagged	none	VPN-MAIN		Disabled	🇯🇵	
ethernet1/3	Layer3	allow_ping	🟢	172.15.20.101/24	default	Untagged	none	vpn_backup		Disabled	🇯🇵	
ethernet1/4			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/5			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/6			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/7			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/8			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/9			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/10			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/11			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/12			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/13			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/14			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/15			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/16			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/17			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/18			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/19			🟡	none	none	Untagged	none	none		Disabled		
ethernet1/20			🟡	none	none	Untagged	none	none		Disabled		

+ Add Subinterface - Delete PDF/CSV

- Interfaces
- Zones
- VLANs
- Virtual Wires
- Virtual Routers
- IPSec Tunnels**
- GRE Tunnels
- DHCP
- DNS Proxy
- GlobalProtect
 - Portals
 - Gateways
 - MDM
 - Clientless Apps
 - Clientless App Groups
- QoS
- LLDP
- Network Profiles
 - GlobalProtect IPSec Crypto
 - IKE Gateways
 - IPSec Crypto
 - IKE Crypto
 - Monitor
 - Interface Mgmt
 - Zone Protection
 - QoS Profile
 - LLDP Profile
 - BFD Profile
 - SD-WAN Interface Profile

	NAME	STATUS	TYPE	IKE Gateway/Satellite				Tunnel Interface					COMMENT
				INTERFACE	LOCAL IP	PEER ADDRESS	STATUS	INTERFACE	VIRTUAL ROUTER	VIRTUAL SYSTEM	SECURITY ZONE	STATUS	
☐	from_branch_to_main...	Tunnel Info	Auto Key	ethernet1/3	172.15.20.101/24	172.15.20.100	IKE Info	tunnel2	default Show Routes	vsys1	vpn_backup		
☐	from_branch_to_main	Tunnel Info	Auto Key	ethernet1/2	172.20.10.101/24	172.20.10.100	IKE Info	tunnel1	default Show Routes	vsys1	VPN-MAIN		

Interfaces

Zones

VLANs

Virtual Wires

Virtual Routers

IPSec Tunnels

GRE Tunnels

DHCP

DNS Proxy

GlobalProtect

Portals

Gateways

MDM

Clientless Apps

Clientless App Groups

QoS

LLDP

Network Profiles

GlobalProtect IPSec Crypto

IKE Gateways

IPSec Crypto

IKE Crypto

Monitor

Interface Mgmt

Zone Protection

QoS Profile

LLDP Profile

BFD Profile

SD-WAN Interface Profile

	NAME	PEER ADDRESS	Local Address		Peer ID		Local ID		VERSION	IKE Advanced Options						COMMENT
			INTERFACE	IP	ID	TYPE	ID	TYPE		MODE	PASSIVE MODE	NAT TRAVERSAL	CRYPTO PROFILE	DPD	LIVENESS	
☐	branch_to_main	172.20.10.100	ethernet1/2	172.20.10.101/24					ikev2	auto	☐	☐	branch_to_main		default	
☐	branch_to_main_...	172.15.20.100	ethernet1/3	172.15.20.101/24					ikev2	auto	☐	☐	from_branch_to_...		default	

- Interfaces
- Zones
- VLANs
- Virtual Wires
- Virtual Routers
- IPSec Tunnels
- GRE Tunnels
- DHCP**
- DNS Proxy
- GlobalProtect
 - Portals
 - Gateways
 - MDM
 - Clientless Apps
 - Clientless App Groups
- QoS
- LLDP
- Network Profiles
 - GlobalProtect IPSec Crypto
 - IKE Gateways
 - IPSec Crypto
 - IKE Crypto
 - Monitor
 - Interface Mgmt
 - Zone Protection
 - QoS Profile
 - LLDP Profile
 - BFD Profile
 - SD-WAN Interface Profile

DHCP Server | DHCP Relay

1 item						
INTERFACE	MODE	PROBE IP	OPTIONS	IP POOLS	RESERVED	
☐ ethernet1/1.10	auto	☐	Lease: Unlimited DNS: 8.8.8.8 Gateway: 192.168.10.254	View Allocation 192.168.10.10-192.168.10.100		



Head_Office_Core_SW

```
!
!
!
!
!
!
!
!
!
!
!
interface Port-channel1
 switchport trunk allowed vlan 10,20,99
 switchport trunk encapsulation dot1q
 switchport mode trunk
 switchport nonegotiate
!
interface Ethernet0/0
 switchport trunk allowed vlan 10,20,99
 switchport trunk encapsulation dot1q
 switchport mode trunk
 switchport nonegotiate
!
interface Ethernet0/1
 switchport access vlan 20
 switchport mode access
 switchport port-security mac-address sticky
 switchport port-security
 spanning-tree portfast edge
 spanning-tree bpduguard enable
 ip dhcp snooping limit rate 10
!
interface Ethernet0/2
 switchport trunk allowed vlan 10,20,99
 switchport trunk encapsulation dot1q
 switchport mode trunk
 switchport nonegotiate
 channel-group 1 mode active
!
interface Ethernet0/3
 switchport trunk allowed vlan 10,20,99
 switchport trunk encapsulation dot1q
 switchport mode trunk
 switchport nonegotiate
 channel-group 1 mode active
!
interface Ethernet1/0
 switchport access vlan 20
 switchport mode access
 switchport port-security mac-address sticky
 switchport port-security
 spanning-tree portfast edge
 spanning-tree bpduguard enable
 ip dhcp snooping limit rate 10
!
interface Ethernet1/1
 switchport trunk allowed vlan 10,20,99
 switchport trunk encapsulation dot1q
 switchport mode trunk
 switchport nonegotiate
!
```



Head_Office_Access_SW

```
spanning-tree mode pvst
spanning-tree extend system-id

!

!

!

!

!

interface Port-channell
switchport trunk allowed vlan 10,20,99
switchport trunk encapsulation dot1q
switchport mode trunk
switchport nonegotiate

!

interface Ethernet0/0
switchport access vlan 10
switchport mode access
switchport port-security mac-address sticky
switchport port-security
spanning-tree portfast edge
spanning-tree bpdguard enable
ip dhcp snooping limit rate 10

!

interface Ethernet0/1
switchport access vlan 10
switchport mode access
switchport port-security mac-address sticky
switchport port-security
spanning-tree portfast edge
spanning-tree bpdguard enable
ip dhcp snooping limit rate 10

!

interface Ethernet0/2
switchport trunk allowed vlan 10,20,99
switchport trunk encapsulation dot1q
switchport mode trunk
switchport nonegotiate
channel-group 1 mode active

!

interface Ethernet0/3
switchport trunk allowed vlan 10,20,99
switchport trunk encapsulation dot1q
switchport mode trunk
switchport nonegotiate
channel-group 1 mode active
```



Branch_Core_SW

```
spanning-tree mode pvst
spanning-tree extend system-id
```

```
interface Port-channel1
 switchport trunk allowed vlan 10,20,99
 switchport trunk encapsulation dot1q
 switchport mode trunk
 switchport nonegotiate
!
```

```
interface Ethernet0/0
 switchport trunk allowed vlan 10,20,99
 switchport trunk encapsulation dot1q
 switchport mode trunk
 switchport nonegotiate
!
```

```
interface Ethernet0/1
 switchport trunk allowed vlan 10,20,99
 switchport trunk encapsulation dot1q
 switchport mode trunk
 switchport nonegotiate
 channel-group 1 mode active
!
```

```
interface Ethernet0/2
 switchport trunk allowed vlan 10,20,99
 switchport trunk encapsulation dot1q
```




Branch_Access_SW

```
!
spanning-tree mode pvst
spanning-tree extend system-id

!
!
!
!
!
!
!
!
!
!
interface Port-channel1
switchport trunk allowed vlan 10,20,99
switchport trunk encapsulation dot1q
switchport mode trunk
switchport nonegotiate
!
interface Ethernet0/0
switchport access vlan 10
switchport mode access
switchport port-security mac-address sticky
switchport port-security
spanning-tree portfast edge
spanning-tree bpduguard enable
!
interface Ethernet0/1
switchport trunk allowed vlan 10,20,99
switchport trunk encapsulation dot1q
switchport mode trunk
switchport nonegotiate
channel-group 1 mode active
!
interface Ethernet0/2
switchport trunk allowed vlan 10,20,99
switchport trunk encapsulation dot1q
switchport mode trunk
switchport nonegotiate
channel-group 1 mode active
!
interface Ethernet0/3
```



3CX (IP telephony)

Users

Help ?

[+ Add User](#) [Edit](#) [Delete](#) [Import](#) [Export \(2\)](#) [2FA](#) [Copy](#) [Reset](#)

All ▾

Search

User	Email	Extension	Department	DIDs	IP Phone	2FA	
Mammadov, Rauf (Owner)	mammadovraufstep@gmail.com	23210	Step IT			✓	⋮
Karajev, Zeynal (User)	zekazko06@gmail.com	23211	Step IT			✓	⋮

20:21



Вызов от

23211

Karajev Zeynal

Helpdesk



Ответить



Отправить
на
голосовую
почту



Отклонить

20:20



☰ 3CX



23211

Karajaev Zeynal

📶 00:06 - Соединено



Новый в...



Конфере...



Перевод



Наушник



Набор



Видео



Запись



Удержать



Откл. звук



Команда



Контакты



Набор



Недавние



Чат



Голосовая

Call Recordings

- ☒ Call Recording
- ☐ Show Call Recording
- ☐ Record external calls only
- ☐ Allow deletion of recordings
- ☒ Record all calls
- ☒ Can start and stop recordings
- ☐ Call Recording Notification

Transcription

Select what to transcribe

Use department settings

Department transcription setting: No Transcription

Restrictions


- ☐ Disable Extension
- ☐ Disable External Calls
- ☐ Hide call forwarding rules
- ☐ Hide User
- ☐ Enable PIN Protect for 0 seconds
- ☐ Screen calls by requesting caller name using an IVR

Options

- ☒ Block remote non-tunnel connections (Insecure!)
- ☒ Send email notification on missed call
- ☐ PBX delivers audio
- ☐ Enable Hotdesking
- S RTP Mode
- Disabled
- SIP ID: Must be unique per extension
- Enable Datev Client Side Integration


M365

- ☒ Enable MS Teams Integration
- ☒ Enable SSO



Windows Server

Windows Server/AD/Policies



Installation progress

DESTINATION SERVER
srv[Before You Begin](#)[Installation Type](#)[Server Selection](#)[Server Roles](#)[Features](#)[AD DS](#)[DNS Server](#)[Confirmation](#)[Results](#)

View installation progress



Feature installation



Installation started on srv

Active Directory Domain Services

DNS Server

Group Policy Management

Remote Server Administration Tools

Role Administration Tools

AD DS and AD LDS Tools

Active Directory module for Windows PowerShell

AD DS Tools

Active Directory Administrative Center

AD DS Snap-Ins and Command-Line Tools

DNS Server Tools



You can close this wizard without interrupting running tasks. View task progress or open this page again by clicking Notifications in the command bar, and then Task Details.


[Export configuration settings](#)

< Previous

Next >

Close

Cancel



Some Policies

Server Manager ▸ Dashboard

Group Policy Management Editor

File Action View Help

Computer Configuration ▾

- Policies
 - Software Settings
 - Windows Settings
 - Name Resolution
 - Scripts (Startup and Shutdown)
 - Security Settings
 - Account Policies
 - Password Policies**
 - Account Lockout Policies
 - Kerberos
 - Local Policies
 - Event Log
 - Restricted Groups
 - System Security
 - Registry
 - File System
 - Wired Network Connections
 - Windows Firewall
 - Network Location Settings
 - Wireless Network Settings
 - Public Key Certificates
 - Software Restriction Policies
 - Network Access Protection

Policy	Policy Setting
Enforce password history	10 passwords remembered
Maximum password age	30 days
Minimum password age	1 days
Minimum password length	8 characters
Password must meet complexity requirements	Enabled
Store passwords using reversible encryption	Disabled

management

ep.local

is linked to this GPO:

	Enforced	Link Enabled
	No	Yes

to the following groups, users, and computers:

Performance

BPA results

laps conf

Loopbac

mapped

rdp

Script_H

Software


WMI Filtering

This GPO is linked to the following WMI filter:

<none>

Open

Add... Remove Properties



Group Policy Management Editor

File Action View Help



Computer Configuration ▾

Policies ▾

Software Settings ▾

Windows Settings ▾

Name Resolut

Scripts (Startu

Security Settin

Account P

Passwo

Accou

Kerber

Local Polic

Audit P

User Ri

Securit

Event Log

Restricted

System Se

Registry

Policy

Audit account logon events
Audit account management
Audit directory service access
Audit logon events
Audit object access
Audit policy change
Audit privilege use
Audit process tracking
Audit system events

Policy Setting

Success, Failure
Success, Failure
Success, Failure
Success, Failure
Failure
Success, Failure
Failure
Success
Success, Failure



« step (local) » System » Password Settings Container



Manage Help

» Password Settings Container (0)

Tasks

Filter

Name

List View

Tree View

Create Password Settings: IT_Support_FGPP

TASKS ▾

SECTIONS ▾

* Password Settings

Directly Applies To

Password Settings

Name: * IT_Support_FGPP

Precedence: * 5

☒ Enforce minimum password length
Minimum password length (characters): * 12

☒ Enforce password history
Number of passwords remembered: * 10

☒ Password must meet complexity requirements

☐ Store password using reversible encryption

☒ Protect from accidental deletion

Description:

Password age options:

☒ Enforce minimum password age
User cannot change the password withi... * 1

☒ Enforce maximum password age
User must change the password after (... * 60

☒ Enforce account lockout policy:
Number of failed logon attempts allowed: * 60

Reset failed logon attempts count after (m... * 60

Account will be locked out

☐ For a duration of (mins): * 30

☒ Until an administrator manually unlocks the account

Directly Applies To

Name Mail

IT_Support

Add...

Remove

More Information

OK

Cancel

WINDOWS POWER



4:10 PM



Recycle Bin



Cisco IP Communic...



Kiwi Syslog Server Co...



PuTTY



New folder

Step Project 2026

AD Recycle Bin

Active Directory Administrative Center

Active Directory Administrative Center › step (local) ›

Manage Help

Active Directory... <

Overview

step (local) ›

...\\Password Settings Contai...

Dynamic Access Control ›

Authentication ›

Global Search

step (local) (17)

Filter

Name	Type	Description
Builtin	builtinDom...	
Computers	Container	Default container for upgr...
Deleted Objects	Container	Default container for delet...
Domain Controllers	Organizati...	Default container for dom...
ForeignSecurityPrincipals	Container	Default container for secur...
Infrastructure	infrastructu...	
LostAndFound	lostAndFou...	Default container for orph...
Managed Service Accounts	Container	Default container for man...
NTDS Quotas	msDS-Quo...	Quota specifications conta...
Program Data	Container	Default location for storag...
Service_Accounts	Organizati...	
Staff_Groups	Organizati...	
Staff_Users	Organizati...	

Builtin

Object class: builtinDomain

Modified: 4/8/2026 10:57 AM

Description:

Summary

Tasks

Builtin

New

Delete

Search under this node

Properties

step (local)

Change domain controller

Raise the forest functional leve...

Raise the domain functional le...

Enable Recycle Bin ...


New

Search under this node

Properties

WINDOWS POWERSHELL HISTORY

Realm Trust between Linux and Windows



```
root@kali: ~
Session Actions Edit View Help

required-package: libpam-sss
required-package: adcli
required-package: samba-common-bin

(root@kali)-[~]
# realm join step.local -U Administrator
Password for Administrator:

(root@kali)-[~]
# realm list
step.local
type: kerberos
realm-name: STEP.LOCAL
domain-name: step.local
configured: kerberos-member
server-software: active-directory
client-software: sssd
required-package: sssd-tools
required-package: sssd
required-package: libnss-sss
required-package: libpam-sss
required-package: adcli
required-package: samba-common-bin
login-formats: %U@step.local
login-policy: allow-realm-logins

(root@kali)-[~]
#
```

Mapped Net Drive/Item Level Targeting

ction View Help



ed_disk [DC01.STEP.LOCA

omputer Configuration

Policies

Software Settings

Software installat

Windows Settings

Administrative Temp

Preferences

Windows Settings

Control Panel Setting

ser Configuration

Policies

Preferences

Windows Settings

Applications

Drive Maps

Environment

Files

Folders

Ini Files

Registry

Shortcuts

Control Panel Setting



Drive Maps

Processing

Stop proc

extension

Run in use

Remove if

Apply on

Filtered di

Filtered by

Disabled d

Disabled b

Description

No descri

F: Properties

General

Common



Action: Update

Location:

\\DC01\share

Reconnect: ☐

Label as:

DATA

Drive Letter

☐

Use first available, starting at:

☒ Use:

F

Connect as (optional)

User name:

Password:

Confirm password:

Hide/Show this drive

☒

No change

☐

Hide this drive

☐

Show this drive

Hide/Show all drives

☒

No change

☐

Hide all drives

☐


Show all drives


OK

Cancel


Apply

Help





DNS Scavenging



LAPS

Administrator: Windows PowerShell

```
PS C:\Users\Administrator>
PS C:\Users\Administrator> # Computer objects password permissions for self
PS C:\Users\Administrator> Set-AdmPwdComputerSelfPermission -OrgUnit Workstations
```

Name	DistinguishedName	Status
Workstations	OU=Workstations,DC=step,DC=local	Delegated

```
PS C:\Users\Administrator>
PS C:\Users\Administrator> # IT Support read password permissions
PS C:\Users\Administrator> Set-AdmPwdReadPasswordPermission -OrgUnit Workstations -AllowedPrincipals IT_Support
```

Name	DistinguishedName	Status
Workstations	OU=Workstations,DC=step,DC=local	Delegated

```
PS C:\Users\Administrator>
PS C:\Users\Administrator> # IT Support change password expire date permissions
PS C:\Users\Administrator> Set-AdmPwdResetPasswordPermission -OrgUnit Workstations -AllowedPrincipals IT_Support
```

Name	DistinguishedName	Status
Workstations	OU=Workstations,DC=step,DC=local	Delegated

```
PS C:\Users\Administrator> SSDDD_
```

Server Manager ▸ Dashboard

Manage Tools View Help

Group Policy Management Editor

File Action View Help

Computer Configuration ▾

- Policies
 - Software Settings
 - Windows Settings
 - Name Resolut
 - Scripts (Startu
 - Security Settin
 - Account P
 - Passw
 - Accou
 - Kerber
 - Local Polic
 - Event Log
 - Restricted
 - System Se
 - Registry
 - File System
 - Wired Net
 - Windows I
 - Network L
 - Wireless N
 - Public Key
 - Software R
 - Network A

Policy	Policy Setting
Enforce password history	10 passwords remembered
Maximum password age	30 days
Minimum password age	1 days
Minimum password length	8 characters
Password must meet complexity requirements	Enabled
Store passwords using reversible encryption	Disabled

management

step local

e linked to this GPO:

EnforcedLink: Enabled

NoYes

to the following groups, users, and computers:

Add...RemoveProperties

WMI Filtering
This GPO is linked to the following WMI filter:

Performance

BPA results

- laps conf
- Loopbac
- mapped
- rdp
- Script_He
- Software

Action View Help



LAPS UI



Computer name:

CLIENT1

Search

Password:

63KKj16h

Password expires:

4/5/2026 12:56:56 PM

New expiration time (leave as is for immediate expiration):

Friday , March 6, 2026 1:04:06 PM

Set

Exit

Head Office

NTDS Quotas

TPM Devices

Folder_Redirection

Advanced Security Settings for Share_folder

Name: E:\Share_folder

Owner: Administrators (STEP\Administrators)  [Change](#)

Permissions

Share

Auditing

Effective Access

For additional information, double-click a permission entry. To modify a permission entry, select the entry and click Edit (if available).

Permission entries:

Type	Principal	Access	Inherited from	Applies to
 Allow	Administrators (STEP\Admini...	Full control	None	This folder, subfolders and files
 Allow	CREATOR OWNER	Full control	None	Subfolders and files only
 Allow	Folder_Redirection (STEP\Fol...	Special	None	This folder only
 Allow	SYSTEM	Full control	None	This folder, subfolders and files
 Allow	Administrator	Full control	None	This folder, subfolders and files

Add

Remove

View

Enable inheritance

☐ Replace all child object permission entries with inheritable permission entries from this object

OK

Cancel

Apply

Group Policy Management Editor

Action View Help

- Security Settings
- Policy-based
- Administrative Templates
- Preferences
- User Configuration
- Policies
- Software Settings
- Windows Settings
 - Scripts (Logon)
 - Security Settings
 - Folder Redirection
 - AppData(Roaming)
 - Desktop
 - Start Menu
 - Documents
 - Pictures
 - Music
 - Videos
 - Favorites
 - Contacts
 - Downloads
 - Links
 - Searches
 - Saved Games

Desktop Properties

Target Settings



You can specify the location of the Desktop folder.

Setting: Basic - Redirect everyone's folder to the same location

This folder will be redirected to the specified location.

Target folder location

Create a folder for each user under the root path

Root Path:

\\dc01.step.local\Share_folder

Browse...


For user Clair, this folder will be redirected to:

\\dc01.step.local\Share_folder\Clair\Desktop

OK

Cancel

Apply



Policy_Definitions

★ Favorites	Name	Date modified	Type	Size
🖥 Desktop	📁 {6AC1786C-016F-11D2-945F-00C04fB984...}	3/3/2026 11:23 AM	File folder	
📁 Downloads	📁 {6E239586-49B5-4C97-9322-AE6D6B904...}	3/3/2026 6:57 PM	File folder	
💻 Recent places	📁 {31B2F340-016D-11D2-945F-00C04FB98...}	3/3/2026 11:23 AM	File folder	
	📁 PolicyDefinitions	3/3/2026 6:59 PM	File folder	

💻 This PC
📁 Desktop
📁 Documents
📁 Downloads
📁 Music
📁 Pictures
📁 Videos
💻 Local Disk (C:)

🌐 Network

Domain_Restrictions

Delegation of Control Wizard

Active Directory Object Type

Indicate the scope of the task you want to delegate.



Delegate control of:

- ☐ This folder, existing objects in this folder, and creation of new objects in this folder
- ☒ Only the following objects in the folder:

- ☐ account objects
- ☐ aCSResourceLimits objects
- ☐ applicationVersion objects
- ☐ bootableDevice objects
- ☐ certificationAuthority objects
- ☒ Computer objects

- ☐ Create selected objects in this folder
- ☐ Delete selected objects in this folder

< Back

Next >

Cancel


Help

ction View Window Help



Group Policy Management

Active Directory Users and Computers



Delegation of Control Wizard




Users or Groups

Select one or more users or groups to whom you want to delegate control.



Selected users and groups:



Add...

Remove

< Back

Next >

Cancel

Help

File Action View Window Help

File Action View Help

ADSI Edit

Default naming context [dcr]
DC=step,DC=local

ADSI Edit

DC=step,DC=local Properties

Attribute Editor

Security

Attributes:

Attribute	Value
mS-DS-ConsistencyC...	<not set>
mS-DS-ConsistencyG...	<not set>
msDS-EnabledFeature	<not set>
msDS-LastKnownRDN	<not set>
msDS-LogonTimeSyn...	<not set>
ms-DS-MachineAcco...	0
msDS-NcType	0
msDS-PerUserTrustQ...	1
msDS-PerUserTrustT...	10
msDS-USNLastSync...	<not set>
name	step
nETBIOSName	<not set>
nextRid	1001
nTMixedDomain	0

Edit


Filter

OK

Cancel

Apply

Help



Entra_Connector



Welcome

Express Settings

Required Components

User Sign-In

Connect to Microsoft Entra

Sync

Connect Directories

Microsoft Entra sign-in

Domain/OU Filtering

Identifying users

Filtering

Optional Features

Configure

User sign-in

Select the Sign On method. ?

- ☒ Password Hash Synchronization ?
- ☐ Pass-through authentication ?
- ☐ Federation with AD FS ?
- ☐ Federation with PingFederate ?
- ☐ Do not configure ?

Select this option to enable single sign-on for your corporate desktop users:

- ☐ Enable single sign-on ?

Previous

Next

Dashboard

Local Server

Servers

New tab

https://login.micr

PROPERTIES

For DC02

Computer name

DC02

Last installed updates

Status unknown

↓

✓

📁

▼

Manage

Downloads

Microsoft Entra Connect Sync

Express Settings

Required Components

User Sign-In

Connect to Microsoft Entra

Sync

Connect Directories

Microsoft Entra sign-in

Domain/OU Filtering

Identifying users

Filtering

Optional Features

Configure

Connect to Microsoft E

Enter your Microsoft Entra ID Hybrid Identity Administrator (credentials. ?)

USERNAME*

rauftest@memmedovrauf2216gmail.onmicrosoft.com

Connecting to Microsoft Online to verify credentials.

Sign in to your account

Microsoft

Sign in

Email, phone, or Skype

Can't access your account?

Next

🔑

Sign-in options



+ New user ▾ Edit ▾ Delete Download users (Preview) Bulk operations ▾ Refresh Manage view ▾ Per-user MFA Got feedback?

All users [Azure Active Directory is now Microsoft Entra ID.](#)

Audit logs

Sign-in logs

Diagnose and solve problems

Deleted users

Password reset

User settings

Bulk operation results

Bulk operation results (Preview)

New support request

Add filter

10 users found

☐	Display name ↑	User principal name ↑↓	User type	Is Agent	On-premises sy...	Identities	Company name
☐	mattermost user	rauf@memmedov...	Member	No	Yes	memmedovrauf2216gmail.onmi	
☐	nextcloud.bind	nextcloud.bind@...	Member	No	Yes	memmedovrauf2216gmail.onmi	
☐	Rauf Mammadov	memmedov.rauf2...	Member	No	No	MicrosoftAccount	
☐	raufest	raufest@memme...	Member	No	No	memmedovrauf2216gmail.onmi	
☐	test	test@memmedov...	Member	No	Yes	memmedovrauf2216gmail.onmi	
☐	test1	test1@memmedo...	Member	No	Yes	memmedovrauf2216gmail.onmi	
☐	test123	test123@memme...	Member	No	Yes	memmedovrauf2216gmail.onmi	
☐	User1	user1@memmed...	Member	No	Yes	memmedovrauf2216gmail.onmi	
☐	work check	workcheck@mem...	Member	No	Yes	memmedovrauf2216gmail.onmi	
☐	Zeynal	zeynal@memmed...	Member	No	Yes	memmedovrauf2216gmail.onmi	

Вас приветствует Azure!

У вас нет подписки? Посмотрите следующие варианты.



Начните с бесплатной пробной подписки Azure

Получите 200 долл. США на свой счет для приобретения продуктов и служб Azure, а также 12 месяцев использования популярных бесплатных

[Запустить](#)



Управление Microsoft Entra ID

Используйте Microsoft Entra ID для управления доступом, автоматизации интеллектуальных политик и укрепления безопасности.

[Представление](#)

[Дополнительные сведения](#)



Microsoft Azure для учащихся

Подтвердите свой академический статус и получите бесплатное программное обеспечение, деньги на счете в Azure или доступ к Azure Dev Tools for Teaching.

[Запустить](#)

Default Directory

[Выйти](#)



test@memmedovr...

test@memmedovrauf2216gm...

[Просмотреть учетную запись](#)

[Переключение каталога](#) ...



Войти с помощью другой учетной ...

Службы Azure



[Создать ресурс](#)



[Центр быстрого...](#)



[Azure AI Foundry](#)



[Службы Kubernetes](#)



[Виртуальные машины](#)



[Службы приложений](#)



[Учетные записи...](#)



[Базы данных SQL](#)



[Azure Cosmos DB](#)



[Больше служб](#)

Ресурсы

[Недавние](#) [Избранное](#)

Wazuh/Siem

AGENTS BY STATUS



- Active (0)
- Disconnected (10)
- Pending (0)
- Never connected (0)

TOP 5 OS



- ubuntu (6)
- windows (4)

TOP 5 GROUPS



- default (10)

Agents (10)

⊕ Deploy new agent 🔄 Refresh 📄 Export formatted More ⌵ ⚙️

group=default

WQL

☐	ID ↑	Name	IP address	Group(s)	Operating system	Cluster node	Version	Status	Actions
☐	001	MainLinuxServer	172.20.31.155	default	Ubuntu 22.04.5 LTS	node01	v4.14.3	disconnected ⓘ	🔍 ⚙️ ⋮
☐	006	BackupSrb	172.20.31.192	default	Microsoft Windows Server 2022 Standard Evaluation 10.0.20348.587	node01	v4.14.3	disconnected ⓘ	🔍 ⚙️ ⋮
☐	007	DC002	172.20.31.193	default	Microsoft Windows Server 2022 Standard Evaluation 10.0.20348.587	node01	v4.14.3	disconnected ⓘ	🔍 ⚙️ ⋮
☐	008	DC2012R2	172.20.31.190	default	Microsoft Windows Server 2012 R2 Standard 6.3.9600	node01	v4.7.5 ●	disconnected ⓘ	🔍 ⚙️ ⋮
☐	011	server3	172.20.30.174	default	Ubuntu 22.04.5 LTS	node01	v4.14.3	disconnected ⓘ	🔍 ⚙️ ⋮
☐	012	Ubuntu-Client	172.20.30.56	default	Ubuntu 22.04.5 LTS	node01	v4.14.3	disconnected ⓘ	🔍 ⚙️ ⋮
☐	013	Win10	192.168.0.10	default	Microsoft Windows 10 Enterprise 10.0.19045.6456	node01	v4.14.3	disconnected ⓘ	🔍 ⚙️ ⋮
☐	014	ubuntu-client	192.168.0.251	default	Ubuntu 22.04.5 LTS	node01	v4.14.3	disconnected ⓘ	🔍 ⚙️ ⋮
☐	015	Victim	172.20.29.48	default	Ubuntu 22.04.5 LTS	node01	v4.14.3	disconnected ⓘ	🔍 ⚙️ ⋮
☐	017	honeyopot	172.20.28.79	default	Ubuntu 22.04.5 LTS	node01	v4.14.3	disconnected ⓘ	🔍 ⚙️ ⋮

FIM/VirusTotal



W.

File Integrity M...

honeyopot

API

default

a



Dashboard

Inventory

Events

honeyopot (017)

Generate report

Search

DQL



Last 24 weeks

Show dates


Refresh

manager.name: server2 rule.groups: syscheck agent.id: 017



Add filter

Most active users



Actions



Events



Files added



- /home/cowrie/virustot
- /home/cowrie/virustot
- /home/cowrie/virustot
- /home/cowrie/virustot
- /home/cowrie/virustot

Files modified



- /home/cowrie/virustot
- /home/cowrie/virustot
- /home/cowrie/virustot


Files deleted



- /home/cowrie/virustot

virustotal

manager.name: server2 agent.id: 017 Add filter



Oct 29, 2025 @ 18:38:28.617

Export Formatted Reset view 864 available fields Columns Density 1 fields sorted Full screen

timestamp	agent.name	rule.description
Apr 13, 2026 @ 16:30:58.942	honeyopot	VirusTotal: Alert - /home/cowrie/virustotaltest/eicar.com -
Apr 13, 2026 @ 16:25:44.050	honeyopot	VirusTotal: Alert - /home/cowrie/virustotaltest/rauf - No po
Apr 13, 2026 @ 16:25:43.368	honeyopot	VirusTotal: Alert - /home/cowrie/virustotaltest/rauf - No po
Apr 12, 2026 @ 16:54:50.307	honeyopot	VirusTotal: Alert - /home/cowrie/virustotaltest/FINAL_REAL
Apr 12, 2026 @ 16:54:50.307	honeyopot	VirusTotal: Alert - /home/cowrie/virustotaltest/FINAL_REAL
Apr 12, 2026 @ 16:53:29.712	honeyopot	VirusTotal: Alert - /home/cowrie/virustotaltest/final_workin
Apr 12, 2026 @ 16:53:29.712	honeyopot	VirusTotal: Alert - /home/cowrie/virustotaltest/final_workin
Apr 12, 2026 @ 16:53:22.626	honeyopot	VirusTotal: Alert - /home/cowrie/virustotaltest/final.txt - No
Apr 12, 2026 @ 16:53:22.626	honeyopot	VirusTotal: Alert - /home/cowrie/virustotaltest/final.txt - No
Apr 12, 2026 @ 16:51:17.376	honeyopot	VirusTotal: Alert - /home/cowrie/virustotaltest/final_workin

Document Details

Table JSON

_index	wazuh-alerts-4.x-2026.04.13
agent.id	017
agent.ip	172.20.28.79
agent.name	honeyopot
data.integration	virustotal
data.virustotal.found	1
data.virustotal.malicious	1
data.virustotal.permalink	https://www.virustotal.com/gui/file/275a021bbfb6489e54d471899f7db9d1663fc695ef651fd0f/detection/f-275a021bbfb6489e54d471899f7db9d1663fc695ec2fe2a2c4538aab2833
data.virustotal.positives	66
data.virustotal.scan_date	2026-04-13 12:20:33
data.virustotal.sha1	3395856ce81f2b7382dee72602f798b642f14140
data.virustotal.source.alert_id	1776083456.113573
data.virustotal.source.file	/home/cowrie/virustotaltest/eicar.com
data.virustotal.source.md5	44d88612fea8a8f36de82e1278abb02f
data.virustotal.source.sha1	3395856ce81f2b7382dee72602f798b642f14140
data.virustotal.total	68
decoder.name	json
id	1776083458.114286
input.type	log
location	virustotal
manager.name	server2

Honeypot

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

```
root@svr04:~# ls
```

```
root@svr04:~# touch test
```

```
root@svr04:~# ls
```

```
test
```

```
root@svr04:~# mkdir hi_step
```

```
root@svr04:~# ls
```

```
hi_step test
```

```
root@svr04:~# mkdir test
```

```
mkdir: cannot create directory `test': File exists
```

```
root@svr04:~# mkdir salam
```

```
root@svr04:~# hi
```

```
-bash: hi: command not found
```

```
root@svr04:~#
```

```
root@svr04:~#
```

```
root@svr04:~#
```

```
root@svr04:~# |
```

```
tcp LISTEN 0 128 [::]:2222 [::]:*
(cowrie-env) cowrie@cowrie:~/cowrie$ tail -f ~/cowrie/var/log/cowrie/cowrie.log
2026-04-12T11:34:53.813026Z [cowrie.ssh.session.HoneyPotSSHSession#info] channel open
2026-04-12T11:34:53.813215Z [cowrie.ssh.connection.CowrieSSHConnection#debug] got global b'no-more-sessions@openssh.com' request
2026-04-12T11:34:53.829867Z [twisted.conch.ssh.session#info] Handling pty request: b'xterm-256color' (30, 120, 640, 480)
2026-04-12T11:34:53.829995Z [SSHChannel session (0) on SSHService b'ssh-connection' on HoneyPotSSHTransport,0,10.2.11.10] Terminal Size: 120 30
2026-04-12T11:34:53.830369Z [twisted.conch.ssh.session#info] Getting shell
2026-04-12T11:34:54.844012Z [HoneyPotSSHTransport,0,10.2.11.10] CMD:
2026-04-12T11:34:55.019688Z [HoneyPotSSHTransport,0,10.2.11.10] CMD:
2026-04-12T11:34:55.164621Z [HoneyPotSSHTransport,0,10.2.11.10] CMD:
2026-04-12T11:34:56.188905Z [HoneyPotSSHTransport,0,10.2.11.10] CMD: ls
2026-04-12T11:34:56.189986Z [HoneyPotSSHTransport,0,10.2.11.10] Command found: ls
2026-04-12T11:35:32.201144Z [cowrie.shell.protocol.HoneyPotInteractiveProtocol#warn] Received unhandled keyID: b'\xd1'
2026-04-12T11:35:32.201295Z [cowrie.shell.protocol.HoneyPotInteractiveProtocol#warn] Received unhandled keyID: b'\x8c'
2026-04-12T11:35:32.248385Z [cowrie.shell.protocol.HoneyPotInteractiveProtocol#warn] Received unhandled keyID: b'\xd0'
2026-04-12T11:35:32.248543Z [cowrie.shell.protocol.HoneyPotInteractiveProtocol#warn] Received unhandled keyID: b'\xbb'
2026-04-12T11:35:32.409668Z [cowrie.shell.protocol.HoneyPotInteractiveProtocol#warn] Received unhandled keyID: b'\xd0'
2026-04-12T11:35:32.409812Z [cowrie.shell.protocol.HoneyPotInteractiveProtocol#warn] Received unhandled keyID: b'\xb2'
2026-04-12T11:35:32.483127Z [cowrie.shell.protocol.HoneyPotInteractiveProtocol#warn] Received unhandled keyID: b'\xd1'
2026-04-12T11:35:32.483482Z [cowrie.shell.protocol.HoneyPotInteractiveProtocol#warn] Received unhandled keyID: b'\x88'
2026-04-12T11:35:32.592883Z [cowrie.shell.protocol.HoneyPotInteractiveProtocol#warn] Received unhandled keyID: b'\xd0'
2026-04-12T11:35:32.593098Z [cowrie.shell.protocol.HoneyPotInteractiveProtocol#warn] Received unhandled keyID: b'\xba'
2026-04-12T11:35:35.671573Z [HoneyPotSSHTransport,0,10.2.11.10] CMD: mkdir test
2026-04-12T11:35:35.672049Z [HoneyPotSSHTransport,0,10.2.11.10] Command found: mkdir test
2026-04-12T11:35:37.772334Z [HoneyPotSSHTransport,0,10.2.11.10] CMD: mkdir salam
2026-04-12T11:35:37.773779Z [HoneyPotSSHTransport,0,10.2.11.10] Command found: mkdir salam
2026-04-12T11:35:38.662984Z [HoneyPotSSHTransport,0,10.2.11.10] CMD: hi
2026-04-12T11:35:38.665255Z [HoneyPotSSHTransport,0,10.2.11.10] Command not found: hi
```

AuditD/Sysmon

```
## First rule - delete all
```

```
-D
```

```
## Increase the buffers to survive stress events.
```

```
## Make this bigger for busy systems
```

```
-b 8192
```

```
## This determine how long to wait in burst of events
```

```
--backlog_wait_time 60000
```

```
## Set failure mode to syslog
```

```
-f 1
```

```
-w /etc/passwd -p wa -k passwd_changes
```

```
-w /etc/shadow -p wa -k shadow_changes
```

```
-w /etc/sudoers -p wa -k sudo_changes
```

```
-w /var/log/auth.log -p wa -k auth_log_changes
```


Windows PowerShell
Copyright (C) 2013 Microsoft Corporation. All rights reserved.

PS C:\Users\Administrator> cd C:\Sysmon

PS C:\Sysmon> Sysmon64.exe -accepteula -i sysmonconfig-export.xml

Sysmon64.exe : The term 'Sysmon64.exe' is not recognized as the name of a cmdlet, function, script file, or operable program. Check the spelling of the name, or if a path was included, verify that the path is correct and try again.

At line:1 char:1

+ Sysmon64.exe -accepteula -i sysmonconfig-export.xml

+ ~~~~~

+ CategoryInfo : ObjectNotFound: (Sysmon64.exe:String) [], CommandNotFoundException

+ FullyQualifiedErrorId : CommandNotFoundException

Suggestion [3,General]: The command Sysmon64.exe was not found, but does exist in the current location. Windows PowerShell does not load commands from the current location by default. If you trust this command, instead type ".\Sysmon64.exe". See "get-help about_Command_Precedence" for more details.

PS C:\Sysmon> .\Sysmon64.exe -accepteula -i sysmonconfig-export.xml

System Monitor v15.15 - System activity monitor

By Mark Russinovich and Thomas Garnier

Copyright (C) 2014-2024 Microsoft Corporation

Using libxml2. libxml2 is Copyright (C) 1998-2012 Daniel Veillard. All Rights Reserved.

Sysinternals - www.sysinternals.com

Loading configuration file with schema version 4.50

Sysmon schema version: 4.90

Configuration file validated.

Sysmon64 installed.

SysmonDrv installed.

Starting SysmonDrv.

SysmonDrv started.

Starting Sysmon64..

Sysmon64 started.


PS C:\Sysmon> _

Dashboard Events

DC002 (007)

Search DQL Last 24 hours Show dates Refresh

manager.name: server2 agent.id: 007 data.win.system.providerName: Microsoft-Windows-Sysmon Add filter



48 hits

Mar 14, 2026 @ 18:11:17.546 - Mar 15, 2026 @ 18:11:17.547

Export Formatted Reset view 730 available fields Columns Density 1 fields sorted Full screen

timestamp	agent.name	rule.description	rule.level	rule.id
Mar 15, 2026 @ 18:05:26.5...	DC002	Executable dropped in Windows root folder	6	92217
Mar 15, 2026 @ 18:05:26.4...	DC002	Executable dropped in Windows root folder	6	92217
Mar 15, 2026 @ 18:05:26.4...	DC002	Executable dropped in Windows root folder	6	92217
Mar 15, 2026 @ 18:05:25.4...	DC002	C:\\Windows\\SysWOW64\\WindowsPowerShell\\v1.0\\powershell.exe created a new scripting file under Windows Temp or User data folder	9	92201
Mar 15, 2026 @ 18:05:25.4...	DC002	C:\\Windows\\SysWOW64\\SecEdit.exe binary in a suspicious location launched by C:\\Windows\\SysWOW64\\WindowsPowerShell\\v1.0\\powershell.exe	4	92066
Mar 15, 2026 @ 18:05:25.4...	DC002	C:\\Windows\\SysWOW64\\WindowsPowerShell\\v1.0\\powershell.exe created a new scripting file under Windows Temp or User data folder	9	92201
Mar 15, 2026 @ 18:05:25.3...	DC002	Discovery activity executed	3	92031
Mar 15, 2026 @ 18:05:25.3...	DC002	Discovery activity executed	3	92031
Mar 15, 2026 @ 18:05:25.3...	DC002	Discovery activity executed	3	92031

Scripts for TG bot

```

GNU nano 6.2 /var/ossec/etc/rules/local_rules.xml
<!-- Local rules -->

<!-- Modify it at your will. -->
<!-- Copyright (C) 2015, Wazuh Inc. -->

<!-- Example -->
<group name="local,ssh,security">

  <!-- SSH login detected -->
  <rule id="100100" level="7">
    <if_sid>5715</if_sid>
    <description>SSH login detected</description>
    <group>ssh_login,authentication_success</group>
  </rule>

  <!-- SSH failed login -->
  <rule id="100101" level="10">
    <if_sid>5716</if_sid>
    <description>SSH failed login attempt</description>
    <group>ssh_failed,authentication_failed</group>
  </rule>

  <rule id="100102" level="12" frequency="5" timeframe="60">
    <if_matched_sid>5716</if_matched_sid>
    <description>Possible SSH brute force attack</description>
    <group>ssh_bruteforce,attack</group>
  </rule>

  <!-- sudo command executed -->
  <rule id="100103" level="8">
    <if_sid>5402</if_sid>
    <description>Sudo command executed</description>
    <group>privilege_escalation</group>
  </rule>

  <!-- New user created -->
  <rule id="100104" level="10">
    <match>useradd</match>
    <description>New user account created</description>
    <group>user_management</group>
  </rule>

```

is on your desktop for shared files and important

New Termius version is av

Version 9.37.6 is ready to ins

Changelog

Res

Themes



Termius Dar
co



Termius Ligh
34561



Flexoki Dark
new



Flexoki Light
new



Kanagawa V
18227



Kanagawa D
13922



Kanagawa L
2207



Hacker Blue
14864



Hacker Gree
10954



Hacker Red
1091



Everforest D
7695

```

GNU nano 6.2 custom-telegram.py
#!/usr/bin/env python

import json
import re
import sys
from datetime import datetime
import requests

# Telegram Bot credentials
bot_token = "8611489693:AAEVALMFIUKXsTRR4-oF3LSCTFyg5Viiwfi"
chat_id = "1149935804"

# === Excluded Mazuh Rule IDs ===
excluded_rules: list = []

def escape_markdown_v2(text):
    if not isinstance(text, str):
        text = str(text)

    escape_chars = r"_*[]()~'>#+-=|{}.!\""
    return re.sub(r"([%s])" % re.escape(escape_chars), r"\\1", text)

def main():
    if len(sys.argv) < 2:
        sys.exit(1)

    alert_file = sys.argv[1]

    with open(alert_file) as f:
        alert = json.load(f)

    rule_id = alert.get("rule", {}).get("id")

    if rule_id in excluded_rules:
        sys.exit(0)

    data = alert.get("data", {})

    srcuser = data.get("srcuser") or data.get("dstuser") or "unknown"
    srcport = data.get("srcport", "unknown")
    srcip = data.get("srcip", "unknown")

    agent_name = alert.get("agent", {}).get("name", "unknown")
    alert_level = alert.get("rule", {}).get("level", "unknown")
    description = alert.get("rule", {}).get("description", "No description")

```

New Termius ver


Version 9.37.6 is rea

Changelog

Themes



Ter



Ter



Fle



Fle



Kai



Kai




Kai



Ha



Ha



Ha



Eve



Eve



Niç

op for shared files and important

Turn on

Read SA 14nos

18:56

93%



wazuh_alert_step_bot

bot



Set Profile Photo

executed

Log: {"eventid":"cowrie.command.input","input":"touch test1","message":"CMD: touch test1","sensor":"cowrie","uuid":"86372004-3663-11f1-bac4-93577aa7d319","timestamp":"2026-04-12T12:22:29.699734Z","src_ip":"10.2.11.10","session":"bd7a69ad214b","protocol":"ssh"}

16:22

Wazuh Alert

Time:
2026-04-12T12:22:36.451+0000
User: unknown
IP: unknown
Port: unknown
Agent: honeypot

Rule: 100502

Level: 14

Description: Cowrie: Command executed

Log: {"eventid":"cowrie.command.input","input":"touch test","message":"CMD: touch test","sensor":"cowrie","uuid":"86372004-3663-11f1-bac4-93577aa7d319","timestamp":"2026-04-12T12:22:35.368816Z","src_ip":"10.2.11.10","session":"bd7a69ad214b","protocol":"ssh"}

16:22

Wazuh Alert

Message



Gitlab



Your work

- 🏠 Home
- 📁 Projects**
- 👤 Groups
- 📄 Issues
- 👥 Merge requests
- ☑ To-Do List
- 📌 Milestones
- 📄 Snippets
- 🕒 Activity

Create blank project

Create a blank project to store your files, plan your work, and collaborate on code, among other things.

Project name

step_local

Must start with a lowercase or uppercase letter, digit, emoji, or underscore. Can also contain dots, pluses, dashes, or spaces.

Project URL

http://172.20.28.181:8080/

Pick a group or namespace

Project slug

step_local

Visibility Level ?

☒ Private

Project access must be granted explicitly to each user. If this project is part of a group, access is granted to members of the group.

☐ Internal

The project can be accessed by any logged in user except external users.

☐ Public

The project can be accessed without any authentication.

Project Configuration

☒ Initialize repository with a README

Allows you to immediately clone this project's repository. Skip this if you plan to push up an existing repository.

☐ Enable Static Application Security Testing (SAST)

Analyze your source code for known security vulnerabilities. [Learn more.](#)

☐ Enable Secret Detection

Scan your code for secrets and credentials to prevent unauthorized access. [Learn more.](#)

Create project

Cancel

←↻⚠ Not secure 172.20.28.181:8080/-/user_settings/ssh_keys/1

🔍 Search or go to...

+

📄 0

👤 0

✉ 0

Admin

🌐 Chat

🐉

User settings

👤 Profile

👤 Account

🔧 Applications

🔗 Integration accounts

🔑 Personal access tokens

✉ Emails

🔒 Password

🔔 Notifications

🔑 SSH Keys

🔑 GPG keys

⚙ Preferences

📄 Comment templates

🖥 Active sessions

📖 Authentication log

📊 Usage quotas

User Settings / SSH Keys / rauf-gitlab

🔍 Search settings

SSH Key: rauf-gitlab

Delete

Key details

Usage type	Created	Last used	Expires
Authentication & Signing	Mar 9, 2026 1:00pm	Never	Mar 9, 2027 12:00am

SSH Key

ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIA9sLkckBIRWwRuP3ilhXE5Eab9p1ASWlX0IFHMRWE0E rauf-gitlab 📋

Fingerprints

MD5	01:34:85:81:61:1f:63:7c:50:0e:e9:9a:7d:9c:66:cb
SHA256	jf+ltt0gXSwIWSa/N0hQreYL00bQkoyf9gRh2bv5w80

```
server2@server2:~$ cd ~/step_local

git add .

git commit -m "Add Wazuh Telegram integration"

git push
[main 272f8c7] Add Wazuh Telegram integration
 2 files changed, 142 insertions(+)
 create mode 100755 wazuh/integrations/custom-telegram
 create mode 100755 wazuh/integrations/custom-telegram.py
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 2 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 2.28 KiB | 1.14 MiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
To ssh://172.20.28.181:2222/root/step_local.git
    0d57cbd..272f8c7  main -> main
server2@server2:~/step_local$
```

Project

Step_Local

- Pinned
- Issues
- Merge requests

- Manage
- Plan
- Code
- Build
- Secure
- Deploy
- Operate
- Monitor
- Analyze
- Settings

Administrator / Step_Local

The Auto DevOps pipeline has been enabled and will be used if no alternative CI configuration file is found. Container registry is not enabled on this GitLab instance. Ask an administrator to enable it in order for Auto DevOps to work.

Settings

More information

Files

Search files (*.vue, *.rb...)

wazuh

integrations

custom-telegram

custom-telegram.py

README.md

main step_local / wazuh / integrations

integrations



Add Wazuh Telegram integration

Rauf authored 1 minute ago

272f8c7d



History

Name	Last commit	Last update
..		
custom-telegram	Add Wazuh Telegram integration	8 minutes ago
custom-telegram.py	Add Wazuh Telegram integration	8 minutes ago

NTP

```
root@server3:~# chronyc clients
```

Hostname	NTP	Drop	Int	IntL	Last	Cmd	Drop	Int	Last
172.20.30.91	2	0	1	-	1025	0	0	-	-
172.20.31.193	4	0	3	-	735	0	0	-	-
172.20.31.190	6	0	5	-	10	0	0	-	-

```
root@server3:~#
```

Administrator: Windows PowerShell

```
PS C:\Users\Administrator.STEP>
PS C:\Users\Administrator.STEP> w32tm /config /manualpeerlist:"172.20.30.174" /syncfromflags:manual /reliable:yes /u
e
The command completed successfully.
PS C:\Users\Administrator.STEP>
PS C:\Users\Administrator.STEP>
PS C:\Users\Administrator.STEP> net stop w32time
>> net start w32time
The Windows Time service is stopping.
The Windows Time service was stopped successfully.

The Windows Time service is starting.
The Windows Time service was started successfully.

PS C:\Users\Administrator.STEP>
PS C:\Users\Administrator.STEP> w32tm /resync
Sending resync command to local computer
The command completed successfully.
PS C:\Users\Administrator.STEP> w32tm /query /status
Leap Indicator: 0(no warning)
Stratum: 4 (secondary reference - syncd by (S)NTP)
Precision: -23 (119.209ns per tick)
Root Delay: 0.0601430s
Root Dispersion: 8.9140038s
ReferenceId: 0xAC141EAE (source IP: 172.20.30.174)
Last Successful Sync Time: 3/12/2026 10:22:14 PM
Source: 172.20.30.174
Poll Interval: 6 (64s)

PS C:\Users\Administrator.STEP>
```

Performance

Performance

Performance

Per

Endpoint Central



New Hotfix Available

New Hotfix to Endpoint Central 11 is now available - build 11.5.2605.13. It is recommended to upgrade to the latest version. [Скачать сейчас](#)



Решение для унифицированного управления
конечными точками и обеспечения безопасности



 admin

 •••••



• The default admin password is locked due to inactivity. Use "Forgot password?" to reset the password.

[Войти](#)

[Забыли пароль?](#)

✓ Scope of Management

Summary

Domain

Remote Offices

Computers

MDM Prerequisites

✓ Auto Discovery

Agent Installation

Active Directory Sync

Azure Autopilot

ABM/DEP

Inactive Computer Policy <≡

✓ Settings

Agent Settings

IP Scope

SoM Settings

Replication Policy

APNS Certificate

Domain Name > Details

Add Active Directory

1 ✓ Domain Details

2 Sync Details

Domain Name *

STEP

Domain User Name *

rauf

Password *

.....



AD Domain Name *

step.local

Domain Controller Name *

DC02

☐ Domain Controller is not directly reachable ?

☐ LDAP SSL ?

Validate & Proceed

Cancel

- Patch Settings
 - Red Hat Linux Settings
 - SUSE Linux Settings
 - Patch Database Settings
 - Office Click-to-Run Settings
 - Patch Download
 - BIOS Credential Settings
 - N-1 Patch Settings
- OS Deployment
 - Enable OS Deployment
 - OS Deployment settings
- Tools Settings
 - Port Settings
 - System Manager Settings

Schedule Database Backup

Backup details

Everyday at *

18:30:ss [24-hour format]

(GMT-7:00) Pacific Daylight Time (America/... ▾

Maintain last

7 ▾ backup(s) only

Backup directory *

C:\Program Files\UEMS_CentralServer\Scr

It is recommended to store your database back-up at a remote location to seamlessly restore the back-up if the Central Server fails.

Backup protection

New backup password *

.....

Re-enter the backup password *

.....

Set backup password hint

Backup failure notifications

☐ Notify when the database backup fails

Save Changes

Cancel

Best Practices

▸ Scheduling backup during non-office hours : Setting the backup schedule to non working hours will increase the performance and the reliability of the backup file.

▸ Specifying valid destination folder : Make sure that the destination folder is accessible and is not write-protected. If network share is configured, ensure the share permission is given to the specific required computer users in the network.

Endpoint Central

HomeConfigurationsThreats & PatchesSoftware DeploymentInventoryMDMAdminToolsAgentJump to SDP

Scope of Management

SummaryDomainRemote OfficesComputersMDM Prerequisites

Auto Discovery

Agent InstallationActive Directory SyncAzure AutopilotABM/DEPINactive Computer Policy

Settings

Agent SettingsIP ScopeSoM SettingsReplication PolicyAPNS Certificate

Information (3)

Script to Install Agents using GPO
Download the script to install agents using GPO. [Learn More](#)

Defining IP Scope
IP scope has the automatic intelligence to identify agents from a different IP range and move agents to Remote office accordingly. [Add Now](#)

Managed Computers

Staged Computers

Computer(s) for approval (0)

Download Agents

+ Add Computer(s)

X Remove Computer(s)

Import

Edit Credential

Want to customize computer details?

Agent Actions:

Install Agent

Install MDM Profile

Uninstall Agent

Move To

Select Remote Office

Filters

	Computer Name	Domain Name	Agent Status	Last Contact Time	Agent Version	Remarks	Processor Architecture	Remote Office
	Client1	STEP	Installed Succes...	Mar 10, 2026 03:47 PM	11.5.2605.01.W	Agent Instal...	x86-based PC	Local Office
	ClientWin10	STEP	Installed Succes...	Mar 25, 2026 01:58 A...	11.5.2605.01.W	Agent Instal...	x64-based PC	Local Office
	DC01	STEP	Installed Succes...	Mar 10, 2026 03:17 PM	11.5.2605.01.W	Agent Instal...	x64-based PC	Local Office
	DC02	STEP	Installed Succes...	Mar 18, 2026 06:24 PM	11.5.2605.01.W	An SSL erro...	x64-based PC	Local Office
	server	linuxosgroup	Installed Succes...	Mar 18, 2026 05:46 PM	11.5.2605.01.L	An SSL erro...	x64-based PC	Local Office
	server2	linuxosgroup	Installed Succes...	Mar 10, 2026 04:21 PM	11.5.2605.01.L	Agent Instal...	x64-based PC	Local Office
	server3	linuxosgroup	Installed Succes...	Mar 11, 2026 06:10 PM	11.5.2605.01.L	Agent Instal...	x64-based PC	Local Office

1 - 7 of Total Records25

MyConfiguration11

Is the deployed configuration status always in "Ready to Execute"?
Configuration status for computer/user remains in "Yet To Apply" due to one or more reasons, refer to the [Learn More](#)

Modify ▾ Suspend Move to Trash Save as Template Save As New ▾

Refresh < >

Summary Configuration Details Execution Status Replication Details

Configuration Details

Name	:	MyConfiguration11 
Description	:	-- 
Category	:	 Install/Uninstall Windows Software
Current Status	:	 In Progress
Platform	:	 windows
Type	:	 Computer
Created Time	:	Mar 16, 2026 12:43 AM
Created By	:	admin
Modified Time	:	Mar 16, 2026 12:50 AM
Modified By	:	admin
Enable Notification	:	No
Enable Retry	:	Yes

Execution Summary



-  Yet To Apply
-  Succeeded
-  In Progress
-  Failed
-  Not Applicable
-  Retry In Progress
-  In Progress (Overridden)
-  Overridden

Package creation

Packages

Templates

Deployment

Install/Uninstall Software >

View Configurations

User-defined Templates

Trash

Self Service Portal

Reports

Self Service Portal Reports

SSP Usage Reports

Settings

Software Repository

Script Repository

Auto-update Templates

Proxy Settings

Sync Application Details

Sync Now

Last Update: Mar 10, 2026 03:37 PM

Self Service Portal

 Apps (3)  Updates (0)  Last Sync : 03/23/2026 02:1

Application Name	Description	Version	Action	Remarks	Software Name
 7 zip (msi) (x64) (26.00)	7 zip (msi) (x64) (26.00)	26.00.00.0	 Install	--	 7zip
 Notepad++	--	--	 Uninstall	The operation completed successfully.	
 Wireshark	--	--	 Uninstall	The operation completed successfully.	

Nessus Vulnerability Scan



Get an activation code

To register for a free Nessus Essentials activation code, enter your information.

First Name

Rauf

Last Name

Mammadov

Email

memmedov.rauf2216@gmail.com

Already have activation code? Skip this step to enter it manually.

Back

Skip

Sending...

SETTINGS

- About
- Advanced
- Proxy Server
- SMTP Server**
- Custom CA
- Password Mgmt
- Scanner Health
- Notifications

ACCOUNTS

- My Account

Tenable News

FAQ on CVE-2026-21514: OLE bypass N-Day in Microso...

[Read More](#)

SMTP Server



Simple Mail Transfer Protocol (SMTP) is an industry standard for sending and receiving email. Once configured for SMTP, scan results will be emailed to the list of recipients specified in a scan's "Email Notifications" configuration. These results can be custom tailored through filters and require an HTML compatible email client.

Host	smtp.gmail.com
Port	587
From (sender email)	memmedov.rauf2216@gmail.com
Encryption	Force TLS
Hostname (for email links)	Nessus Server
Auth Method	LOGIN
Username	memmedov.rauf2216@gmail.com
Password	*****

[Send Test Email](#)

Save

Cancel

FOLDERS

📁 My Scans

📁 Scans

📁 All Scans

🗑️ Trash

RESOURCES

🛡️ Policies

🔧 Plugin Rules

New Scan / Basic Network Scan

[← Back to Scan Templates](#)

Settings

Credentials

Plugins

BASIC

• General

Schedule

Notifications

DISCOVERY

ASSESSMENT

REPORT

ADVANCED

Name

WinServer2022

Description

Folder

My Scans

Targets

192.168.0.193

Upload Targets

[Add File](#)

Save



Cancel

Tenable News

mod_gnutls Multiple
Vulnerabilities

FOLDERS

-  My Scans
-  Scans
-  All Scans
-  Trash

RESOURCES

-  Policies
-  Plugin Rules

Tenable News

Samsung MagicINFO
Server Multiple
Vulnerabilities

New Scan / Basic Network Scan

[← Back to Scan Templates](#)

Settings

Credentials

Plugins 

CATEGORIES

Host

Filter Credentials



SSH



Windows

Windows

Authentication method

Password

Username

administrator@step.local

Password

.....

Domain

step.local

Global Credential Settings

☒ Never send credentials in the clear

For security reasons, Windows credentials are not sent in the clear by default.

☒ Do not use NTLMv1 authentication

If this option is disabled, then it is theoretically possible to trick Nessus into attempting to log into a Windows server with domain credentials via the NTLM version 1 protocol. This provides the remote attacker with the ability to use a hash obtained from Nessus. This hash can be potentially cracked to reveal a username or password. It may also be used to directly log into other servers. Force Nessus to use NTLMv2 by enabling the Only use NTLMv2 setting at scan time. This prevents a hostile Windows server from using NTLM and receiving a hash. Because NTLMV1 is an insecure protocol this option is enabled by default.

☐ Start the Remote Registry service during the scan

This option tells Nessus to start the Remote Registry service on computers being scanned if it is not running. This service must be running in order for Nessus to connect to some Windows local share features.

New Scan / Basic Network Scan

[← Back to Scan Templates](#)

Settings

Credentials

Plugins 

BASIC

General

• Schedule

Notifications

DISCOVERY >

ASSESSMENT >

REPORT >

ADVANCED >

Enabled

ON 

NOTE: Only one schedule can be enabled. Any other scheduled scans will be disabled. [Upgrade to Nessus Professional](#)

Frequency

Daily ▼

Starts

02:00 ▼

2026-03-23

Timezone

Asia/Baku ▼

Repeat Every

Day ▼

Summary

Daily at 2:00 AM, starting on Monday, March 23rd, 2026

Save



Cancel

- FOLDERS
- My Scans
 - Scans
 - All Scans
 - Trash
- SOURCES
- Policies
 - Plugin Rules

WinServer2022 / 192.168.0.90 / SSL (Multiple Issues)

[← Back to Vulnerabilities](#)

[Configure](#) [Audit Trail](#) [Launch](#) [Report](#)

Vulnerabilities **64**

Search Vulnerabilities 6 Vulnerabilities

☐	Sev ▾	CVSS ▾	VPR ▾	EPSS ▾	Name ▴	Family ▴	Count ▾
☐	MEDIUM	6.5			SSL Certificate Cannot Be Trusted	General	2
☐	MEDIUM	6.5			SSL Self-Signed Certificate	General	1
☐	INFO				SSL Certificate Information	General	2
☐	INFO				SSL Cipher Suites Supported	General	2
☐	INFO				SSL Perfect Forward Secrecy Cipher Suites...	General	2
☐	INFO				SSL Cipher Block Chaining Cipher Suites S...	General	1

Scan Details

Policy: Basic Network Scan
Status: Completed
Severity Base: CVSS v3.0
Scanner: Local Scanner
Start: Today at 1:32 AM
End: Today at 1:48 AM
Elapsed: 16 minutes

Vulnerabilities



from: **Nessus Server** <memmedov.rauf2216@gmail.com>
to: memmedov.rauf2216@gmail.com
date: 23 Mar 2026, 01:48
subject: Nessus Scan Results: WinServer2022
mailed-by: gmail.com

Sun, 22 Mar 2026 21:48:06 UTC

Nessus completed the scan **WinServer2022**. Please click [here](#) to view and edit the scan results.

Nessus Essentials: Commercial use of the report is prohibited

Any time Nessus is used in a commercial environment you **MUST** maintain an active subscription to the Nessus Feed in order to be compliant with our license agreement. <http://www.tenable.com/products/nessus>

Report Summary

Errors

Outdated plugins

ERROR: Your plugins have not been updated since 2026/2/17 Performing a scan with an older plugin set will yield out-of-date results and produce an incomplete audit. Please run nessus-update-plugins to get the newest vulnerability checks from Nessus.org.

Plugins: Top 5

Severity	Plugin Id	Name
Medium	51192	SSL Certificate Cannot Be Trusted
Medium	298656	Vim < 9.1.2132 Buffer Overflow (GHSA-5w93-4g67-mm43)

← Reply

→ Forward



Zabbix,Zabbix HTTPS,Agent List,TG bot,MFA

Zabbix-Server

All dashboards / Global view

Top hosts by CPU utilization

Host name	Utilization	1m avg	5m avg	15m avg	Processes
-----------	-------------	--------	--------	---------	-----------

Zabbix server		1.83 %	0.88	0.79	0.70	320
---------------	---	--------	------	------	------	-----

1.84↓
Zabbix server
Values per second


System information

Parameter	Value	Details
Zabbix server is running	Yes	localhost:10051
Zabbix server version	7.0.23	
Zabbix frontend version	7.0.23	
Number of hosts (enabled/disabled)	1	1 / 0
Number of templates	354	
Number of items (enabled/disabled/not supported)	135	124 / 0 / 11
Number of triggers (enabled/disabled [problem/ok])	78	78 / 0 [0 / 78]


20:57

Baku


Host availability



Problems by severity



Geomap



Current problems

Time	Info	Host	Problem • Severity	Duration	Update	Actions	Tags
------	------	------	--------------------	----------	--------	---------	------

No data found

Dashboards

Monitoring

Services

Inventory

Reports

Data collection

Alerts

Users

Administration

Support

Integrations

Help

User settings

Sign out

ZABBIX << ⌵
Zabbix-Server

🔍

- 📊 Dashboards
- 🖥️ Monitoring
- 🔌 Services
- 📦 Inventory
- 📄 Reports
- 📶 Data collection
- 🔔 Alerts
- 👤 Users

Hosts

ⓘ Create host Import

🔍 Filter

Host groups

Templates

Name

DNS

IP

Port

Status

Monitored by

Tags

Template groups	Name	Items	Triggers	Graphs	Discovery	Web	Interface	Proxy	Templates	Status	Availability	Agent encryption	Info	Tags
Host groups	mattermost-server	Items 75	Triggers 30	Graphs 16	Discovery 3	Web	172.20.30.174:10050		Linux by Zabbix agent	Enabled	ZBX	None		
Templates	Nextcloud	Items 1	Triggers 1	Graphs	Discovery	Web				Enabled		None		
Hosts	Veeam-Backup	Items 48	Triggers 19	Graphs 8	Discovery 4	Web	172.20.31.195:10050		Windows by Zabbix agent	Enabled	ZBX	None		
Maintenance	Wazuh-Server	Items 43	Triggers 15	Graphs 6	Discovery 3	Web	172.20.30.110:10050		Linux by Zabbix agent	Enabled	ZBX	None		
Event correlation	WIN-SERVER2022	Items 124	Triggers 90	Graphs 12	Discovery 4	Web	172.20.31.192:10050		Windows by Zabbix agent	Enabled	ZBX	None		
Discovery	Win2012R2	Items 101	Triggers 70	Graphs 10	Discovery 4	Web	172.20.31.190:10050		Windows by Zabbix agent	Enabled	ZBX	None		
	Zabbix server	Items 154	Triggers 85	Graphs 16	Discovery 6	Web 1	127.0.0.1:10050		Linux by Zabbix agent, Zabbix server health	Enabled	ZBX	None		

Actions

Action

Operations 2

* Default operation step duration

1h

Operations

Steps Details

Start in

Duration

Action

1

Send message to user groups: Zabbix administrators via Telegram

Immediately

Default

[Edit](#) [Remove](#)

[Add](#)

Recovery operations

Details

Action

Send message to user groups: Zabbix administrators via Telegram

[Edit](#) [Remove](#)

[Add](#)

Update operations

Details

Action

[Add](#)

Pause operations for suppressed problems ☒

Notify about canceled escalations ☒

* At least one operation must exist.

Update

Clone

Delete

Cancel

9:20

100%



Zabbix-Alerts

3 members



2026.04.06

Problem name: Windows: Zabbix agent is not available (for 3m)

Host: WIN-SERVER2022

Severity: Average

Operational data: not available (0)

Original problem ID: 1381

19:23

StepIT26

Problem: Linux: High CPU utilization (...)

Resolved in 1m 0s: Linux: High CPU utilization (over 90% for 5m)

Problem has been resolved in 1m 0s at 15:23:24 on 2026.04.06

Problem name: Linux: High CPU utilization (over 90% for 5m)

Host: Zabbix server

Severity: Warning

Original problem ID: 1378

19:23

StepIT26

StepIT26

Problem: Linux: Zabbix server has bee...

Resolved in 4d 3h 4m 30s: Linux: Zabbix server has been restarted (uptime < 10m)

Problem has been resolved in 4d 3h 4m 30s at 15:32:00 on 2026.04.06

Problem name: Linux: Zabbix server has been restarted (uptime < 10m)

Host: Zabbix server

Severity: Warning

Original problem ID: 1368

19:32



Message



Users

User Media 1 Permissions

Media

Type	Send to	When active	Use if severity	Status	Action
Telegram	-5220302082	1-7,00:00-24:00	N I W A H D	Enabled	Edit Remove
Add					

Update

Delete

Cancel

SA

MFA method



Type

TOTP



* Name



Zabbix-MFA

Hash function

SHA-512



Code length

6



Update

Cancel

ZABBIX

Verification code

593101S

Sign in

[Help](#) • [Support](#)

Certificate Viewer: zabbix.step.local

General Details

Issued To

Common Name (CN)	<Not Part Of Certificate>
Organization (O)	<Not Part Of Certificate>
Organizational Unit (OU)	<Not Part Of Certificate>

Issued By

Common Name (CN)	step-DC02-CA
Organization (O)	<Not Part Of Certificate>
Organizational Unit (OU)	<Not Part Of Certificate>


Validity Period

Issued On	Wednesday, March 18, 2026 at 5:14:05 AM
Expires On	Friday, March 17, 2028 at 5:14:05 AM

SHA-256 Fingerprints

Certificate	7c89113b04c80a3d35169a63204524b4caddee047d8aa4acea233713cf875c1c
Public Key	d49ebdf1ce10fc253794efeaeaba92ac7c8273652b23de765eddc1991f53d9fbd

Default Page HAPROXY/HAPROXY Conf



Access Denied

Please use the domain name to access this service.

Example: <https://zabbix.step.local>

GNU nano 6.2

```
global
    log /dev/log local0
    log /dev/log local1 notice
    daemon
    maxconn 2048

defaults
    log        global
    mode       http
    option     httplog
    option     dontlognull
    timeout connect 5s
    timeout client 30s
    timeout server 30s

# =====
# HTTPS FRONTEND
# =====
frontend https_front
    bind *:443 ssl crt /home/server/certs/haproxy.pem
    redirect scheme https code 301 if ![ ssl_fc ]
    # Host ACLs
    acl host_zabbix hdr(host) -i zabbix.step.local
    acl host_grafana hdr(host) -i grafana.step.local
    acl host_nextcloud hdr(host) -i nextcloud.step.local

    use_backend zabbix_backend if host_zabbix
    use_backend grafana_backend if host_grafana
    use_backend nextcloud_backend if host_nextcloud

# =====
# HTTP → HTTPS REDIRECT
# =====
frontend http_front
    bind *:80
    redirect scheme https code 301

# =====
# ZABBIX BACKEND
# =====

backend zabbix_backend
    option httpchk GET /zabbix
    http-request set-header Host zabbix.step.local
    server zabbix 172.20.31.155:8081 check

# =====
# GRAFANA BACKEND
# =====
```

Grafana integrated to Zabbix, Grafana HTTPS

Home

Bookmarks

Starred

Dashboards

Explore

Drilldown

Alerting

Connections

Administration

Welcome to Grafana

Need help?

[Documentation](#)[Tutorials](#)[Community](#)[Public Slack](#)

Basic

The steps below will guide you to quickly finish setting up your Grafana installation.

TUTORIAL

DATA SOURCE AND DASHBOARDS

Grafana fundamentals

Set up and understand Grafana if you have no prior experience. This tutorial guides you through the entire process and covers the "Data source" and "Dashboards" steps to the right.

DATA SOURCES

Add your first data source

Learn how in the docs [↗](#)

Remove this panel

DASHBOARDS

Create your dashboard

Learn how in the docs [↗](#)

Dashboards

Starred dashboards

Recently viewed dashboards

Latest from the blog



CAN data analysis with Grafana Assistant





Grafana



Connections > Data sources > alexanderzobnin-zabbix-datasource

Q Search...

ctrl+k



Home



Bookmarks



Starred



Dashboards



Explore



Drilldown



Alerting



Connections

Add new connection

Data sources



Administration

General

Plugins and data

Plugins

Correlations

Users and access

Authentication

URL *



http://192.168.0.43/zabbix

Authentication

Authentication methods

Choose an authentication method to access the data source

Authentication method

No Authentication

TLS settings

Additional security measures that can be applied on top of authentication

- ☐ Add self-signed certificate ⓘ
- ☐ TLS Client Authentication ⓘ
- ☐ Skip TLS certificate validation ⓘ

HTTP headers

Pass along additional context and metadata about the request/response

Zabbix Connection

Auth type


User and password


Username

admin

Password

.....





Nextcloud/AD Integration/Mfa/HTTPS



Good evening

 Recommended files

No recommendations yet

 Customize

LDAP/AD integration

Select LDAP Config

s01: 172.20.31.190



+ Create configuration

Server

Users

Login Attributes

Groups

Advanced

Expert



Configuration active



Copy configuration



Delete configuration

Host

172.20.31.190

Port

389

Detect Port

You can omit the protocol, unless you require SSL. If so, start with ldaps://

User DN

CN=nextcloud.bind,OU=Service_Accounts,DC=step,DC=local

The DN of the client user with which the bind shall be done. For anonymous access, leave DN and Password empty.

Password

.....

Save credentials

For anonymous access, leave DN and Password empty.

Base DN

DC=step,DC=local

Detect Base DN

Test Base DN

You can specify Base DN for users and groups in the Advanced tab

Test Configuration



Help



Valid configuration, connection established!

Username-LDAP User Mapping Usernames are used to store and assign metadata. In order to precisely identify and recognize users, each

LDAP/AD integration

Select LDAP Config

s01: 172.20.31.190



+ Create configuration

Server

Users

Login Attributes

Groups

Advanced

Expert

Groups meeting these criteria are available in Nextcloud:

Only these object classes:

group



Only from these groups:

Nextcloud_Group



☐ Edit LDAP Query

LDAP Filter: (&(|(objectclass=group))(|(cn=Nextcloud_Group)))

Verify settings and count the groups

1 group found

Test Configuration



Help



Valid configuration, connection established!



Добрый день, gauf

 Рекомендуемые фа...

-  Business model canvas.odg
Последнее обновление: неск...
-  Business model canvas.whitebo...
Последнее обновление: неск...
-  Yellow idea.odp
Последнее обновление: неск...
-  Onboarding.odp
Последнее обновление: неск...
-  Invoice.ods
Последнее обновление: неск...
-  Kanban board.whiteboard
Последнее обновление: неск...
-  Security.odp
Последнее обновление: неск...

 Настроить

- gauf 
- Открыть профиль
-  Установить статус
 -  Внешний вид и доступность
 -  Настройки
 -  О программе и что нового
 -  Помощь и конфиденциальность
 -  Выйти



+ New account

 All accounts

 Admins

 Recently active 5

 Disabled accounts

Groups +

Search groups...

×

 MFA 2 ⋮

Display name	Account name	Password	Email	Groups	Group admin for	Quota
R rauf	rauf			MFA		Unlimited  

1 account



TOTP (Authenticator app)



Get the authentication code from the two-factor authentication app on your device.

Submit

[Cancel login](#)

Certificate Viewer: zabbix.step.local

General

Details

Issued To

Common Name (CN)	<Not Part Of Certificate>
Organization (O)	<Not Part Of Certificate>
Organizational Unit (OU)	<Not Part Of Certificate>

Issued By

Common Name (CN)	step-DC02-CA
Organization (O)	<Not Part Of Certificate>
Organizational Unit (OU)	<Not Part Of Certificate>

Validity Period

Issued On	Wednesday, March 18, 2026 at 5:14:05 AM
Expires On	Friday, March 17, 2028 at 5:14:05 AM

SHA-256 Fingerprints

Certificate	7c89113b04c80a3d35169a63204524b4caddee047d8aa4acea233713cf875c1c
Public Key	d49ebdf1ce10fc253794efeaeba92ac7c8273652b23de765eddc1991f53d9fbd

Vaultwarden Password Manager,mfa



Vaultwarden
Password Manager

Vaults

Send

Tools

Reports

Settings

Step.proj vault

+ New RA

FILTERS

Search organization

All vaults

My vault

Step.proj

New organization

All items

Favorites

Login

Card

Identity

Note

SSH key

Folders

No folder

Collections

Default collection

Trash

☐	All	Name	Owner	
☐		Endpoint Central admin	Step.proj	
☐		GitLab root	Step.proj	
☐		GitLab SSH admin	Step.proj	
☐		Grafana Rauf	Step.proj	
☐		Mattermost Rauf	Step.proj	
☐		Wazuh admin	Step.proj	
☐		Zabbix Admin	Step.proj	

wazuh.

The Open Source Security Platform

Username	
 Wazuh admin	
Log in	



New SSH key



Item details



Item name (required)

Owner

Step.proj

Collections (required)

Default collection X



Folder

No folder

SSH key

Private key

-----BEGIN OPENSSSH PRIVATE KEY-----b3BlbnNzaC1rZXktdjEAAAABAG5v



Public key

ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIPrHI3SHtRwt3TI6iWtk8461JgjS3

Fingerprint

SHA256:XnYYsqHQlryBM/6dEsZiVoSNsdHdZk0VMg59l68rH2Y

Save

Cancel



Not secure <https://172.20.30.174:8070/#/2fa>



Verify your Identity

Enter the code from your authenticator app

Verification code (required)

☐ Don't ask again on this device for 30 days

Continue logging in

or

Use your recovery code

Mattermost AD Integrated,MFA

- Step ▾
- Find channel
- Threads
- CHANNELS
- Off-Topic
- Town Square
- Add Channels
- DIRECT MESSAGES
- Invite Members

☆ Off-Topic ▾ 1



Off-Topic

This is the start of Off-Topic, a channel for non-work-related conversations.

[Invite others to the workspace](#)

March 08

 **System** 6:21 PM
You joined the channel.

Write to Off-Topic

B I  H     

Aa    

 @rauf

Set custom status

☒ Online

☒

☒ Away

☐

☒ Do not disturb

Disables all notifications



☐ Offline

☐

 Profile Log out

← Back to step

System Console

@rauf



🔍 Find settings

🏠 SYSTEM

Workspace Optimization

Site Statistics

Team Statistics

Server Logs

👤 USER MANAGEMENT

Users

Groups

Teams

Channels

Permissions

Mattermost Users

Revoke All Sessions

🔍 Search users

🔼 Filters (0)

Columns

9 selected

Duration

All time

📄 Export

Showing 1 - 2 of 2 users

< >

User details ↑	Email	Member since	Last login	Last activity	Last post	Days active	Messages posted	Actions
 rauf rauf	memmedov.rauf2216@gmail.com	39 days		Today				System Admin ▾
 test1 test1	test1@step.local	38 days		38 days				Member ▾

Showing 1 - 2 of 2 users

Show 10 rows per page < >

AD/LDAP Wizard

SECTIONS

Connection Settings

User Filters

Account sync

Group Synchronization

Sync Performance

Sync History

Connection Settings

Connection and security level to your AD/LDAP server.

Enable sign-in with AD/LDAP: ☒ True ☐ False

When true, Mattermost allows login using AD/LDAP

Enable Synchronization with AD/LDAP: ☒ True ☐ False

When true, Mattermost periodically synchronizes users from AD/LDAP. When false, user attributes are updated from AD/LDAP during user login only.

Login Field Name:

E.g.: "AD/LDAP Username"

The placeholder text that appears in the login field on the login page. Defaults to "AD/LDAP Username".

AD/LDAP Server:

172.20.30.190

The domain or IP address of AD/LDAP server.

AD/LDAP Port:

389

The port Mattermost will use to connect to the AD/LDAP server. Default is 389.

Bind Username:

mattermost.user@step.local

The username used to perform the AD/LDAP search. [More Info](#)

Bind Password:

Password of the user given in "Bind Username".

Connection Security:

None

Save



Enter MFA Token

To complete the sign in process, please enter a token from your
smartphone's authenticator

MFA Token

Submit



Home

Backup

Instant
recoveryEntire
VMVirtual
DisksRestore
VolumesExport
DisksPublish
DisksRestore
Guest FilesApplication
Items

Restore

Move
BackupCopy
BackupExport
BackupScan
BackupCreate
Recovery TokenRemove
from

Actions



Properties

Properties

Home



Jobs



Backup



Backups



Disk



Last 24 Hours



Success



Failed

Type in an object name to search for



Job Name



Creation Time

Restore Points

Repository

Platform



Linux Server 1

3/12/2026 5:12 AM

Default Backup Repository

Linux



server

3/12/2026 5:12 AM

1

Linux

Agent Backup Properties Linux Server 1 - 172.20.31.155

Object:

server

Repository:

Default Backup Repository

Owner:

VeeamAgentUser564d5cff-2b78-7d0d-9051-b97ae

Folder:

C:\Backup\Linux Server 1\172.20.31.155\

Files:

Name	Data Size	Backup Size	Date
Linux Server 1 - 172.20.31.155D2026-03-12T05123...	73.9 GB	5.37 GB	3/12/2026 5:12:47 AM

Backup size: 5.37 GB



Malware

OK

Veaam Backup with restore to Azure

Restoring VM

Name: **server**Status: **Success**

Restore type: Restore to Azure

Start time: 3/12/2026 5:09:14 PM

Initiated by: .\Administrator

End time: 3/12/2026 5:40:23 PM

[Statistics](#) [Reason](#) [Parameters](#) [Log](#)

Message

Duration

- ✓ Queued for processing at 3/12/2026 5:09:17 PM
- ✓ Processing server 0:31:06
- ✓ Required backup infrastructure resources have been assigned
- ✓ Restoring sda (50 GB) : 289 MB restored at 4 MB/s 0:01:17
- ✓ Restoring ubuntu-vg (24 GB) : 12.8 GB restored at 11 MB/s 0:20:29
- ✓ Performing conversion 0:09:13
- ✓ Creating Azure VM 0:01:05
- ✓ Conversion completed, first Azure VM boot may take longer time than usual
- ✓ Restore completed successfully

Close



server

Virtual machine



Help me copy this VM in any region

Manage this VM with Azure CLI

Search



server virtual machine agent status is not ready. Troubleshoot the issue →

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Monitor

Resource visualization

Connect

Connect

Bastion

Networking

Settings

Availability + scaling

Security

Backup + disaster recovery

Help me copy this VM in any region

server@server: ~

C:\Users\User>ssh server@51.104.150.58

server@51.104.150.58's password:

Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 5.15.0-171-generic x86_64)

* Documentation: <https://help.ubuntu.com>
* Management: <https://landscape.canonical.com>
* Support: <https://ubuntu.com/pro>

System information as of Fri Mar 13 04:44:17 AM UTC 2026

System load:	0.02	Processes:	237
Usage of /:	62.6% of 23.45GB	Users logged in:	0
Memory usage:	14%	IPv4 address for eth0:	10.0.0.5
Swap usage:	0%		

=> There is 1 zombie process.

* Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s just raised the bar for easy, resilient and secure K8s cluster deployment.



Delete



Refresh



Scale

Operating system : Linux

Size : Standard B2

Primary NIC public IP : [51.104.150.58](#)
[1 associated](#)Virtual network/subnet : [testt/default](#)DNS name : [Not configured](#)

Health state : -

Time created : 3/13/2026, 1:00:00 AM

Tutorials

Recovery Service Vault



Backup

Microsoft Azure Backup



Microsoft Azure Backup supports scheduled backups of files and folders, and Windows System State (New)



Your backup passphrase is not saved to Azure Key Vault. Saving the passphrase locally does not protect it from corruption or disaster and lost or forgotten. [Click here](#) to save your passphrase securely to Azure Key Vault (Recommended). [Learn more](#)

Alerts (Alerts generated during last backup run, double click on the message to see details)

Jobs

Alerts(1)

Status	Time	Message
	3/11/2026	You have used 79% of maximum disk space on C:\ allocated for scratch folder;

Status

Last Backup

Status: Successful

Time: 3/11/2026 5:41 AM

[View details](#)

Next Backup

Status: Scheduled

Time: 3/11/2026 5:00 PM

Available Recovery Points

Total backups: 2

Latest copy: 3/11/2026 5:52 AM

Oldest copy: 3/10/2026 6:00 AM

[View details](#)



Specify Backup Schedule (System State)

Getting started

Select Items to Backup

Specify Backup Schedule ...

Select Retention Policy (S...

Confirmation

Modify Backup Progress

Define a schedule when you want to create a backup copy for System State

Schedule a backup every

☒ Day

☐ Week

At following time (Maximum allowed is one time a day)

5:00 PM



< Previous

Next >

Finish

Cancel

Home > Recovery Services vaults > Step-Letter | Backup items > Backup Items (Azure Backup Agent)



System State on dc02.step.local

Backup Item



Feedback

^ Essentials

[JSON View](#)

Recovery services vault : [Step-Letter](#)

Last backup status : Success

Computer name : [dc02.step.local](#)

Last refreshed at : 3/11/2026, 5:08:45 PM

Item Type : File-Folders

Monitoring

Recovery points

Latest	3/11/2026, 4:52:41 PM
Oldest	3/10/2026, 5:00:59 PM
Total	2

Gophish



Please sign in

❗ Invalid Username/Password

Sign in

Jump Server,session recording,mfa,restrictions

New Sending Profile



Name:

Test

Interface Type:

SMTP

SMTP From: ?

memmedov.rauf2216@gmail.com

Host:

smtp.gmail.com:587

Username:

memmedov.rauf2216@gmail.com

Password:

.....



Ignore Certificate Errors ?

Email Headers:

X-Custom-Header

{{.URL}}-gophish

+ Add Custom Header

Show entries

Search:

Написать

Входящие 424

Помеченные

Отложенные

Отправленные

Черновики

Покупки 8

Ещё

Ярлыки +



Urgent: Password Expiration Notice Входящие x



memmedov.rauf2216@gmail.com

00:31 (0 минут назад)



кому: мне ▾

Hello ,

Your corporate account password will expire within 24 hours.

To avoid losing access to internal services (VPN, Email, SharePoint), please reset your password immediately:

<http://192.168.0.210?rid=DcUmCGO>

...

If you do not complete this action, your account may be temporarily suspended.

Best regards,
IT Security Team

← Ответить

→ Переслать





Sign in

Email, phone, or Skype

No account? [Create one!](#)

[Can't access your account?](#)

Next

 Sign-in options

Dashboard

Campaigns

Users & Groups

Email Templates

Landing Pages

Sending Profiles

Account Settings

User Management

Admin

Webhooks

Admin

User Guide

API Documentation

Back

Export CSV

Complete

Delete

Refresh

Campaign Timeline



12:31:30

Email Sent



Email Opened



Clicked Link



Submitted Data



Email Reported



Details

Show 10 entries

Search:

First Name

Last Name

Email

Position

Status

Reported

Araz

Mammadov

arazmamed1223@gmail.com

User

Clicked Link

Showing 1 to 1 of 1 entries

Previous

1

Next

Console

Dashboard

Dashboard

USERS

Users

Groups

ASSETS

Assets

Zones

ACCOUNTS

Accounts

Templates

POLICIES

Authorizations

ACLs

OTHERS

Tags

Real-time

ONLINE SESSIONS

0

ONLINE USERS


0

FAILED SESSIONS TODAY

0

User/Asset activity

Active users Active assets



User data

Total users

4


New this week: 0

Asset data

Total assets

2

New this week: 0



Asset type proportion

Linux Windows



Login user ranking

Today

Weekly

Monthly

Rank	Username	Login times
------	----------	-------------

No Data

Login asset ranking

Today

Weekly

Monthly

Rank	Asset name	Visits
------	------------	--------

No Data

JumpServer

System settings ⇌

- General
- Platforms
- Notifications
- Features
- Authentication**
- Storage
- Components
- RemoteApp
- Security
- Tools
- System tasks
- License

← Authentication

- Basic
- Integration
- AD/LDAP**

Basic

LDAP ☒

* Server ⓘ ldap://172.20.31.193:389

* Bind DN ⓘ CN=Administrator,CN=Users,DC=step,DC=local

Password ⓘ Password 🔁

Search

* Search OU ⓘ DC=step,DC=local

* Search filter ⓘ (&(objectClass=user)(memberOf=CN=pam_users,OU=PAM,OU=Service_Groups,DC=step,DC=local)(sAMAccountName=%(users)s))

* User attribute ⓘ

```

1 {
2   "username": "sAMAccountName",
3   "name": "cn",
4   "email": "mail"
5 }

```

Other

Strict sync ⓘ ☒

Connect timeout (s) ⓘ 10

Search paged size (piece) ⓘ 1000

Console

Users

Dashboard

USERS

Users

Groups

ASSETS

Assets

Zones

ACCOUNTS

Accounts

Templates

POLICIES

Authorizations

QUICK FILTER

Invalid | Disabled | Expired | Never login

AUTHENTICATION

Password expired | No login for long time | MFA not enabled | Login blocked

+ Create

Actions



Search



☐	Name	Username	Email	Groups	Valid	Actions
☐	Administrator	admin	admin@example.com	0	Yes	Edit ...
☐	pam	pam.user	pam.user@example.com	0	Yes	Edit ...
☐	Rauf	rauf	rauf@step.com	0	Yes	Edit ...
☐	test	test	test@example.com	0	Yes	Edit ...

Total 4

15/page

<

1

>

Console



Command filter ACLs ⓘ

Command groups

Prohibited successfully updated !

+ Create

Search



Name



Prohibited



ALLOW_ADMIN_ACTIONS

Total 2

Content

rm -rf / rm -rf /* mkfs dd shutdown reboot poweroff halt init 0 init 6 ...

sudo reboot sudo systemctl restart * sudo systemctl status * sudo jo...

Actions

Edit



Edit



15/page



1



Not secure 192.168.0.251/luna/

File Manager View Language Setting Tabs Theme Help

My assets

- Favorite (0)
- DEFAULT (1)
 - Linux

Connecting to server3(server3)@192.168.0.90 0.1
Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 5.15.0-173-generic x86_64)

* Documentation: <https://help.ubuntu.com>
* Management: <https://landscape.canonical.com>
* Support: <https://ubuntu.com/pro>

System information as of Fri Mar 27 09:20:47 PM UTC 2026

System load:	0.59	Processes:	296
Usage of /:	47.2% of 47.07GB	Users logged in:	1
Memory usage:	30%	IPv4 address for ens33:	192.168.0.90
Swap usage:	5%		

=> There is 1 zombie process.

Expanded Security Maintenance for Applications is not enabled.

66 updates can be applied immediately.
To see these additional updates run: `apt list --upgradable`

3 additional security updates can be applied with ESM Apps.
Learn more about enabling ESM Apps service at <https://ubuntu.com/esm>

New release '24.04.4 LTS' available.
Run 'do-release-upgrade' to upgrade to it.

Last login: Fri Mar 27 21:34:00 2026 from 192.168.0.175
server3@server3:~\$ shutdown
Command 'shutdown' is forbidden

server3@server3:~\$

Type tree

Version v4.10.16

192.168.0.251/luna/

File ManagerViewLanguageSettingTabsThemeHelp

My assets

Favorite (0)

DEFAULT (2)

Linux

test

test

ManageEngine Endpoint Central 1 XManageEngine Endpoint Central 1 X

https://dc02.step.local:8383/client#/login

Administrator: Command Prompt

Microsoft Windows [Version 10.0.20348.587]
(c) Microsoft Corporation. All rights reserved.
C:\Users\Administrator.STEP>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet0:

 Connection-specific DNS Suffix . . :
 IPv4 Address. : 192.168.0.193
 Subnet Mask : 255.255.255.0
 Default Gateway : 192.168.0.1
C:\Users\Administrator.STEP>

Sign In

ManageEngine Endpoint Central 11

endpointcentral-support@manageengine.com

+1888 720 9500

Audits



← Session commands

Dashboard

SESSIONS

Asset sessions

Session commands

File transfer

Online devices

ACTIVITIES

Login logs

Password change

Operate logs

JOB AUDITS

Jobs

Executions

TICKET AUDITS

Tickets

Command storage

Command storages

default(server) (21)

Search



2026-03-21

2026-03-29



☐	Command	Risk level	User	Asset	Account	Session	Datetime
☐	> Meta Shift	Accept	Admini...	test(192...	administrat...	7795b5a2-a...	03/28/2026 18:51:26
☐	> ipconfig Enter	Accept	Admini...	test(192...	administrat...	7795b5a2-a...	03/28/2026 18:50:39
☐	> cт Ь в Backs...	Accept	Admini...	test(192...	administrat...	7795b5a2-a...	03/28/2026 18:50:37
☐	> shutdown	Reject	Admini...	Linux(19...	server3(serv...	22ee7c7c-2...	03/28/2026 01:34:10
☐	> reboot	Accept	Admini...	Linux(19...	server3(serv...	a26a25a4-5...	03/28/2026 01:33:10
☐	> cd	Accept	Admini...	Linux(19...	server3(serv...	a26a25a4-5...	03/28/2026 01:33:09
☐	> sudo su	Accept	Admini...	Linux(19...	server3(serv...	a26a25a4-5...	03/28/2026 01:33:07
☐	> reboot	Accept	Admini...	Linux(19...	server3(serv...	a26a25a4-5...	03/28/2026 01:33:04
☐	> ls	Accept	Admini...	Linux(19...	server3(serv...	a26a25a4-5...	03/28/2026 01:33:01
☐	> ls	Accept	Admini...	Linux(19...	server3(serv...	a26a25a4-5...	03/28/2026 01:33:01
☐	> ls	Accept	Admini...	Linux(19...	server3(serv...	a26a25a4-5...	03/28/2026 01:33:00
☐	> shutdown	Accept	Admini...	Linux(19...	server3(serv...	a26a25a4-5...	03/28/2026 01:32:57
☐	> ls	Accept	Admini...	Linux(19...	server3(serv...	a26a25a4-5...	03/28/2026 01:32:55
☐	> ls	Accept	Admini...	Linux(19...	server3(serv...	a26a25a4-5...	03/28/2026 01:32:54

Audits

Dashboard

SESSIONS

Asset sessions

Session commands

File transfer

Online devices

ACTIVITIES

Login logs

Password change

Operate logs

JOB AUDITS

Jobs

Executions

TICKET AUDITS

Tickets

← Asset sessions

Online sessions

Historical sessions

Search

2026-03-21 - 2026-03-29

☐	No.	User	Target	Account	Protocol	Date start	User ID	Account ID	Login from	Term	Actions
☐	1	Admini...	test(192.1...	administrat...	rdp	03/28/2026 18:45:12	b1d1f633-3...	44348c75-212c-4...	Web Terminal	[Lion]	Pl... D...
☐	2	Admini...	Win2022(1...	administrat...	rdp	03/28/2026 18:42:14	b1d1f633-3...	a000ddfb-6975-4...	Web Terminal	[Lion]	Pl... D...
☐	3	Admini...	Win2022(1...	administrat...	rdp	03/28/2026 18:41:52	b1d1f633-3...	a000ddfb-6975-4...	Web Terminal	[Lion]	Pl... D...
☐	4	Admini...	Win2022(1...	administrat...	rdp	03/28/2026 18:40:58	b1d1f633-3...	a000ddfb-6975-4...	Web Terminal	[Lion]	Pl... D...
☐	5	Admini...	Win2022(1...	Win2022(Ad...	rdp	03/28/2026 18:34:48	b1d1f633-3...	6c0ad1d9-355f-4...	Web Terminal	[Lion]	Pl... D...
☐	6	Admini...	Win2022(1...	Win2022(Ad...	rdp	03/28/2026 18:34:45	b1d1f633-3...	6c0ad1d9-355f-4...	Web Terminal	[Lion]	Pl... D...
☐	7	Admini...	Win2022(1...	Win2022(Ad...	rdp	03/28/2026 18:34:08	b1d1f633-3...	6c0ad1d9-355f-4...	Web Terminal	[Lion]	Pl... D...
☐	8	Admini...	Win2022(1...	STEP\admini...	rdp	03/28/2026 02:18:17	b1d1f633-3...	fef23c1e-41ab-49...	Web Terminal	[Lion]	Pl... D...
☐	9	Admini...	Win2022(1...	STEP\admini...	rdp	03/28/2026 02:17:54	b1d1f633-3...	fef23c1e-41ab-49...	Web Terminal	[Lion]	Pl... D...
☐	10	Admini...	Win2022(1...	administrat...	rdp	03/28/2026 02:13:18	b1d1f633-3...	89deb5a4-fb35-4...	Web Terminal	[Lion]	Pl... D...
☐	11	Admini...	Win2022(1...	administrat...	rdp	03/28/2026 02:11:38	b1d1f633-3...	89deb5a4-fb35-4...	Web Terminal	[Lion]	Pl... D...
☐	12	Admini...	Win2022(1...	administrat...	rdp	03/28/2026 02:10:26	b1d1f633-3...	89deb5a4-fb35-4...	Web Terminal	[Lion]	Pl... D...
☐	13	Admini...	Win2022(1...	administrat...	rdp	03/28/2026 02:10:21	b1d1f633-3...	89deb5a4-fb35-4...	Web Terminal	[Lion]	Pl... D...
☐	14	Admini...	Linux(192....	server3(serv...	ssh	03/28/2026 01:34:06	b1d1f633-3...	47d9bb4b-7efb-4...	Web Terminal	[KoK]	Pl... D...

<

>

↺

Not secure

192.168.0.251/ui/#/console/assets/assets

🔗👤⬇️☰

 **JumpServer**

🔍 platforms Ctrl+K 🔔 📧 ⚙️ ❓ English 👤 Administrator ⌵

Console ⇌

🏠 Dashboard

USERS

👤 Users

👤 Groups

ASSETS

📄 Assets

📍 Zones

ACCOUNTS

⋮

← Assets

☰ All

🖨 Host

📱 Device

🗄 Database

☁ Cloud

🌐 Web

📁 Directory service

Asset tree

Type tree

Create ⌵


Actions ⌵

🔍 Search

⚙️ ⬆️ ⬇️ ↺

📁 DEFAULT (2)

☐	Name ⌵	Address ⌵	Accounts	Platform ⌵	Connectivity ⌵	Actions
☐	Linux	192.168.0.90	1	 Linux	🟢 OK	Edit ⋮
☐	test	192.168.0.193	1	 Windows	🟢 OK	Edit ⋮
Total 2						15/page ⌵ < 1 >



Play List (1)

Part 1
9 s

358.96 KB

MFA Auth

OTP



OTP verification code

Next

Can't provide security? Please contact the administrator!



From Infrastructure to Security Operations

Design. Monitor. Protect.

Authors:

Rauf Mammadov

Zeynal Garajev

Instructor:

Kamran Osmanli

Step IT Academy – Diploma Project. 2026