

## Practica

```
Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions
$ git clone https://github.com/antoni-gimenez/nodejs-blog-practica.git
Cloning into 'nodejs-blog-practica'...
remote: Enumerating objects: 43, done.
remote: Counting objects: 100% (2/2), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 43 (delta 0), reused 0 (delta 0), pack-reused 41 (from 1)
Receiving objects: 100% (43/43), 192.13 KiB | 1.92 MiB/s, done.

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions
$ cd nodejs-blog-practica

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
$ git remote -v
origin https://github.com/antoni-gimenez/nodejs-blog-practica.git (fetch)
origin https://github.com/antoni-gimenez/nodejs-blog-practica.git (push)
```

## Creación de repositorio

**Create a new repository**

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository.](#)

*Required fields are marked with an asterisk (\*).*

**1 General**

Owner \* RaulAli / Repository name \*

✓ Raul\_Practica\_Github\_Actions is available.

Great repository names are short and memorable. How about [friendly-carnival?](#)

Description

0 / 350 characters

**2 Configuration**

Choose visibility \* Choose who can see and commit to this repository

Add README ☐

## Remoto

```
Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
$ git remote remove origin

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
$ git remote -v


Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
$ git remote add origin https://github.com/RaulAli/Raul_Practica_Github_Actions.git

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
$ git remote -v
origin https://github.com/RaulAli/Raul_Practica_Github_Actions.git (fetch)
origin https://github.com/RaulAli/Raul_Practica_Github_Actions.git (push)
```


Subimos la rama a github

```
Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
● $ git branch -m main

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
● $ git push -u origin main
Enumerating objects: 43, done.
Counting objects: 100% (43/43), done.
Delta compression using up to 16 threads
Compressing objects: 100% (31/31), done.
Writing objects: 100% (43/43), 192.13 KiB | 64.04 MiB/s, done.
Total 43 (delta 0), reused 43 (delta 0), pack-reused 0 (from 0)
To https://github.com/RaulAli/Raul_Practica_Github_Actions.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```



Creacion de carpeta y archivo




Subimos por primera vez el Linter\_job

```
Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
● $ git add .

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
● $ git commit -m "Añadir Linter_job al workflow"
[main b2c94aa] Añadir Linter_job al workflow
3 files changed, 880 insertions(+), 4245 deletions(-)
create mode 100644 .github/workflows/Raul_Practica_Github_Actions_workflow.yml

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
● $ git push origin main
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 16 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (7/7), 11.42 KiB | 2.85 MiB/s, done.
Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 3 local objects.
To https://github.com/RaulAli/Raul_Practica_Github_Actions.git
 142e3df..b2c94aa main -> main
```

## Vemos el error



## Vamos a solucionar los errores

```
Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
$ git checkout -b fix/lint
Switched to a new branch 'fix/lint'

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (fix/lint)
$ npx eslint . --fix

C:\wamp64\www\Raul_Practica_Github_Actions\nodejs-blog-practica\pages\api\users\index.js
  11:5   error  Default clause should be the last clause  default-case-last

✖ 1 problem (1 error, 0 warnings)
```

## Subimos el fix

```
Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (fix/lint)
● $ git add pages/api/users/index.js pages/api/users/[id].js

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (fix/lint)
● $ git commit -m "Se han realizado cambios a ambos files de users"
[fix/lint de271db] Se han realizado cambios a ambos files de users
2 files changed, 8 insertions(+), 9 deletions(-)

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (fix/lint)
● $ git push origin fix/lint
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 16 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (7/7), 624 bytes | 624.00 KiB/s, done.
Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 3 local objects.
remote:
remote: Create a pull request for 'fix/lint' on GitHub by visiting:
remote:   https://github.com/RaulAli/Raul_Practica_Github_Actions/pull/new/fix/lint
remote:
To https://github.com/RaulAli/Raul_Practica_Github_Actions.git
 * [new branch]    fix/lint -> fix/lint
```

Raul\_Practica\_Github\_Actions\_workflow

Se han realizado cambios a ambos files de users #2

Summary

Jobs

- Linters\_job

Run details

- Usage
- Workflow file

Triggered via pull request 2 minutes ago

RaulAli opened #1 [fix/lint](#)

Status: Success

Total duration: 46s

Artifacts: -

Raul\_Practica\_Github\_Actions\_workflow.yml

on pull\_request

Linters\_job 37s

Re-run all jobs

```
Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (fix/lint)
• $ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
• $ git pull origin main
From https://github.com/RaulAli/Raul_Practica_Github_Actions
* branch      main      -> FETCH_HEAD
Already up to date.

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
• $ git checkout -b cypress-job
Switched to a new branch 'cypress-job'
```


```
Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (cypress-job)
• $ git add .

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (cypress-job)
• $ git commit -m "Se ha añadido el Cypress_job"
[cypress-job 27cdc63] Se ha añadido el Cypress_job
1 file changed, 47 insertions(+)


Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (cypress-job)
• $ git push origin cypress-job
bash: git: command not found

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (cypress-job)
• $ git push origin cypress-job
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 1.11 KiB | 1.11 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'cypress-job' on GitHub by visiting:
remote:   https://github.com/RaulAli/Raul_Practica_Github_Actions/pull/new/cypress-job
remote:
To https://github.com/RaulAli/Raul_Practica_Github_Actions.git
* [new branch]      cypress-job -> cypress-job
```


## Error




Puesto al mismo nivel entonces revienta



Error, no habia hecho el merge a main de los cambios de Cypress\_job por lo tanto estaba aun por actualizar dando error el Cypress\_job.



## Agregamos el Cypress\_job



Triggered via pull request 26 minutes ago  
 RaulAli synchronize #2 [cypress-job](#) **Success** **2m 42s** **1** Artifacts

**Raul\_Practica\_Github\_Actions\_workflow.yml**  
 on: pull\_request

Lintar\_job 33s → Cypress\_job 1m 52s

**Cypress\_job summary**

**Cypress Results**

Result	Passed	Failed	Pending	Skipped	Duration
Failing	1	11	0	0	2.321s

Job summary generated at run-time

**Annotations**  
 1 error

- Cypress\_job  
Cypress tests: 11 failed

**Artifacts**  
 Produced during runtime

Name	Size	Digest
<a href="#">cypress-result</a>	144 Bytes	sha256:ac0be4eed62087706ad86c2044c57a7a0f79315222616323df6db6996f418a88



## Realizamos el merge con main y hacemos un pull

```
Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (cypress-job)
• $ git checkout main
Switched to branch 'main'
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
(use "git pull" to update your local branch)

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
• $ git pull origin main
remote: Enumerating objects: 14, done.
remote: Counting objects: 100% (14/14), done.
remote: Compressing objects: 100% (7/7), done.
remote: Total 10 (delta 3), reused 6 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (10/10), 1.53 KiB | 82.00 KiB/s, done.
From https://github.com/RaulAli/Raul_Practica_Github_Actions
* branch          main          -> FETCH_HEAD
fb93969..0c4d148  main          -> origin/main
Updating b2c94aa..0c4d148
Fast-forward
.../Raul_Practica_Github_Actions_workflow.yml | 47 +++++
pages/api/users/[id].js                       |  6 +--
pages/api/users/index.js                      | 11 +++--
3 files changed, 55 insertions(+), 9 deletions(-)

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
• $ git checkout -b deploy-job
Switched to a new branch 'deploy-job'
```

Ahora creamos una cuenta para hacer este paso **Deploy\_job**



## New Project

Importing from GitHub

RaulAli/Raul\_Practica\_Github\_Actions ↗ main

Choose where you want to create the project and give it a name.

Vercel Team: Raul Aliaga's projects Hobby ▾

Project Name: raul-practica-github-actions

Framework Preset: Next.js ▾

Root Directory: ./ Edit

> Build and Output Settings

> Environment Variables

Deploy

You just deployed a new project to Raul Aliaga's projects.

# Read this super page!

Get started by editing `pages/index.js`

**Documentation →**  
Find in-depth information about Next.js features and API.




**Learn →**  
Learn about Next.js in an interactive course with quizzes!

**Examples →**  
Discover and deploy boilerplate example Next.js projects.

**Deploy →**  
Instantly deploy your Next.js site to a public URL with Vercel.

Powered by


### Next Steps

-  **Instant Previews**  
Push a new branch to preview changes instantly
-  **Add Domain**  
Add a custom domain to your project →
-  **Enable Speed Insights**  
Track how users experience your site over time →



Continue to Dashboard



Vamos a añadir los secrets



Realizamos los cambios y el push



## Resultado

← Raul\_Practica\_Github\_Actions\_workflow

Se ha implementado deploy\_job junto vercel #8 Re-run all jobs

Summary

Jobs

- ✓ Linter\_job
- ✓ Cypress\_job
- ✓ Deploy\_job

Run details

- Usage
- Workflow file

Triggered via pull request 3 minutes ago

Status: Success

Total duration: 2m 57s

Artifacts: 1

Raul\_Practica\_Github\_Actions\_workflow.yml

on: pull\_request

```

graph LR
    Linter_job[✓ Linter_job 21s] --> Cypress_job[✓ Cypress_job 1m 15s]
    Cypress_job --> Deploy_job[✓ Deploy_job 47s]
  
```

Cypress\_job summary

Cypress Results

Result	Passed	Failed	Pending	Skipped	Duration
Failing	1	11	0	0	2.526s

Job summary generated at run-time

Annotations

1 error and 2 warnings

- Cypress job  
cypress tests: 11 failed
- Deploy job  
The 'set-output' command is deprecated and will be disabled soon. Please upgrade to using Environment Files. For more information see: <https://github.blog/changelog/2022-10-11-github-actions-deprecating-save-state-and-set-output-commands/>
- Deploy job  
The 'set-output' command is deprecated and will be disabled soon. Please upgrade to using Environment Files. For more information see: <https://github.blog/changelog/2022-10-11-github-actions-deprecating-save-state-and-set-output-commands/>

## Vamos a integrar el add\_badge\_job

```

Raul@DESKTOP-DMSU7UI MINGW64 /c:/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
$ git checkout -b Add_badge_job
Switched to a new branch 'Add_badge_job'

Raul@DESKTOP-DMSU7UI MINGW64 /c:/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (Add_badge_job)
$ git add .

Raul@DESKTOP-DMSU7UI MINGW64 /c:/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (Add_badge_job)
$ git commit -m "Implementacion de add_badge_job"
[Add_badge_job 5cce5es] Implementacion de add_badge_job
4 files changed, 84 insertions(+), 6 deletions(-)
create mode 100644 .github/actions/add-badge/action.yml
create mode 100644 .github/actions/add-badge/index.js

Raul@DESKTOP-DMSU7UI MINGW64 /c:/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (Add_badge_job)
$ git push origin Add_badge_job
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 16 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (10/10), 1.88 KiB | 1.88 MiB/s, done.
Total 10 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'Add_badge_job' on GitHub by visiting:
remote:   https://github.com/RaulAli/Raul_Practica_Github_Actions/pull/new/Add_badge_job
remote:
To https://github.com/RaulAli/Raul_Practica_Github_Actions.git
 * [new branch]      Add_badge_job -> Add_badge_job
  
```

Triggered via pull request 5 minutes ago

Status: Failure

Total duration: 3m 1s

Artifacts: 1

Raul\_Practica\_Github\_Actions\_workflow.yml

on: pull\_request

```

graph LR
    Linter_job[✓ Linter_job 32s] --> Cypress_job[✓ Cypress_job 1m 3s]
    Cypress_job --> Deploy_job[✓ Deploy_job 1m 0s]
    Cypress_job --> Add_badge_job[✗ Add_badge_job 6s]
  
```

Cypress\_job summary

Cypress Results

Result	Passed	Failed	Pending	Skipped	Duration
Failing	1	11	0	0	2.458s

Job summary generated at run-time

Annotations

2 errors and 3 warnings

Cypress\_job

Cypress tests: 11 failed

Add\_badge\_job

Process completed with exit code 128.

Add\_badge\_job

The 'set-output' command is deprecated and will be disabled soon. Please upgrade to using Environment Files. For more information see: <https://github.blog/changelog/2022-10-11-github-actions-deprecating-save-state-and-set-output-commands/>

Deploy\_job

The 'set-output' command is deprecated and will be disabled soon. Please upgrade to using Environment Files. For more information see: <https://github.blog/changelog/2022-10-11-github-actions-deprecating-save-state-and-set-output-commands/>

Deploy\_job

The 'set-output' command is deprecated and will be disabled soon. Please upgrade to using Environment Files. For more information see: <https://github.blog/changelog/2022-10-11-github-actions-deprecating-save-state-and-set-output-commands/>

Artifacts

Produced during runtime

Name	Size	Digest
<div><div></div><div>cypress-result</div></div>	144 Bytes	sha256:9fcf9a0ecdfcd6355eb4c3c6204aef053c794e9272ebc42a5ca62ea00411fcf <div><div></div><div></div></div>

Ha fallado por esto

```

1  ▶ Run if ! git diff --quiet; then
12 [detached HEAD 7752506] docs: update README with Cypress badge [skip ci]
13   1 file changed, 3 insertions(+)
14   fatal: You are not currently on a branch.
15   To push the history leading to the current (detached HEAD)
16   state now, use
17
18       git push origin HEAD:<name-of-remote-branch>
19
20  Error: Process completed with exit code 128.

```

Vamos a por el segundo intento

```

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (Add_badge_job)
● $ git add .

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (Add_badge_job)
● $ git commit -m "intento 2"
[Add_badge_job f9bf5f7] intento 2
 1 file changed, 14 insertions(+), 2 deletions(-)

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (Add_badge_job)
● $ git push origin Add_badge_job
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 16 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 732 bytes | 732.00 KiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/RaulAli/Raul_Practica_Github_Actions.git
 5cce5e5..f9bf5f7  Add_badge_job -> Add_badge_job

```

Raul\_Practica\_Github\_Actions\_workflow

### Implementation de add\_badge\_job #11

Re-run all jobs

Summary

Triggered via pull request 5 minutes ago

RaulAli synchronize #4 Add\_badge\_job

Status: Success

Total duration: 3m 1s

Artifacts: 1

Raul\_Practica\_Github\_Actions\_workflow.yml

on pull\_request

```

graph LR
    Linter_job[Lint_job] -- 25s --> Cypress_job[Cypress_job]
    Cypress_job -- 1m 20s --> Deploy_job[Deploy_job]
    Deploy_job -- 40s --> Add_badge_job[Add_badge_job]
    
```

Cypress\_job summary

Cypress Results

Result	Passed	Failed	Pending	Skipped	Duration
Failing	1	11	0	0	2.474s

Job summary generated at run-time

## Implementacion de add\_badge\_job #4

Open RaulAli wants to merge 3 commits into main from Add\_badge\_job

Conversation 0 Commits 3 Checks 0 Files changed 4

RaulAli commented 16 minutes ago

No description provided.

Implementation de add\_badge\_job

New changes since you last viewed

RaulAli and others added 2 commits 5 minutes ago

intento 2

docs: update README with Cypress badge [skip ci]

This branch has not been deployed



No deployments

No conflicts with base branch

Merging can be performed automatically.

Rebase and merge You can also merge this with the command line. [View command line instructions.](#)

Comprobamos que ha realizado correctamente



Ahora vamos al notify,

```
Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (Add_badge_job)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.





Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
$ git pull origin main
remote: Enumerating objects: 23, done.
remote: Counting objects: 100% (23/23), done.
remote: Compressing objects: 100% (13/13), done.
remote: Total 18 (delta 6), reused 13 (delta 4), pack-reused 0 (from 0)
Unpacking objects: 100% (18/18), 2.95 KiB | 94.00 KiB/s, done.
From https://github.com/RaulAli/Raul_Practica_Github_Actions
* branch      main      -> FETCH_HEAD
   472f1dc..fbbcf5a  main    -> origin/main
Updating 472f1dc..fbbcf5a
Fast-forward
 .github/actions/add-badge/action.yml      | 9 +++
 .github/actions/add-badge/index.js        | 31 ++++++++
 .../Raul_Practica_Github_Actions_workflow.yml | 57 ++++++++
 README.md                                | 6 +-
4 files changed, 98 insertions(+), 5 deletions(-)
create mode 100644 .github/actions/add-badge/action.yml
create mode 100644 .github/actions/add-badge/index.js

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (main)
$ git checkout -b notify_2
Switched to a new branch 'notify_2'

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (notify_2)
$ git add .

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/Raul_Practica_Github_Actions/nodejs-blog-practica (notify_2)
$ git commit -m "Implementacion de notify"
[notify_2 bd40f5f] Implementacion de notify
3 files changed, 77 insertions(+)
create mode 100644 .github/actions/notify/action.yml
create mode 100644 .github/actions/notify/index.js
```

Vamos a crear los tokens para ello



Raul\_Practica\_Github\_Actions\_workflow

Implementation de notify #12 Re-run all jobs

Summary

Triggered via pull request 3 minutes ago  
 Status: Success  
 Total duration: 3m 34s  
 Artifacts: 1

Jobs

- Lintar\_job
- Cypress\_job
- Deploy\_job
- Add\_badge\_job
- Notification\_job

Run details

- Usage
- Workflow file

Raul\_Practica\_Github\_Actions\_workflow.yml  
 on: pull\_request

```

graph LR
  Lintar_job[Lintar_job 33s] --> Cypress_job[Cypress_job 1m 22s]
  Cypress_job --> Deploy_job[Deploy_job 46s]
  Deploy_job --> Add_badge_job[Add_badge_job 8s]
  Add_badge_job --> Notification_job[Notification_job 17s]
  
```

Cypress\_job summary

Cypress Results

Result	Passed	Failed	Pending	Skipped	Duration
Failing	1	11	0	0	2,419s

Job summary generated at run-time

Resultat del workflow executat Recibidos x

**R** CI Notifier <raulaliaga2005@gmail.com>  
 para mi

S'ha realitzat un push en la branca main que ha provocat l'execució del workflow Raul\_Practica\_Github\_Actions\_workflow amb els següents resultats:

- lintar\_job: success
- cypress\_job: success
- add\_badge\_job: success
- deploy\_job: success

← Responder → Reenviar 😊

Ahora vamos al profile, aunque actualmente utilizo esto,

**RaulAli** Public

main 1 Branch 0 Tags

Go to file Add file <> Code

**RaulAli** Resuelto conflicto en README.md 827f92b · 5 months ago 3 Commits

README.md Resuelto conflicto en README.md 5 months ago

**README**

👋 ¡Hola! Soy Raul Ali

🧠 **Sobre mí**

- 👤 Tengo 19 años y actualmente curso el primer año del **CFGS de Desarrollo de Aplicaciones Web**.
- 📖 Esta formación me ha permitido adquirir una base sólida en **tecnologías web**, tanto del lado del cliente como del servidor.
- 💡 Me considero una persona comprometida, con iniciativa y gran capacidad para trabajar en equipo.
- 🚀 Estoy en constante aprendizaje y busco una oportunidad que me permita seguir creciendo a nivel profesional.

**Raul Aliaga's GitHub Stats**

🌟 Total Stars Earned:	0
🕒 Total Commits:	112
🔗 Total PRs:	48
🔔 Total Issues:	5
📅 Contributed to (last year):	0

**Most Used Languages**

CSS 54.12%	HTML 5.54%
JavaScript 23.61%	Hack 0.02%
PHP 16.71%	

🔧 **Technologies and Tools**

🔧 Backend

**About**

No description

📖 README

📅 Activity

🌟 0 stars

👁 0 watchers

🔗 0 forks

**Releases**

No releases

[Create a new release](#)

**Packages**

No packages

[Publish your package](#)



Solo utiliza el readme por lo tanto vamos a hacer uso de un action

```
PS C:\wamp64\www\profile> git clone https://github.com/RaulAli/RaulAli.git
Cloning into 'RaulAli'...
remote: Enumerating objects: 9, done.
remote: Counting objects: 100% (9/9), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 9 (delta 1), reused 6 (delta 1), pack-reused 0 (from 0)
Receiving objects: 100% (9/9), done.
Resolving deltas: 100% (1/1), done.
PS C:\wamp64\www\profile> cd .\RaulAli\
PS C:\wamp64\www\profile\RaulAli> █
```

**New personal access token (classic)**

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

**Note**

METRICS\_TOKEN

What's this token for?

**Expiration**

90 days (Jan 24, 2026)

The token will expire on the selected date.

**Select scopes**

Scopes define the access for personal tokens. [Read more about OAuth scopes.](#)

<input type="checkbox"/> repo	Full control of private repositories
<input type="checkbox"/> repos:status	Access commit status
<input type="checkbox"/> repo:deployment	Access deployment status
<input checked="" type="checkbox"/> public_repo	Access public repositories
<input type="checkbox"/> repo:invite	Access repository invitations
<input type="checkbox"/> security_events	Read and write security events
<input type="checkbox"/> workflow	Update GitHub Action workflows
<input type="checkbox"/> write:packages	Upload packages to GitHub Package Registry
<input type="checkbox"/> read:packages	Download packages from GitHub Package Registry
<input type="checkbox"/> delete:packages	Delete packages from GitHub Package Registry
<input type="checkbox"/> admin:org	Full control of orgs and teams, read and write org projects
<input type="checkbox"/> write:org	Read and write org and team membership, read and write org projects
<input type="checkbox"/> read:org	Read org and team membership, read org projects


```
Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/profile
● $ cd RaulAli/

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/profile/RaulAli (main)
● $ git add .

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/profile/RaulAli (main)
● $ git commit -m "Se ha añadido el grafico"
[main 7776e2e] Se ha añadido el grafico
 3 files changed, 30 insertions(+)
 create mode 100644 .github/profile-metrics.yml
 create mode 100644 .github/workflows

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/profile/RaulAli (main)
● $ git push origin main
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 16 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 840 bytes | 840.00 KiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/RaulAli/RaulAli.git
   827f92b..7776e2e  main -> main

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/profile/RaulAli (main)
○ $
```



## Mala estructura de carpetas

```



Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/profile/RaulAli (main)
● $ git add .

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/profile/RaulAli (main)
● $ git commit -m "Creacion de la carpeta workflows"
[main 1ba4598] Creacion de la carpeta workflows
 2 files changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 .github/workflows
 rename .github/{ => workflows}/profile-metrics.yml (100%)

Raul@DESKTOP-DMSU7UI MINGW64 /c/wamp64/www/profile/RaulAli (main)
● $ git push origin main
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 385 bytes | 385.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/RaulAli/RaulAli.git
 7776e2e..1ba4598  main -> main

```

## Realizamos el Run workflow



2 workflow runs		Event ▾	Status ▾	Branch ▾	Actor ▾
✓	<b>Profile Metrics</b> Profile Metrics #2: Manually run by <a href="#">RaulAli</a>		main	1 minute ago 1m 0s	...
✗	<b>Profile Metrics</b> Profile Metrics #1: Manually run by <a href="#">RaulAli</a>		main	18 minutes ago 11m 5s	...

	<b>RaulAli</b> Update github-metrics.svg - [Skip GitHub Action]	81beae9 · now	🕒 7 Commits
📁	.github/workflows	Intento 2	2 minutes ago
📄	README.md	Se ha añadido el grafico	27 minutes ago
📄	github-metrics.svg	Update github-metrics.svg - [Skip GitHub Action]	now

