

KYC API and Callback

This page describes the general information of the external KYC API and its callback procedure

Introduction

1. RESTful API using JSON format for data exchange (input and output)
2. SSL (https) mandatory
3. API base location

Production Environment

xxxxxx

Test Environment

<https://beta-kyc-api.azurewebsites.net/api>

4. Requires API Key as a Bearer Token

POST /api/kyc HTTP/1.1

Host: beta-payouts.pagodirecto.pe

Content-Type: application/json

Authorization: Bearer XXXXX-XXXX-XXXX-XXX-XXXX

5. Resources and Methods

Resource / Method	POST	GET
/kyc	Create a new KYC request	N/A
/kyc/{id}	N/A	Retrieve the details of a KYC request (based on the ID)

Description

API Data Structure

Input Data

Fieldname	Description	Mandatory	Data Type
request_reference	<u>Unique code</u> to identify the request (will return in the callback)	Yes	String, 50 characters
customer_email		No	String, 100 characters
customer_id	Customer reference code	No	
customer_name	Full name in single field (first name and last name)	Yes	
customer_registry	Customer name from the Betsson Registry	Yes	
customer_id_type	ID document type • DNI = National ID • CE = Immigration card • PAS = Passport	Yes	Allowed values • DNI • CE • PAS

customer_id_number	ID document number	Yes	String, 50 characters • If DNI, should be 8 digits • If CE, should be 9 digits or less
customer_dob	Date of birth	If customer_id_type = CE, it is mandatory. Otherwise, not mandatory.	Date and time in UNIX timestamp format. Example: 1603901471 means 2020-10-28T16:11:11+00:00 UTC
customer_province		No	String, 50 characters
bank_code	See "Bank Codes" section below	No	String, 10 characters Note: Currently the bank code is 3 digits, but in the future may increase
bank_account_number	Account number from Interbank	Yes, one of these fields must have a value	13 digits (numeric)
bank_account_cci	Other banks		20 digits (numeric)
bank_account_currency	Currency of the bank account • PEN • USD	No	String, 3 characters Allowed values • PEN • USD
callback_url	URL to callback the output data once completed the KYC validation process For testing use https://requestcatcher.com/	Yes	String, 200 characters HTTPS mandatory

Output Data

Fieldname	Description	Output Type	Data Type
[All input fields]	[All input fields]	Callback and GET operations	
kyc_id	KYC request ID	POST (returns the KYC request ID, in the Location Header and Body)	Numeric, bigint
kyc_status_customer_id	Validation status for the ID document	Callback and GET operations	Numeric, possible values: • 0 = Pending • 1 = Valid • 2 = Invalid • 9 = Unknown
kyc_status_customer_name	Validation status for the customer name, matching with the national registry database		
kyc_status_bank_account	Validation status for the bank account number		
kyc_status_bank_name	Validation status for the customer name, matching with the owner of the bank account number		
kyc_status	Overall KYC validation status		
kyc_status_notes	Notes related to the KYC validation status		Numeric, possible values: • 0 = Pending • 1 = Valid • 2 = Invalid • 9 = Unknown
			String, 2000 characters

Remarks

- The callback will return mostly the following statuses: Valid, Invalid and Unknown
- "Invalid" status means that the ID or bank account of the person is not correct or does not exist
- "Unknown" status means that the ID can not be verified (mostly for passport) or the bank account number can not be verified (for example, the customer entered 00000000000000000000 as the account number)

- About the "kyc_status" field, the value "Valid" means that all KYC validations passed. The value "Invalid" means that one or more KYC validation did not passed.

API Endpoints

POST /kyc

Create a new KYC request

Sample call, JSON input

```
POST /api/kyc HTTP/1.1
Host: beta-kyc-api.azurewebsites.net
Authorization: Bearer 09761d72-5228-4be6-8b4a-ac61ef868916
Content-Type: application/json

{
  "request_reference": "unique-code-123-abc",
  "customer_id": "405a22c0-f182-4a6f",
  "customer_email": "john@smith.com",
  "customer_name": "John Smith",
  "customer_registry": "John Smith",
  "customer_id_type": "DNI",
  "customer_id_number": "12345678",
  "customer_dob": "1628899200",
  "customer_province": "LIMA_CALLAO",
  "bank_code": "003",
  "bank_account_number": "1083002417720",
  "bank_account_cci": "",
  "bank_account_currency": "USD",
  "callback_url": "https://en78bymt054kv.x.pipedream.net"
}
```

Sample response, JSON output

```
HTTP/1.1 201 Created
Content-Type: application/json; charset=utf-8
Location: https://beta-kyc-api.azurewebsites.net/api/kyc/28

{
  "kyc_id": 28,
  "request_reference": "unique-code-123-abc",
  "customer_email": "john@smith.com",
  "customer_name": "John Smith",
  "customer_id_type": "DNI",
  "customer_id_number": "12345678",
  "customer_dob": "1628899200",
  "customer_province": "LIMA_CALLAO",
  "bank_code": "003",
  "bank_account_number": "1083002417720",
```

```
"bank_account_cci": "",
"bank_account_currency": null,
"callback_url": "https://en78bymt054kv.x.pipedream.net",
"kyc_status_customer_id": 0,
"kyc_status_customer_name": "0",
"kyc_status_bank_account": "0",
"kyc_status_bank_name": "0",
"kyc_status": 0,
"kyc_status_notes": null
}
```

 See Output Data section above for definition of the kyc_status*** fields

GET /kyc/{id}

Retrieve the details of a KYC request (based on the ID)

Sample call, JSON input

```
GET /api/kyc/28 HTTP/1.1
Host: beta-kyc-api.azurewebsites.net
Authorization: Bearer 09761d72-5228-4be6-8b4a-ac61ef868916
```

Sample response, JSON output

```
HTTP/1.1 200 OK
Content-Type: application/json; charset=utf-8

{
  "kyc_id": 28,
  "request_reference": "unique-code-123-abc",
  "customer_email": "john@smith.com",
  "customer_name": "John Smith",
  "customer_id_type": "DNI",
  "customer_id_number": "12345678",
  "customer_dob": "1628899200",
  "customer_province": "LIMA_CALLAO",
  "bank_code": "003",
  "bank_account_number": "1083002417720",
  "bank_account_cci": "",
  "bank_account_currency": null,
  "callback_url": "https://en78bymt054kv.x.pipedream.net",
  "kyc_status_customer_id": 0,
  "kyc_status_customer_name": "0",
  "kyc_status_bank_account": "0",
  "kyc_status_bank_name": "0",
```

```
"kyc_status": 0,  
"kyc_status_notes": null  
}
```

Callback Procedure

Once a KYC request was processed, the system will POST to callback_url sending all fields described in the Output Data section above

The POST to the callback_url will include the API Key as a Bearer Token (Header), so the callback_url can verify the authenticity of the PagoDirecto system

Bank Codes

001 BANCO CENTRAL DE RESERVA

002 BANCO DE CREDITO

003 BANCO INTERBANK

007 CITIBANK

009 BANCO SCOTIABANK

011 BANCO CONTINENTAL

018 BANCO NACION

023 BANCO DE COMERCIO

035 BANCO FINANCIERO

038 BANBIF

043 CREDISCOTIA FINANCIERA S.

049 MI BANCO

051 AGROBANCO

053 BANCO GNB

054 BANCO FALABELLA

055 BANCO RIPLEY

056 BANCO SANTANDER PERU SAC

058 BANCO AZTECA DEL PERÚ S.A.

060 ICBC PERÚ BANK

088 TFC FINANCIERA

091 COMPTAMOS FINANCIERA S.A.

800 CAJA METROPOLITANA DE LIM

801 CMAC PIURA SAC

802 CMAC TRUJILLO

803 CMAC AREQUIPA

805 CMAC SULLANA

806 CMAC CUZCO

808 CMAC HUANCAYO

809 CMAC ICA

811 CMAC MAYNAS

