

MongoDB Compass - cluster0.vnsov.mongodb.net/sample_mflix.comments

Local

12 DBS 32 COLLECTIONS

HOSTS cluster0-shard-00-00.vnso... cluster0-shard-00-01.vnso... cluster0-shard-00-02.vnso...

CLUSTER Replica Set (atlas-n70xhd-... 3 Nodes

EDITION MongoDB 4.4.6 Enterprise

Filter your data

> Bedu
> admin
> config
> local
> sample_airbnb
> sample_analytics
> sample_geospatial
sample_mflix
comments ...
movies
sessions
theaters

sample_mflix.comments

Documents Aggregations Schema Explain Plan Indexes Validation

FILTER { field: 'value' } PROJECT {date:1, name:1, text:1} SORT { field: -1 } COLLATION { locale: 'simple' }

DOCUMENTS 50.3k TOTAL SIZE 13.6MB AVG. SIZE 284B INDEXES 1 TOTAL SIZE 932.0KB AVG. SIZE 932.0KB

FIND RESET ⌂ ...

Displaying documents 1 - 20 of 50303 < > C REFRESH

`_id: ObjectId("5a9427648b0beebeb69579d6")
name: "Taylor Hill"
text: "Neque repudiandae laborum earum ipsam facilis blanditiis voluptate. At..."
date: 1993-10-23T13:16:51.000+00:00`

`_id: ObjectId("5a9427648b0beebeb69579eb")
name: "Emily Ellis"
text: "Iste molestiae animi minima quod ad. Corporis maiores suscipit sapient..."
date: 1988-10-16T19:08:23.000+00:00`

`_id: ObjectId("5a9427648b0beebeb6957a1e")
name: "Emily Ellis"
text: "Illo optio ipsa similique quo maxime. Fugiat illum ullam aliquid. Corp..."
date: 2002-08-25T09:37:45.000+00:00`

`_id: ObjectId("5a9427648b0beebeb6957a73")
name: "Kathryn Sosa"
text: "Error enim architecto ipsam voluptatum. Deleniti voluptates unde cumqu..."
date: 1997-07-18T16:35:33.000+00:00`

MongoDB Compass - cluster0.vnsov.mongodb.net/sample_mflix.movies

Local > 12 DBS 32 COLLECTIONS C

sample_mflix.movies Documents

sample_mflix.movies

DOCUMENTS 23.5k TOTAL SIZE 35.9MB AVG. SIZE 1.6KB INDEXES 2 TOTAL SIZE 13.5MB AVG. SIZE 6.7MB

Documents Aggregations Schema Explain Plan Indexes Validation

FILTER { field: 'value' } PROJECT {num_mflix_comments: 1} SORT {num_mflix_comments: -1} MAX TIME MS 60000 COLLATION { locale: 'simple' } SKIP 0 LIMIT 1

FIND RESET ⌂ ...

Filter your data

Bedu admin config local sample_airbnb sample_analytics sample_geospatial sample_mflix comments movies sessions theaters users sample_restaurants sample_supplies sample_training sample_weatherdata

VIEW

Displaying documents 1 - 1 of 1 ⌂ ⌂ C REFRESH

_id: ObjectId("573a1399f29313caabcee886") num_mflix_comments: 456

>_MONGOSH BETA

MongoDB Compass - cluster0.vnsov.mongodb.net/sample_training.companies

Local

> 12 DBS 32 COLLECTIONS

sample_training.companies

Documents

DOCUMENTS 9.5k TOTAL SIZE 34.8MB AVG. SIZE 3.7KB INDEXES 1 TOTAL SIZE 268.0KB AVG. SIZE 268.0KB

sample_training.companies

Documents Aggregations Schema Explain Plan Indexes

FILTER { field: 'value' } PROJECT {email_address: 1, phone_number: 1, twitter_username: 1} SORT { field: -1 } MAX TIME MS 600 COLLATION { locale: 'simple' } SKIP 0 LIMIT 0

FIND RESET ⚡ ...

Displaying documents 1 - 20 of 9500 < > C REFRESH

`_id: ObjectId("52cdef7c4bab8bd675297da1")
twitter_username: "plaxo"
email_address: "info@plaxo.com"
phone_number: "650-254-5400"`

`_id: ObjectId("52cdef7c4bab8bd675297dcf")
twitter_username: "Revision3"
email_address: "info@revision3.com"
phone_number: "(415) 734-3500"`

`_id: ObjectId("52cdef7c4bab8bd675297dcf")
twitter_username: "
email_address: "info@corp.spock.com"
phone_number: "`

Past Queries RECENT FAVORITES


Tue May 25 2021 21:54:13 GMT-0500 (C...
PROJECT
`{
 email_address: 1,
 phone_number: 1,
 twitter_username: 1
}`

Tue May 25 2021 21:42:19 GMT-0500 (C...
PROJECT
`{
 email_address: 1,
 phone_number: 1,
 twitter_username: 1
}`

Tue May 25 2021 21:40:04 GMT-0500 (C...
PROJECT
`{
 email_address: 1,
 phone_number: 1
}`

Tue May 25 2021 21:38:10 GMT-0500 (C...

>_MONGOSH BETA



MongoDB Compass - cluster0.vnssov.mongodb.net/sample_training.grades

Local > 12 DBS 32 COLLECTIONS ⌂

sample_training.grades Documents

sample_training.grades

DOCUMENTS 100.0k TOTAL SIZE 22.2MB AVG. SIZE 233B INDEXES 1 TOTAL SIZE 2.3MB AVG. SIZE 2.3MB

Documents Aggregations Schema Explain Plan Indexes Validation

FILTER { field: 'value' } PROJECT { class_id: 1 } SORT { field: -1 } COLLATION { locale: 'simple' } MAX TIME MS 60000 SKIP 0 LIMIT 0

FIND RESET ⌂ ...

Filter your data

Bedu admin config local sample_airbnb sample_analytics sample_geospatial sample_mflix sample_restaurants sample_supplies sample_training companies grades inspections posts routes ...

_id: ObjectId("56d5f7eb604eb380b0d8d8e6") class_id: 435

_id: ObjectId("56d5f7eb604eb380b0d8d8eb") class_id: 373

_id: ObjectId("56d5f7eb604eb380b0d8d901") class_id: 250

_id: ObjectId("56d5f7eb604eb380b0d8d911") class_id: 239

_id: ObjectId("56d5f7eb604eb380b0d8d93e") class_id: 323

Displaying documents 1 - 20 of 100000 ⌂ ⌂ C REFRESH

_MONGOSH BETA

MongoDB Compass - cluster0.vnsov.mongodb.net/sample_training.companies

Local > 12 DBS 32 COLLECTIONS ⌂

sample_training.companies Documents

sample_training.companies

Documents Aggregations Schema Explain Plan Indexes Validation

FILTER {founded_month: 10} FIND RESET REFRESH

Displaying documents 1 - 20 of 301

`_id: ObjectId("52cdef7c4bab8bd675297eb7")
name: "Revver"
permalink: "revver"
crunchbase_url: "http://www.crunchbase.com/company/revver"
homepage_url: "http://revver.com"
blog_url: "http://blog.revver.com"
blog_feed_url: "http://blog.revver.com/?feed=rss2"
twitter_username: "Revver"
category_code: "games_video"
number_of_employees: null
founded_year: 2004
founded_month: 10
founded_day: 15
deadpooled_year: 2011
deadpooled_month: 3
deadpooled_day: 26
deadpooled_url: "http://willvideoforfood.com/2011/03/26/is-revver-dead-first-ad-sharing...."
tag_list: "video, youtube, usergeneratedvideo, revenue, revenue-share, ugc, ugv, ..."
alias_list: ""
email_address: ""
phone_number: ""
description: "User Generated Video Site"
created_at: "Fri Aug 10 06:24:06 UTC 2007"
updated_at: "Mon May 20 10:04:56 UTC 2013"
overview: "<p>The first user generated video site to offer revenue share, Revver ..."`

Show 17 MORE FIELDS

_MONGOSH BETA

This screenshot shows the MongoDB Compass interface for a database named 'sample_training'. On the left, a sidebar lists databases and collections, with 'sample_training' expanded to show its sub-collections: 'companies', 'grades', 'inspections', 'posts', and 'routes'. The main pane displays the 'companies' collection, which has 9.5k documents. A specific document is selected, showing its detailed structure. The document ID is ObjectId("52cdef7c4bab8bd675297eb7"). The company name is 'Revver', and it was founded in October 2004. The document includes links to its Crunchbase page, homepage, blog, and Twitter account. It also lists its category as 'games_video' and provides a detailed overview. The interface includes a filter bar, search, and navigation tools.

MongoDB Compass - cluster0.vnsov.mongodb.net/sample_training.companies

Local > 12 DBS 32 COLLECTIONS ⌂

sample_training.companies Documents

sample_training.companies

Documents Aggregations Schema Explain Plan Indexes Validation

FILTER {founded_year: 2008} PROJECT {name: 1} SORT {field: -1} COLLATION {locale: 'simple'} MAX TIME MS 60000 SKIP 0 LIMIT 0

Displaying documents 1 - 20 of 1224

`_id: ObjectId("52cdef7c4bab8bd675297da8")
name: "OpenX"`

`_id: ObjectId("52cdef7c4bab8bd67529828e")
name: "Unknown Vector"`

`_id: ObjectId("52cdef7c4bab8bd675298259")
name: "Tvosz"`

`_id: ObjectId("52cdef7c4bab8bd67529848a")
name: "Jpari"`

`_id: ObjectId("52cdef7c4bab8bd675298244")
name: "Mibura"`

>_MONGOSH BETA

The screenshot shows the MongoDB Compass interface for the 'sample_training.posts' collection. The left sidebar lists databases and collections, with 'sample_training' expanded to show 'posts' selected. The main pane displays the results of a query: {author: "machine"}, showing 20 documents out of 500. Each document includes fields like _id, body, permalink, author, title, tags, comments, and date.

Document	Author	Title	Date
ObjectID("50ab0f8bbcf1bfe2536dc428")	machine	Gettysburg Address	2012-11-20T05:05:15.304+00:00
ObjectID("50ab0f8bbcf1bfe2536dc40d")	machine	Gettysburg Address	2012-11-20T05:05:15.262+00:00
ObjectID("50ab0f8bbcf1bfe2536dc42d")	machine	Declaration of Independence	2012-11-20T05:05:15.262+00:00

MongoDB Compass - cluster0.vnssov.mongodb.net/sample_training.grades

Local

> 12 DBS 32 COLLECTIONS

☆ FAVORITE

Filter your data

sample_training.grades

Documents Aggregations Schema Explain Plan Indexes Validation

FILTER {class_id: {\$in: [350, 57, 465]}}

ADD DATA VIEW

Displaying documents 1 - 20 of 599

`_id: ObjectId("56d5f7eb604eb380b0d8db87")
student_id: 69
> scores: Array
class_id: 57`

`_id: ObjectId("56d5f7eb604eb380b0d8db8cf")
student_id: 0
> scores: Array
class_id: 350`

`_id: ObjectId("56d5f7eb604eb380b0d8db28")
student_id: 60
> scores: Array
class_id: 350`

`_id: ObjectId("56d5f7eb604eb380b0d8dc61")
student_id: 91
> scores: Array
class_id: 350`

_MONGOSH BETA

This screenshot shows the MongoDB Compass application interface. The left sidebar lists databases and collections, with 'sample_training' expanded and 'grades' selected. The main pane displays the 'sample_training.grades' collection, showing 100.0k documents with a total size of 22.2MB and an average size of 233B. There is one index with a total size of 2.3MB and an average size of 2.3MB. A filter is applied to show documents where class_id is in the array [350, 57, 465]. The results show four documents with student_ids 69, 0, 60, and 91, each having a 'scores' array and a 'class_id' of 350. The bottom status bar indicates '_MONGOSH BETA'.

The screenshot shows the MongoDB Compass interface for a database named 'sample_training'. The left sidebar lists databases: Local, sample_training (selected), companies, grades, inspections, posts, routes, and _MONGOSH BETA. The 'sample_training' database has 12 DBs and 32 collections. The 'Companies' collection is selected, displaying 9.5k documents, totaling 34.8MB with an average size of 3.7KB. There is 1 index, totaling 268.0KB with an average size of 268.0KB.

sample_training.companies

DOCUMENTS 9.5k TOTAL SIZE 34.8MB AVG. SIZE 3.7KB | INDEXES 1 TOTAL SIZE 268.0KB AVG. SIZE 268.0KB

Documents Aggregations Schema Explain Plan Indexes Validation

FILTER {founded_year: 2008, founded_month:10}

ADD DATA VIEW { }

Displaying documents 1 - 20 of 63

`_id: ObjectId("52cdef7c4bab8bd6752985ca")
name: "tunesBag"
permalink: "tunesbag"
crunchbase_url: "http://www.crunchbase.com/company/tunesbag"
homepage_url: "http://www.tunesBag.com"
blog_url: "http://tunesBag.blogspot.com/"
blog_feed_url: "http://blog.tunesbag.com/feeds/posts/default?alt=rss"
twitter_username: ""
category_code: "games_video"
number_of_employees: null
founded_year: 2008
founded_month: 10
founded_day: 1
deadpooled_year: null
deadpooled_month: null
deadpooled_day: null
deadpooled_url: null
tag_list: "music, cloud, locker, mp3, music-streaming, streaming"
alias_list: ""
email_address: "office@tunesBag.com"
phone_number: "+43 680 215 27 96"
description: "Social Music Player"
created_at: "Thu Mar 20 15:45:40 UTC 2008"
updated_at: "Thu Jan 19 00:37:48 UTC 2012"
overview: "<p>Austria based tunesBag is a music player with social features on th..."`

Show 17 more fields

The screenshot shows the MongoDB Compass interface for a database named 'sample_training'. The left sidebar lists databases like 'Local', 'sample_training', 'companies', 'grades', 'inspections', 'posts', 'routes', and '_MONGOSH BETA'. The 'sample_training' database is selected, and its 'companies' collection is displayed. The top bar shows the title 'MongoDB Compass - cluster0.vnsov.mongodb.net/sample_training.companies'. The main area displays the collection's documents. A search bar at the top says 'Filter your data'. Below it, a query builder shows the filter '{number_of_employees: {\$gt: 50}}'. The document list shows one document with the following fields:

```
_id: ObjectId("52cdef7c4bab8bd675297ee9")
name: "Sun Microsystems"
permalink: "sun-microsystems"
crunchbase_url: "http://www.crunchbase.com/company/sun-microsystems"
homepage_url: "http://www.sun.com"
blog_url: ""
blog_feed_url: ""
twitter_username: "sunmicrosystems"
category_code: "enterprise"
number_of_employees: 33350
founded_year: 1982
founded_month: 2
founded_day: null
deadpooled_year: null
deadpooled_month: null
deadpooled_day: null
deadpooled_url: null
tag_list: "vendor, computer, hardware, software"
alias_list: "Sun"
email_address: ""
phone_number: "1-800-786-0404"
description: "Computer Hardware and Software Provider"
created_at: "Sat Aug 18 08:52:54 UTC 2007"
updated_at: "Thu Mar 14 14:41:26 UTC 2013"
overview: "<p>Sun Microsystems is a multinational vendor of computers, computer s..."
```

At the bottom, a button says 'SHOW 17 MORE FIELDS'.

The screenshot shows the MongoDB Compass interface with the following details:

- Left Sidebar (Local Databases):** Lists databases: local, sample_airbnb, sample_analytics, sample_geospatial, sample_mflix, sample_restaurants, sample_supplies, sample_training (selected), companies, grades, inspections, posts, routes, trips, zips, and sample_weatherdata.
- Top Bar:** MongoDB Compass - cluster0.vnsov.mongodb.net/sample_training.routes
- Collection Header:** sample_training.routes (Documents)
- Collection Summary:** DOCUMENTS 67.0k, TOTAL SIZE 11.8MB, AVG. SIZE 184B, INDEXES 1, TOTAL SIZE 1.8MB, AVG. SIZE 1.8MB.
- Document View:** Shows three documents with their _id fields highlighted in red:
 - `_id: ObjectId("56e9b39b732b6122f8780243")`
 - `_id: ObjectId("56e9b39b732b6122f87818b3")`
 - `_id: ObjectId("56e9b39b732b6122f8781a81")`
- Toolbar:** Includes FILTER, ADD DATA, VIEW, OPTIONS, FIND, RESET, and REFRESH buttons.
- Bottom Status:** Displaying documents 1 - 11 of 11.

MongoDB Compass - cluster0.vnsov.mongodb.net/sample_training.companies

Local > 12 DBS 32 COLLECTIONS ⚡ FAVORITE

sample_training.companies Documents

sample_training.companies

Documents Aggregations Schema Explain Plan Indexes Validation

FILTER {number_of_employees: {\$ne:null}}

PROJECT { field: 0 }

SORT {number_of_employees:1}

COLLATION { locale: 'simple' }

MAX TIME MS 60000

SKIP 0

LIMIT 1

ADD DATA

VIEW

REFRESH

Displaying documents 1 - 1 of 1

`_id: ObjectId("52cdef7c4bab8bd675297f89")
name: "Attributor"
permalink: "attributor"
crunchbase_url: "http://www.crunchbase.com/company/attributor"
homepage_url: "http://www.attributor.com"
blog_url: "http://www.attributor.com/blog"
blog_feed_url: "http://www.attributor.com/blog/feed/"
twitter_username: "Attributor"
category_code: "software"
number_of_employees: 0
founded_year: 2005
founded_month: 10
founded_day: 1
deadpooled_year: null
deadpooled_month: null
deadpooled_day: null
deadpooled_url: null
tag_list: "contentmonetization, copyrightprotection, contentprotection, linkbuild..."
alias_list: ""
email_address: ""
phone_number: "1-888-300-9114"
description: "Content monitoring and monetization"`

_MONGOSH BETA

This screenshot shows the MongoDB Compass interface for a database named 'sample_training'. On the left, a sidebar lists databases and collections, with 'sample_training' and its 'companies' collection selected. The main area displays the 'sample_training.companies' collection. A query builder is open, showing a simple query: {number_of_employees: {\$ne:null}}. Below the query, a single document is displayed in a detailed view. The document has the following fields and values:

- _id: ObjectId("52cdef7c4bab8bd675297f89")
- name: "Attributor"
- permalink: "attributor"
- crunchbase_url: "http://www.crunchbase.com/company/attributor"
- homepage_url: "http://www.attributor.com"
- blog_url: "http://www.attributor.com/blog"
- blog_feed_url: "http://www.attributor.com/blog/feed/"
- twitter_username: "Attributor"
- category_code: "software"
- number_of_employees: 0
- founded_year: 2005
- founded_month: 10
- founded_day: 1
- deadpooled_year: null
- deadpooled_month: null
- deadpooled_day: null
- deadpooled_url: null
- tag_list: "contentmonetization, copyrightprotection, contentprotection, linkbuild..."
- alias_list: ""
- email_address: ""
- phone_number: "1-888-300-9114"
- description: "Content monitoring and monetization"

MongoDB Compass - cluster0.vnsov.mongodb.net/sample_training.companies

Local > 12 DBS 32 COLLECTIONS ⚡ FAVORITE

sample_training.companies Documents

sample_training.companies

Documents Aggregations Schema Explain Plan Indexes Validation

DOCUMENTS 9.5k TOTAL SIZE 34.8MB AVG. SIZE 3.7KB INDEXES 1 TOTAL SIZE 268.0KB AVG. SIZE 268.0KB

FILTER { field: 'value' } PROJECT { field: 0 } SORT {number_of_employees:-1} COLLATION { locale: 'simple' }

MAX TIME MS 60000 SKIP 0 LIMIT 1

ADD DATA VIEW

Displaying documents 1 - 1 of 1

`_id: ObjectId("52cdef7c4bab8bd67529856a")
name: "IBM"
permalink: "ibm"
crunchbase_url: "http://www.crunchbase.com/company/ibm"
homepage_url: "http://www.ibm.com"
blog_url: ""
blog_feed_url: ""
twitter_username: "IBM"
category_code: "software"
number_of_employees: 388000
founded_year: 1896
founded_month: null
founded_day: null
deadpooled_year: null
deadpooled_month: null
deadpooled_day: null
deadpooled_url: ""
tag_list: ""
alias_list: ""
email_address: "ews@us.ibm.com"
phone_number: "914-499-1900"
description: ""`

> _MONGOSH BETA

This screenshot shows the MongoDB Compass interface for a database named 'sample_training'. The 'sample_training.companies' collection is selected. The left sidebar lists other databases and collections. The main area shows the collection's details: 9.5k documents, total size 34.8MB, and one index. Below this is a query builder with filters, sort, and limit settings. The bottom pane displays a single document for IBM, including its ID, name, permalinks, URLs, and various metadata fields.

The screenshot shows the MongoDB Compass interface connected to a cluster at `cluster0.vnsov.mongodb.net`. The left sidebar lists databases and collections under the "Local" section, with "sample_training" selected and "trips" highlighted. The main pane displays the "sample_training.trips" collection, which contains 10.0k documents. The document count is shown as 10.0k with a total size of 4.2MB and an average size of 440B. There is one index present, with a total size of 244.0KB and an average size of 244.0KB. The "Documents" tab is active, showing a query builder with the following stages:

- FILTER { field: 'value' }
- PROJECT { field: 0 }
- SORT {tripduration: -1}
- COLLATION { locale: 'simple' }

The results pane shows a single document with the following fields and values:

- _id: ObjectId("572bb8222b288919b68ac07c")
- tripduration: 326222
- start station id: 391
- start station name: "Clark St & Henry St"
- end station id: 310
- end station name: "State St & Smith St"
- bikeid: 18591
- usertype: "Subscriber"
- birth year: 1979
- gender: 1
- start station location: Object
- end station location: Object
- start time: 2016-01-01T00:58:20.000+00:00
- stop time: 2016-01-04T19:35:23.000+00:00

The screenshot shows the MongoDB Compass interface connected to a cluster at `cluster0.vnsov.mongodb.net`. The left sidebar lists databases and collections, with `sample_training` and `trips` selected. The main view displays the `sample_training.trips` collection, which contains 10,000 documents. The document details pane shows a single document with the following fields:

```
_id: ObjectId("572bb8222b288919b68ac2d4")
tripduration: 61
start station id: 3150
start station name: "E 85 St & York Ave"
end station id: 3150
end station name: "E 85 St & York Ave"
bikeid: 22299
usertype: "Subscriber"
birth year: 1989
gender: 1
> start station location: Object
> end station location: Object
start time: 2016-01-01T02:43:19.000+00:00
stop time: 2016-01-01T02:44:21.000+00:00
```

The query builder at the top shows the following pipeline stages:

- FILTER: `{ field: 'value' }`
- PROJECT: `{ field: 0 }`
- SORT: `{tripduration: 1}`
- COLLATION: `{ locale: 'simple' }`

Results summary: DOCUMENTS 10.0k, TOTAL SIZE 4.2MB, AVG. SIZE 440B, INDEXES 1, TOTAL SIZE 244.0KB, AVG. SIZE 244.0KB.