Guide: Getting Started with Huawei Cloud ECS

Huawei Technologies CO., LTD

v1.5.1 — August 11, 2026 21:50

Contents

Info

This document demonstrates the `guide` template (`guide.cls`) for Huawei Cloud guides. It exercises all available commands and environments: cover page, table of contents, objectives, code blocks, images, callouts, badge, changelog, and the `\menu` command for menu paths.

1 Provision an Elastic Cloud Server

General Objective: This lab walks you through provisioning an Elastic Cloud Server (ECS) on Huawei Cloud via the Console. By the end you will be able to launch a virtual machine, connect to it over SSH, and verify that it is running.

Prerequisites:

- Active IAM account on Huawei Cloud (valid username and password).
- A web browser (Google Chrome, Mozilla Firefox, or Microsoft Edge).
- An SSH client installed locally (OpenSSH, PuTTY, etc.).
- A key pair created in the Console, or permission to create one.

> **Info**
> This guide covers the basic ECS provisioning flow. For advanced operations, consult the official Huawei Cloud documentation.

1.1 Launch the instance

Objective: Create a single ECS instance in the `sa-brazil-1` region using the Console wizard.

Step by step:

1. In the Console, open the service catalog and navigate to **Console** → **Elastic Cloud Server**.



Figure 1: Service catalog in the Console.

2. Click **Create ECS** and fill in the basic configuration:

```
Name:           web-server-01
Flavor:         s6.small.1 (1 vCPU, 1 GB RAM)
Image:          Ubuntu 22.04 Server 64bit
Disk:           40 GB General Purpose SSD
VPC:            vpc-default
Subnet:         subnet-default
Security Group: sg-ssh (allows inbound TCP 22)
```

3. Under **Login Configuration**, select the key pair you created earlier. Click **Create Now** and wait for the status to change to **Running**.



The instance is assigned a public IP (EIP). If you need a fixed IP, allocate a dedicated EIP and bind it after creation.

> **Important**
> The EIP assigned during creation is released when the instance is deleted. Allocate a dedicated EIP if you need to keep the address.

1.2 Connect over SSH

1.2.1 Retrieve the public IP

On the ECS details page, copy the **EIP** (Elastic IP) field. This is the address you will use to connect.

1.2.1.1 Using OpenSSH

From a terminal, connect with the private key that matches the key pair selected during creation:

```
chmod 400 ~/.ssh/huawei_key.pem
ssh -i ~/.ssh/huawei_key.pem ubuntu@<EIP>
```

1.2.1.2 Using PuTTY

Convert the key to PPK format with PuTTYgen, then open a session to the EIP with the converted key.

1.3 Verify the instance

Once connected, run a few checks:

```
uname -a          # confirm OS version
df -h             # check disk space
systemctl status  # verify services are running
```

Alternatively, save the checks to a script and run it with

```
#!/bin/bash
# Example: verify an ECS instance is reachable and running
# Usage: ./check-ecs.sh <EIP>

EIP="${1:?Usage: check-ecs.sh <EIP>}"

echo "Checking instance at $EIP ..."
ssh -i ~/.ssh/huawei_key.pem "ubuntu@$EIP" << 'EOF'
  uname -a
  df -h
  systemctl is-active nginx
EOF

echo "Done."
```

1.3.1 Recommended flavors

The table below lists recommended ECS flavors for development workloads:

Flavor	vCPU / RAM	Use case
ac8.large.2	2 vCPU / 4 GB	Light development
ac8.xlarge.2	4 vCPU / 8 GB	Recommended — full coding stack
ac8.2xlarge.2	8 vCPU / 16 GB	Heavy workloads + multiple agents

Table 1: Recommended ECS flavors for development.

[Image placeholder]

File: `assets/ecs-flavors.png`

Description: Screenshot of the ECS flavor selection page in the Console

Place the image file at the path above, then replace this command with `\image{assets/ecs-flavors.png}` *or* `\imagecap{assets/ecs-flavors.png}{caption}`.

This is an English sample that exercises every command and environment provided by the `guide` *class. Use it as a reference when writing your own guides.*

2 Configure the Terraform Provider

General Objective: This chapter shows how to obtain an AK/SK pair from the Console and declare the Huawei Cloud provider in a Terraform configuration file, preparing the environment for Infrastructure as Code.

Prerequisites:

- Chapter 1 completed (Console access working).
- IAM permission to create access credentials.
- `terraform` installed locally (version 1.0 or later).

2.1 Create an AK/SK

Objective: Generate an Access Key ID / Secret Access Key pair to authenticate external tools with Huawei Cloud.

In the Console, click your username in the top-right corner and open **My Credentials**. In the **Access Keys** section, click **Create Access Key** and download the generated file. Store it in a safe location: the Secret Access Key is shown only once.

2.2 Declare the provider

Step by step:

1. Create a file named *provider.tf* in your project directory with the following content:

```
terraform {
  required_providers {
    huaweicloud = {
      source  = "huaweicloud/huaweicloud"
      version = ">= 1.60.0"
    }
  }
}

provider "huaweicloud" {
  region     = "sa-brazil-1"
  access_key = "YOUR_ACCESS_KEY_HERE"
  secret_key = "YOUR_SECRET_KEY_HERE"
```

```
}
```

Replace the *access_key* and *secret_key* values with the credentials obtained in the previous section.

2. In a terminal, in the project folder, initialize the Terraform working directory:

```
terraform init
terraform plan
```

Never commit the provider.tf file with real credentials. Use environment variables or a state file ignored by version control.

2.3 Next steps

With the provider declared, you can start defining resources in `terraform`. For the full list of available resources, see the official documentation at Huawei Cloud Provider.

> **Tip**
> Use `terraform validate` to check syntax before applying changes.

Example

3 Clean Up

General Objective: Remove the resources created in this lab to avoid ongoing charges.

Step by step:

1. In the Console, navigate to **Elastic Cloud Server**.
2. Select the instance `web-server-01`, click **More** and choose **Delete**.
3. Confirm deletion. Optionally release the EIP if it was dedicated.

If you used Terraform, run `terraform destroy` instead to remove all resources declared in the configuration.

4 Changelog

1.5.1 *2026-08-12*

- Fix `hutable` centering and row-color fill: use `\hline` so `colortbl` row colors fill cleanly up to the rules.

1.5.0 *2026-08-12*

- New `hutable` environment: full-grid tables with Huawei-red header and alternating body rows.
- Floats now default to `[H]` placement so tables and figures appear in source order.

1.4.1 *2026-08-10*

- H1 section title size reduced from 27pt to 20pt.

1.4.0 *2026-08-10*

- Default image size increased: width 65% → 90% of text width, height 40% → 50% of text height.

1.3.0 *2026-08-10*

- Enlarged H1 section title (18pt → 27pt, 50% bigger).
- `nochangelog` option now hides version, date, and time on the cover page.
- Document date defaults to `\today` (compilation date).

1.2.1 *2026-08-09*

- Rolled back `/ActualText` markers — broke code block rendering.

1.2.0 *2026-08-09*

- Added key-value sizing options to `\image` and `\imagecap` — `width` and `height` can now be set independently.

1.1.3 *2026-08-09*

- Fixed PDF copy-paste of URLs in code blocks — disabled Cascadia Code programming ligatures (`calt`) that corrupted `//` into `))` on copy.

1.1.2 *2026-08-09*

- Fixed italic font rendering — HarmonyOS Sans and Cascadia Code have no italic variants; enabled synthetic slant (`AutoFakeSlant`).

1.1.1 *2026-08-08*

- Changed table and figure caption labels to black (was Huawei red).

1.1.0 *2026-08-08*

- Added Huawei-branded table styling: red header bar, alternating row colors, and bordered cells.

1.0.0 *2026-08-05*

- Initial version.
- Added callout boxes, badge, and changelog support.
