


```
CREATE TABLE alumnado (  
  id INT UNSIGNED PRIMARY KEY,  
  nombre VARCHAR(50),  
  apellidos VARCHAR(50),  
  curso VARCHAR(50)  
);
```

```
INSERT INTO alumnado (id, nombre, apellidos, curso) VALUES  
(1, 'Alberto', 'Morales', 'BD'),  
(2, 'Beatriz', 'Gomez', 'Sistemas'),  
(3, 'Carlos', 'Ruiz', 'Programacion'),  
(4, 'Diana', 'Castillo', 'Entornos'),  
(5, 'Elena', 'Sanz', 'BD');
```



DELIMITER \$\$

```
CREATE FUNCTION crearEmail(nombre VARCHAR(50), apellidos VARCHAR(50), curso  
VARCHAR(50))
```

```
RETURNS VARCHAR(100)
```

```
DETERMINISTIC
```

```
BEGIN
```

```
    DECLARE email_resultado VARCHAR(150);
```

```
    SET email_resultado = CONCAT(
```

```
        LOWER(LEFT(nombre, 1)),
```

```
        LOWER(LEFT(apellidos, 5)),
```

```
        LENGTH(apellidos),
```

```
        '@',
```

```
        LOWER(curso),
```

```
        '.kursal.es'
```

```
    );
```

```
    RETURN email_resultado;
```

```
END$$
```

DELIMITER ;

```
SELECT crearEmail('Alberto', 'Morales', 'BD') AS Test_Email;
```

The screenshot shows the phpMyAdmin web interface in a Brave browser. The address bar indicates the URL is localhost/phpmyadmin/index.php?route=/database/sql&db=EJERCICIO11. The interface is in Spanish. On the left, a sidebar shows a tree of databases, with 'EJERCICIO11' selected. The main panel displays the results of an SQL query. A green message box states: 'MySQL ha devuelto un conjunto de valores vacío (es decir: cero columnas). (La consulta tardó 0.0384 segundos.)'. Below this, the SQL code is shown:

```
CREATE FUNCTION crearEmail(nombre VARCHAR(50), apellidos VARCHAR(50), curso VARCHAR(50)) RETURNS VARCHAR(100) DETERMINISTIC BEGIN DECLARE email_resultado VARCHAR(150); SET email_resultado = CONCAT( LOWER(LEFT(nombre, 1)), LOWER(LEFT(apellidos, 5)), LENGTH(apellidos), '@', LOWER(curso), '.kursal.es' ); RETURN email_resultado; END;
```

 Below the code, a warning message says: 'La selección actual no contiene una columna única. La edición de la grilla y los enlaces de copiado, eliminación y edición no están disponibles.' Below that, a green message box states: 'Mostrando filas 0 - 0 (total de 1, La consulta tardó 0.0004 segundos.)'. The SQL query shown is:

```
SELECT crearEmail('Alberto', 'Morales', 'BD') AS Test_Email;
```

 Below the query, there are controls for 'Perfilando' (Profiling) and 'Mostrar todo' (Show all). The 'Test_Email' result is displayed as 'amoral7@bd.kursal.es'. At the bottom, there are options for 'Operaciones sobre los resultados de la consulta' (Operations on the query results), including 'Imprimir' (Print), 'Copiar al portapapeles' (Copy to clipboard), 'Exportar' (Export), 'Mostrar gráfico' (Show graph), and 'Crear vista' (Create view). There is also a button to 'Guardar esta consulta en favoritos' (Save this query to favorites).

ALTER TABLE alumnado ADD COLUMN email VARCHAR(100);

DELIMITER \$\$

CREATE PROCEDURE ac11actualizarColumnaEmail()
BEGIN

 UPDATE alumnado
 SET email = crearEmail(nombre, apellidos, curso);
END\$\$

DELIMITER ;

CALL ac11actualizarColumnaEmail();

SELECT * FROM alumnado;

The screenshot shows the phpMyAdmin interface in a Brave browser. The left sidebar displays the database structure, including a tree view with 'EJERCICIO11' and its tables. The main panel shows a series of SQL queries and their execution results:

- Query 1: `ALTER TABLE alumnado ADD COLUMN email VARCHAR(100);` - Result: "MySQL ha devuelto un conjunto de valores vacío (es decir: cero columnas). (La consulta tardó 0.0005 segundos.)"
- Query 2: `CREATE PROCEDURE ac11actualizarColumnaEmail() BEGIN UPDATE alumnado SET email = crearEmail(nombre, apellidos, curso); END;` - Result: "MySQL ha devuelto un conjunto de valores vacío (es decir: cero columnas). (La consulta tardó 0.0532 segundos.)"
- Query 3: `CALL ac11actualizarColumnaEmail();` - Result: "MySQL ha devuelto un conjunto de valores vacío (es decir: cero columnas). (La consulta tardó 0.0060 segundos.)"
- Query 4: `SELECT * FROM alumnado;` - Result: "Mostrando filas 0 - 4 (total de 5, La consulta tardó 0.0006 segundos.)"

Below the queries, there is a table view for the 'alumnado' table with 5 rows. The table has columns: id, nombre, apellidos, curso, and email.

	id	nombre	apellidos	curso	email
☐	1	Alberto	Morales	BD	amora17@bd.kursal.es
☐	2	Beatriz	Gomez	Sistemas	bgomez5@sistemas.kursal.es
☐	3	Carlos	Ruiz	Programacion	cruiz4@programacion.kursal.es
☐	4	Diana	Castillo	Entornos	dcast18@entornos.kursal.es
☐	5	Elena	Sanz	BD	esanz4@bd.kursal.es