



AI with Rav

Learn AI the way you actually think.



DAY 6 of 30

OPEN SOURCE

Your fix is right. It is also incomplete.

WHAT YOU'LL LEARN TODAY

- > Why a correct fix gets rejected
- > What "incomplete" means
- > The 15-second check
- > Why maintainers care



Your fix is right. It is also incomplete.

In One Line: My fix was correct. It was rejected anyway — because I only tested the branch I was thinking about.

The comment

I fixed a crash in pypdf. The code was right. The test passed. I said it was ready.

The maintainer replied with one line:


"The coverage is incomplete."

What I had missed

My fix added a helper with three ways out:

- the value is missing — **not tested**
- the value is malformed — tested, three times over
- the value is fine, pass it through — **not tested**

I had written three tests, all for the bug I was chasing. The other two paths had never been run by anything.



I tested the branch I was thinking about, three times over

"The coverage is incomplete." — and it was

Three ways out of one function. I tested the middle one three times and the other two not at all.

Why this matters to a maintainer



They are not going to remember your patch in two years. The test is what stops someone re-breaking it.

An untested branch is a promise nobody can check.

The 15-second check

Before saying a PR is ready, measure which lines of **your own diff** the tests actually run. Not the file — your diff.

I now run that check before every push. It caught the same mistake twice more before a human had to.

