Farshore

Phase 2: Information architecture, wireframes and user flows

A local browser game in which the player advises Odysseus in free language and tries to reach Ithaca before 240 total months.

Bibek Pathak / CMPS 4200 HCI / September 30, 2026

The current game starts at 120 months and has 15 authored chapters with shorter routes. Design additions carry the label Proposed. Persona labels come from Phase 1 sketches, with no interview evidence supplied. This package records design work and a model experiment, not completed user research or peer critique.

Rubric	Artifacts
Architecture (20%)	Screen hierarchy, content strategy, AI integration points and data flow
User flows (30%)	Five persona-linked flows and six edge cases
Wireframes (30%)	26 annotated grayscale designs, including all five states for A1-A3
Technical spike (10%)	Six real calls, latency, failures and one-page summary
Presentation (10%)	12 editable slides, 10-minute speaking plan and contribution draft

Persona references

Use the supplied Phase 1 sketches as provisional design references

P1 Maya, 21

Goal: Reach Ithaca quickly and understand what changes the score.
Design need: Fair scoring, visible consequences and a way to challenge a contradictory interpretation.
Flows: F2, F4, F5

Provisional persona. The fairness concern comes from the Phase 1 slide. No interview findings or additional demographics are asserted.

P2 Daniel, 19

Goal: Experience the poem through play without a technical setup burden.
Design need: A clear first turn, plain controls, story context and typing when voice fails.
Flows: F1, F3, F5

Provisional persona. Familiarity with the poem and limited technical comfort come from the Phase 1 slide.


P3 Rosa, 34

Goal: Understand why Odysseus accepts or refuses advice.
Design need: Visible AI mode, a short rationale, privacy information and control over questionable results.
Flows: F2, F4, F5

Provisional persona. AI skepticism and the need for explanations come from the Phase 1 slide.

Screen hierarchy

Site map covering all current screens and shared overlays



S05 Pause S06 Characters S07 Voyage map

S08 Log S09 How to play S10 Story & sources

S11 Settings S12 New voyage confirmation

Overlays return to their invoking screen. Encounter states include input, processing, review, uncertainty and errors.

Content strategy

Screens S01-S06

Screen	Displayed information	AI / data behavior
S01 Title	Begin/resume, new voyage, help, characters, sources and settings.	No model call. Saved progress controls the resume action.
S02 Story introduction	Six parts, next/back, skip, introduction progress.	No model call. Replaying the introduction preserves the voyage.
S03 Encounter	Scene, Odysseus, source notes, time, trust, counsel, current mode and result.	A1 interpretation after Send counsel. A2 optional dictation. A3 optional spoken reply.
S04 Journey report	Win/loss, time, trust, costly decisions and log access.	No new model call. Use the saved log.
S05 Pause overlay	Resume, map, characters, settings, title and new voyage.	Keep scene position. Proposed: a pending call requires cancel or wait before leaving.
S06 Characters overlay	Twenty figures, selectable portraits, identity and story notes.	Authored content, no model call.


Content strategy

Screens S07-S12

Screen	Displayed information	AI / data behavior
S07 Voyage map overlay	Progress route, zoom, selected shore and source context.	Authored geographic notes. Legendary locations are illustrative.
S08 Captain's log overlay	Advice, reply, rationale, source mode, time and trust per turn.	Stored accepted turns. Proposed practice undo lives here.
S09 How to play overlay	Goal, counsel cycle, shortcuts, typing/voice and replay intro.	No model call.
S10 Story and sources overlay	Primary text, adaptation differences, downloadable source guide.	Opens external sources only on user action.
S11 Settings overlay	Story/AI mode, connection check, sound, voice, reading and motion.	Catalog check verifies availability without generating a reply.
S12 New voyage confirmation	Explain loss of the current save. Keep voyage or replace it.	Current confirmation. Proposed practice choice is separate from restart consent.

Data flow and privacy

Text inference stays on the device in the measured configuration



Accepted route, log, time/trust and preferences

Optional audio or reply text may leave the device through a browser/OS voice service. Reviewed transcript returns to React.

AI integration points

Name the service, input, output, timing and user control

A1 Odysseus advice interpretation

Model: Llama 3.2 3B via local Ollama

Input: Reviewed counsel, current scene and temptation, trust 0-100, safe/risky actions and source context.

Output: JSON: reply, reason, safeChoice, followed and tone. Server supplies months, trust change and authored consequence.

Timing: Measured 8.87-38.43 s, mean 26.36 s. Use the six-call measurements in the technical spike. Allow 90 seconds on the server and 95 seconds in the browser.

A2 Optional speech input

Model: Browser speech service or Windows voice typing. Provider/model unspecified.

Input: Microphone audio after the player initiates dictation.

Output: Editable transcript. Only a reviewed transcript reaches A1 after Send counsel.

Timing: No microphone timing was measured. Current browser start deadline is 15 seconds, listening limit is 60 seconds and finishing limit is 3 seconds.

A3 Optional spoken replies

Model: Browser speech synthesis, installed/browser voice. Piper is not integrated.

Input: Odysseus' accepted text reply.

Output: Speech while the written result remains visible.

Timing: Speech start latency is unmeasured. It does not block reading or advancing the text result.


Storage, trust and user control

Current behavior and proposed Phase 2 additions

- Current: localStorage saves route, accepted turn log, time and trust. Preferences have their own local key. No accounts or cloud saves.
- Current: generation counsel and responses are transient until the app applies a valid decision. No audio-upload route exists.
- Proposed: persist counsel drafts separately. Keep the AI candidate unscored until the player accepts it. Discard cancelled or superseded responses using a request ID.
- Proposed: refine counsel, request another interpretation or discard a mismatch before score commitment. A story refusal is a valid narrative outcome when action and explanation agree.
- Proposed: practice-only undo restores the complete prior route, log and time/trust. Scored voyages retain committed decisions.
- Text goes to local Ollama in this spike. Optional voice input/output may use browser or OS providers. A future cloud text endpoint changes the privacy disclosure.
- No invented confidence percentages. Show chosen action, rationale and sources. Narrative sources explain adaptation, rather than proving a generated decision is correct.

F1 Start or resume a voyage

P2 Daniel / Current behavior with proposed practice option



New voyage with a save

S12 warns before replacing progress. Keep voyage returns to S01.

AI unavailable

S11 explains connection status. Start in labeled Story mode or check connection again.


Success: the player reaches a usable encounter without technical help.

Resume preserves the saved route, time, trust and log.

States: S01, S02, S03, S09, S11, S12

F2 Give counsel and review the AI decision

P1 Maya and P3 Rosa / Current input/result loop. Review checkpoint and cancel are proposed.



Cancel or request failure

Restore the draft. Preserve scene, score and trust. Retry, edit or explicitly use Story mode.

Mismatch or unclear advice

A1-UNCERTAIN: hold score. Refine counsel, request a fresh interpretation or discard.


Current code applies a valid decision immediately. The proposed checkpoint separates candidate generation from score commitment.

LLM structure validation cannot prove meaning. User-reported mismatch and ambiguous counsel enter review without invented confidence numbers.

States: A1-INITIAL, A1-LOADING, A1-SUCCESS, A1-UNCERTAIN, A1-ERROR

F3 Dictate and correct counsel

P2 Daniel / Current editable transcript and typing alternative. Uncertainty warning proposed.



Permission/service failure

Missing or suspicious words

Permission/service failure

Show a specific message. Preserve existing text. Retry dictation or Type instead.

Missing or suspicious words

Keep the draft. Highlight review instruction. Edit, re-record or type.


Send stays unavailable during an active dictation session.

Voice never submits counsel automatically.

States: A2-INITIAL, A2-LOADING, A2-SUCCESS, A2-UNCERTAIN, A2-ERROR

F4 Recover from a failed or questionable result

P1 Maya and P3 Rosa / Current error retry/fallback. Candidate review and discard are proposed.



Poor or empty result

Empty/invalid JSON is an error. A plausible but wrong or harmful reply enters review. A detected policy issue should never display a scored result.

Rate limit or service offline

Recheck connection, wait, use Story mode or leave with the draft intact. Repeated retry does not advance time.


A 429 response is covered by existing error mapping but was not induced against the local provider.

Malformed JSON and missing model are real provider failure tests in this spike.

States: A1-ERROR, A1-UNCERTAIN, S11

F5 Explain a consequence and finish the voyage

P1 Maya, P2 Daniel and P3 Rosa / Current explanations, route and report. Practice undo proposed.



Explanation seems inconsistent

Current: no reversal control. Proposed review before commitment prevents a disputed score, and practice log offers one-turn undo.

Report reached

Show elapsed time, final trust and costly choices. Open log, return to title or confirm a new voyage.

A safe route can shorten the journey at the wind bag or cattle. The map must follow the saved route.

A scored voyage retains committed choices. Practice undo restores route changes as well as numeric values.

States: S03, S07, S08, S10, S04

Edge cases and recovery

EC1-EC3

Scenario / states	Recovery	Evidence
EC1 Service unavailable / timeout / rate limit A1-ERROR, F4	Retain counsel and unchanged score. Recheck, retry, edit or choose Story mode explicitly. Cancel long waits.	Real E2 missing model and E3 client timeout. 429 mapping exists but is unmeasured.
EC2 Wrong / empty / contradictory output A1-UNCERTAIN or A1-ERROR, F2/F4	Reject empty or malformed structure. Hold a questionable candidate for review. Explain action and evidence without a percentage.	Fresh manual sample review plus the archived September 23 wind-bag contradiction.
EC3 Invalid or unsupported player input A1-INITIAL, F2	Inline 3-800 character instruction. Keep input editable. Do not call the model until valid.	E4 returns HTTP 400 before provider contact.

Edge cases and recovery

EC4-EC6

Scenario / states	Recovery	Evidence
EC4 Speech permission, silence or provider failure A2-ERROR, F3	Name the microphone/service issue. Preserve draft. Offer retry or typing.	Current error paths and automated checks. No new microphone test.
EC5 Biased or inappropriate generated reply A1-UNCERTAIN, F4	Proposed flag-and-discard control. Hide a detected harmful reply behind review, keep score unchanged and offer Story mode.	A design requirement. No validated content moderation system exists.
EC6 Save unavailable or reload during a turn S03, F1/F2	Current warning for save failure. Proposed persist only accepted state, retain draft separately and discard late response after cancel.	Current localStorage persistence. Draft persistence and cancellation tokens are proposed.

AI states and wireframe coverage

Every site-map screen and all five states for each AI/voice feature

Feature	Initial	Loading	Success	Uncertain	Error
A1 Llama interpretation	W03	W04	W05	W06	W07
A2 Speech input	W17	W18	W19	W20	W21
A3 Spoken replies	W22	W23	W24	W25	W26

Screen coverage

S01 W01, S02 W02, S03 W03-W07 + W17-W26, S04 W08, S05 W09, S06 W10, S07 W11, S08 W12, S09 W13, S10 W14, S11 W15, S12 W16.

Annotations identify flow, state and current/proposed scope. Browser speech is an assistive service with an unspecified provider, not an implemented faster-whisper or Piper model.

Low-fidelity wireframes

W01 and W02

W01 Title

Initial / saved voyage / F1

FARSHORE

Title artwork placeholder

Reach Ithaca before 240 total months

Begin voyage / Resume voyage

New voyage / Characters / How to play

Story & sources / Settings

Current

Resume appears when a valid save exists. New voyage opens S12 before overwriting progress. Primary action stays easy to find.

W02 Story introduction

Reading / skip / F1

Story introduction - part 1 of 6

Scene placeholder

Short story passage and speaker

Part indicators 1 2 3 4 5 6

Back / Next / Skip introduction

Current

Keyboard next/back and skip lead to S03. Replaying the introduction preserves the voyage.

Low-fidelity wireframes

W03 and W04

W03 Encounter / A1

A1-INITIAL / F2

- Time 120/240 months Trust 50/100
- Current shore and Odysseus
- Scene problem and Odysseus' words
- AI dialogue / Story mode label
- Your counsel, 3-800 characters
- Dictate / Send counsel
- Map / Log / Characters / Help / Settings

W04 Encounter / A1

A1-LOADING / F2

- Time and trust remain unchanged
- Odysseus considering counsel
- Thinking - elapsed time shown
- Local model may take several seconds
- Your draft remains visible, locked
- Cancel and keep counsel
- After 10s: offer explicit Story mode path

Current

Empty input includes an example, character count and keyboard shortcut. Invalid input stays inline and never calls the model.

Proposed improvement

Current UI has Thinking and a brief message. Proposed elapsed time and cancel address measured waits. Discard late replies by request ID.

Low-fidelity wireframes

W05 and W06

W05 Encounter / A1

A1-SUCCESS / F2/F5

- AI interpretation - review before scoring
- Chosen action: Keep the wind bag sealed
- Odysseus' reply and short rationale
- Preview: +2 months, +12 trust
- Accept decision / Refine counsel
- Report mismatch / Read source
- After Accept: Next shore and saved log

Proposed review checkpoint

Current app commits immediately. Proposed review presents one unscored candidate. Only Accept applies score once. Sources support story context, not model certainty.

W06 Encounter / A1

A1-UNCERTAIN / F2/F4

- Review this interpretation
- Your advice or the reply may be unclear
- Check chosen action against your counsel
- Original counsel, editable
- Refine and retry / Discard result
- Use Story mode / Read source
- Time and trust unchanged

Proposed

User-reported mismatch or ambiguous counsel triggers this state. No fabricated confidence percentage. No proven automatic semantic detector is claimed.

Low-fidelity wireframes

W07 and W08

W07 Encounter / A1

A1-ERROR / F4

- The model could not reply
- Specific connection, timeout or reply issue
- Original counsel retained
- Try AI again / Edit counsel
- Send in Story mode / Settings
- No score or route change

Current recovery + proposed cancel

Distinguish transport failure from poor meaning. Story mode requires a deliberate choice and remains labeled scripted.

W08 Journey report

Win / time limit / F5

- Ithaca reached / Time challenge ended
- Elapsed months, final trust
- Advice followed and costly choices
- Read captain's log
- Return to title / New voyage

Current

The report derives from accepted turns. At 240 months the time challenge ends. New voyage requires S12 confirmation.

Low-fidelity wireframes

W09 and W10

W09 Pause overlay

Open / F1/F5

- Voyage paused
- Resume voyage
- Voyage map / Characters
- Settings / Return to title
- New voyage

Current

Close returns focus to Pause. Proposed pending-turn rule requires explicit cancel or waiting before navigation.

W10 Characters overlay

Selected character / F1/F5

- Gods, mortals and monsters
- Selectable character portrait grid
- Name, identity and source books
- Short character notes
- Close and return to encounter

Current

Character content is authored. Selection works with keyboard and touch. No model-generated biography.

Low-fidelity wireframes

W11 and W12

W11 Voyage map overlay

Selected shore / F5

- The way home
- Route map and shore markers
- Zoom in / Zoom out / Current shore
- Selected shore, visit progress
- Source note and illustrative location label
- Close

Current

Show the actual saved branch. Mark legendary locations as illustrative. Selection is independent of game progression.

W12 Captain's log overlay

Entries / empty / F5

- Captain's log
- Empty: Your voyage has no decisions yet
- Entry: counsel, reply and rationale
- AI/scripted source, time and trust delta
- Practice only: Undo last accepted turn
- Close

Current + proposed practice undo

Current log is read-only. Proposed undo is practice-only and restores the full prior route and save, including branch changes.

Low-fidelity wireframes

W13 and W14

W13 How to play overlay

Open / F1

How to play

You advise. Odysseus decides.

Read the scene, send counsel, learn why

Time starts at 120; finish below 240

Replay introduction / Story sources

Return to voyage

Current

Explain that refusal is part of the story. It should remain distinguishable from a contradictory AI interpretation.

W14 Story and sources overlay

Open / F5

The story behind Farshore

Homer's account and game adaptation

Primary text and book references

Map and original art notes

Open source / Download guide / Close

Current

External links open only on user action. Do not present game penalties or alternate events as Homer's account.

Low-fidelity wireframes

W15 and W16

W15 Settings overlay

Available / disconnected / F1/F4

Game settings

Story mode: scripted and ready

AI dialogue: model status and recheck

Choose mode / Check connection again

Sound, volumes, read replies aloud

Instant dialogue and scene motion

Voice privacy and local save notice

Done

Current

Connection status checks the catalog without generating text. AI mode is disabled when unavailable. Typing and Story mode remain accessible.

W16 New voyage confirmation

Pending confirmation / F1/F5

A new voyage?

This replaces the saved voyage on this device

Keep my voyage / Begin a new voyage

Current

Name the local save consequence before the action. Cancel preserves everything. Practice mode is a separate proposed setting.

Low-fidelity wireframes

W17 and W18

W17 Speech input / A2

A2-INITIAL / F3

Your counsel

Type here or choose Dictate

Audio may use a browser/OS speech service

Dictate / Voice typing guidance

Send reviewed counsel

Current

Offer typing immediately. Windows + H guidance does not claim the website can open the OS panel.

W18 Speech input / A2

A2-LOADING / F3

Starting dictation / Listening

Allow microphone, then speak

Keep existing counsel visible

Cancel start / Stop listening

Send unavailable until dictation ends

Current

Actual transcript timing is unmeasured. Use live service events and existing start/listening deadlines, with no invented percent progress.

Low-fidelity wireframes

W19 and W20

W19 Speech input / A2

A2-SUCCESS / F3

Review your transcript

Recognized words, editable

Check names and negation before sending

Dictate again / Send counsel

W20 Speech input / A2

A2-UNCERTAIN / F3

Check these words

Transcript requiring player review

A missing word can change your advice

Edit text / Re-record / Type instead

Confirm transcript and send

Current

Speech input never triggers an automatic game turn. Edits feed the same text path as typing.

Proposed

Use a player correction or unsupported/unusable transcript as the signal. Browser confidence values are not established for this setup.

Low-fidelity wireframes

W21 and W22

W21 Speech input / A2

A2-ERROR / F3

Speech could not start

Microphone / network / silence message

Existing counsel stays intact

Try dictation again / Type instead

Current

Name permission failure separately from no speech and network failure. No score change and no model call.

W22 Spoken reply / A3

A3-INITIAL / F2/F5

Read replies aloud: Off

Text result stays available

Enable browser voice

Voice service depends on browser/OS

Current

Opt-in speech and text remain separate. The voice feature does not analyze the player's emotions.

Low-fidelity wireframes

W23 and W24

W23 Spoken reply / A3

A3-LOADING / F2/F5

- Preparing spoken reply
- Full written reply already visible
- Stop reading / Continue silently
- Game controls stay available

Proposed

Voice loading never blocks the score result or text navigation. Cancel playback if the user advances.

W24 Spoken reply / A3

A3-SUCCESS / F2/F5

- Odysseus is speaking
- Written reply and rationale
- Stop reading / Read again
- Next shore

Current + proposed replay controls

Current speech plays the result. Visible stop/replay controls are proposed. Reduce background music while speech plays.

Low-fidelity wireframes

W25 and W26

W25 Spoken reply / A3

A3-UNCERTAIN / F2/F5

- Check the selected voice
- Pronunciation may differ from the text
- Written reply is the game record
- Replay / Turn voice off / Settings

Proposed

This is a voice-quality review state, not an LLM confidence score. Audio never changes the underlying decision.

W26 Spoken reply / A3

A3-ERROR / F2/F5

- Spoken reply unavailable
- Continue reading the written result
- Retry voice / Turn voice off
- Next shore

Proposed

Current playback errors clear the speaking flag. Proposed message provides visible recovery without regenerating the AI decision.

Technical spike findings

Six measured calls and explicit failure boundaries

Minimum 8.87s Average 26.36s Maximum 38.43s

Sample	Latency	Analytic review
S1 Supportive safe counsel	38.426 s	Leaves the lotus shore as requested. Reply and safeChoice agree.
S2 Negation with safe counsel	28.948 s	Correctly handles do not open. Rationale is loosely expressed but the chosen action is clear.
S3 Polite dangerous counsel	8.867 s	Chooses the requested risky opening. Polite danger is not automatically safe. Direct tone is arguable.
S4 Direct safe counsel	25.425 s	Chooses silence as requested, but followed=false. Supportive tone is also questionable for these imperatives.
S5 Motivated safe counsel in another scene	29.379 s	Asks Circe and prepares departure as requested, but followed=false.
S6 Ambiguous advice with no chosen action	27.135 s	The player requests no definite action. followed=true contradicts the prompt's no-action rule. Tone does not acknowledge uncertainty.

Six replies passed schema validation. S4, S5 and S6 disagree about whether advice was followed. This small run is not a general accuracy estimate. See the separate one-page summary and raw JSON.

Spike method, limitations and design response

Evidence supports latency-aware feedback and a review checkpoint

- Run: September 30, 2026. Llama 3.2 3B Q4_K_M, Ollama 0.21.0, local CPU, 4096-token runtime context. Temperature 0.2, 450 output-token cap, no streaming.
- Machine: Intel Core Ultra 5 125H, 15.68 GiB total RAM, 2.12 GiB free at the start. No model was loaded before S1. The first measured call includes loading.
- Method: six sequential requests through the production adapter from a standalone script. Record raw model outputs and final adapter responses. No repeat/concurrency study.
- Real model-service failures: malformed JSON returned HTTP 400 (unexpected EOF). Missing model returned HTTP 404. A 1ms client deadline raised TimeoutError without a received model response.
- Invalid player input returned app HTTP 400 before provider contact. No 429 appeared. Local quota thresholds, browser microphone timing and sustained load are unmeasured.
- This loopback experiment used no billed inference API. Hardware, electricity, browser speech and future cloud costs are unmeasured.
- Proposed UI response: elapsed wait and cancel, retained counsel and explicit Story fallback, and unscored candidate review for semantic disagreement. Keep Llama provisionally while testing decision flags.

Presentation and submission

Twelve slides with a 600-second speaking plan

The main presentation covers personas, architecture, data flow, task diagrams, AI states, measurements and design changes. Speaker notes contain the timing and source references. Keep Q&A separate: the brief allows 3-5 minutes.

Human review still required

- Review the contribution statement and add actual personal/collaborator work accurately. AI assistance is disclosed. No agreed team attestation is asserted.
- Collect actual peer critique and record feedback plus your design response. The supplied files do not contain completed critique.
- Persona references remain provisional until actual research evidence is supplied. Solo exception approval is not documented.
- The brief schedules spike/critique for the week of September 28 and presentations for the week of October 5. All deliverables are due by the end of that week. No specific submission hour is given.

Sources and editable files

Primary assignment and repository evidence

Assignment authority - ../original/CMPS_4200_HCI_Phase_2_Project_Requirements.pdf

Pages 1-3. Architecture 20%, flows 30%, wireframes 30%, spike 10%, presentation 10%.

Phase 1 persona source - ../original/Farshore_Phase12nd.pptx

Slide 4. Maya, Daniel and Rosa are sketches. Six interviews were planned, not evidenced.

Current UI - ../../../../src/App.tsx

Screen/modal inventory, current loading, errors, input review and immediate commitment.

Current model adapter - ../../../../server/turn.ts

Actual prompt, schema, error mapping and server-controlled scoring.

Current speech adapter - ../../../../src/lib/dictation.ts

Browser/Windows paths, typed fallback and timing limits.

Sources and editable files

Experiment evidence and official documentation

Archived model evidence - ../../AI-VERIFICATION.md

September 23-26 observations and a known semantic contradiction.

Fresh model evidence - evidence/spike-2026-09-30.json

Raw provider responses, adapter results, measured timings and manual review.

Ollama compatible API - https://docs.ollama.com/api/openai-compatibility

Official API reference, accessed September 30, 2026. Local key is ignored.

Ollama structured outputs - https://docs.ollama.com/capabilities/structured-outputs

Official schema documentation, accessed September 30, 2026.

Browser speech behavior - https://developer.mozilla.org/en-US/docs/Web/API/SpeechRecognition

Speech service may use a remote recognition engine, accessed September 30, 2026.