Rave Generation

presents



ASRFX

User Manual

1. Overview

ASRFX is modeled on the effects section of the Ensoniq ASR-10 sampler. It recreates the ASR-10's 63 effects, the 50 from its ROM and the 13 from its OS disk, each with its four factory variations (252 in all), with the settings its firmware specifies for every parameter.

Every parameter of the loaded effect has its own knob on one panel, named as on the ASR-10's display. The effects' modulation follows MIDI: notes, velocity, mod wheel, pitch bend, pressure, pedal, sustain, footswitch, patch select and a CC of your choice.

2. Signal Flow

INPUT → INPUT BUS → EFFECT → OUTPUT

The stereo input feeds one of the effect's three input buses. The effect sets the balance of dry signal and effect itself, with its MIX, WET and DRY parameters.

Each effect runs at its original rate, 30 or 44 kHz; ASRFX converts to and from your project's sample rate. It delays its output by about 3 ms and reports this to your DAW, so its delay compensation keeps every track in time.

3. The Panel

EFFECT

The seven keys pick a group: Reverb, Delay, Modulation, Drive, Pitch, Dynamics and EQ, each with its number of effects. Click an effect in the list below them to load it with its first variation. The lights show the loaded effect and its group.

VARIATION

The four keys load the effect's factory variations onto the knobs. A variation's light stays on while the knobs hold its settings; turn a knob and the light goes off and the display shows EDITED. Click the variation again to return to its settings.

INPUT BUS

Feeds the input into the effect's first, second or third bus. The keys show the bus names, which tell where each bus goes in the effect: CHORUS+REVRB, JUST REVERB or DRY, for example.

Display

Shows the loaded effect and the rate it runs at, the variation the knobs hold (or EDITED) and the input bus.

PARAMETERS

One knob for every parameter of the loaded effect, up to 61, in the original's order. The name sits above the knob and the value below it, as the original displays it: 13 MSEC, WHEEL, ON. Long names are shortened to fit, such as REV for REVERB and FDBK for FEEDBACK.

The small number beside a knob is its number in your DAW: knob 12 is Param 12 in the automation list. Knobs for a choice, such as a switch or a modulation source, step through their positions.

MOD Routings

Many effects have MOD routings. MOD SRC picks the source (see MIDI below), DST the parameter it moves, shown by name, and MIN and MAX the values that parameter takes with the source at its lowest and its highest. Other effects have modulation with a fixed target, such as FILTER MOD or FAST-SLOW SW: their value is the source.

XCTRL CC

The MIDI CC that the XCTRL source follows, 0 to 119. Click it to choose from the list. Default 16.

Knobs

Hold Shift while dragging a knob for fine adjustment.

Menu Bar

Undo and Redo; the panel's opacity, 0% to 100%, to see the DAW behind it; the interface size, 70% to 200%; and the preset menu, which loads and saves presets and copies and pastes them between instances.

4. MIDI

ASRFX takes MIDI on any channel. Send MIDI to it from your DAW to drive the modulation sources:

Source	MIDI
WHEEL	Mod wheel, CC1
PBEND	Pitch bend
PRESS	Channel or key pressure
PEDAL	Foot controller, CC4
XCTRL	The XCTRL CC, CC16 by default
KBD	The key of the last note
VEL	The velocity of the last note
KEYDN	A trigger on every new note
SUSTN	Sustain pedal, CC64
FSW-L	CC66
PATCH	CC70
OFF	No modulation

5. Effects

Every effect with its four variations. Effects whose name starts with 44 run at 44 kHz, the others at 30 kHz.

Reverb	Variations
HALL REVERB	FAVORITE REVERB, SHORT REVERB, MEDIUM REVERB, LONG REVERB
44KHZ REVERB	FAVORITE REVERB, SHORT REVERB, MEDIUM REVERB, LONG REVERB
ROOM REVERB	SMALL ROOM, BRIGHT ROOM, DARK CHAMBER, SHORT AMBIENCE
SMALL ROOM	WOOD ROOM, FAT AMBIENCE, BATHROOM, TILED ROOM
LARGE ROOM	GREAT ROOM, HIGH CEILINGS, STONE ROOM, JET HANGAR
HALL REVERB2	SOUNDSTAGE, CATHEDRAL, CONCERT HALL, ARENA
SMALL PLATE	SHORT PLATE, CLASSIC PLATE, SLAMMIN, IN EXCESS
LARGE PLATE	BALLAD REV, BRIGHT PLATE, SHORT PLATE, SPLASH
44LUSH PLATE	LUSH REVERB, STANDARD REVERB, MEDIUM REVERB, LONG REVERB
44LUSH PLAT2	LUSH REVERB, STANDARD REVERB, MEDIUM REVERB, LONG REVERB
44PERC PLATE	AMBIENT REVERB, SLAP REVERB, SHORT REVERB, PERC REVERB
44EQ+REVERB	LUSH REVERB, STANDARD REVERB, MEDIUM REVERB, LONG REVERB
REVRSE REVRB	SLAP BACK, DOUBLER, CHOPPED, SUSPENDED
REVRSE REVB2	RETRIGGER, FX GATE, FADE IN, FADE OUT
GATED REVERB	DRUM GATE, VOCAL GATE, SLAP GATE, TECHNO GATE
NLIN REVRB 1	SMOOTH, DIMENSIONS, EARLY REFS, FOR KICKS
NLIN REVRB 2	HUGE NON LIN, BOOM ROOM, ECHOES, NOT FOR DRUMS
NLIN REVRB 3	THE REAL THING, KICK LIN, HORN STABS, BRICK ROOM

Delay	Variations
44KHZ DELAYS	STEREO BOUNCE, INFINITE LOOP, SLAP, TWIN PEAKS
DUAL DELAYS	STEREO BOUNCE, INFINITE LOOP, SLAP, TWIN PEAKS
MULTITAP DDL	VOCAL DELAYS, MULTI MAN, FOUR ACROSS, FAST ACROSS
EQ+DELAY LFO	WIDE SPREAD, PING PONG, SLAPS, DAMPED
44EQ+DDL	LEFT RIGHT CENTR, SLAP ECHOES, WHEEL ECHO, RHYTHMIC ECHOES
PARALLEL EFX	WAVEBOY DEFAULTS, DELAY+LARGE HALL, SMALLER SPACES, FLANGER+AMBIENCE



Modulation	Variations
CHORUS+REVRB	WARM CHORUS, ETHEREAL WASH, WIDE POLICE, WHEEL-MIX CHORUS
CHOR+REV+DDL	WARM CHORUS, FAT CHORUS, WIDE POLICE, WHEEL-DELAY
8-VOICE CHOR	WET CHORUS, FUSION BASS, CLASSIC CHORUS, CHORUS N DELAY
EQ+CHOR+DDL	SMOOTH DELAYS, SLAP CHORUS, ORGAN CHORUS, WIDE SPACE
44DDL+CHORUS	PING PONG CHORUS, FAT CHORUS, ORGAN VIBRATO, CLOCKWORK PIANO
44DDL+CH+REV	SWIRLING CHORUS, DDL+SLOW CHORUS, FLANGED CHORUS, WARM CHORUS
44EQ+DDL+CHO	SWIRLING CHORUS, DDL+SLOW CHORUS, FLANGED CHORUS, WARM CHORUS
44DLYLFO+REV	PING PONG CHORUS, SIDE TO SIDE, DETUNER, WHEEL WOW
FLANGER+REV	MEDIUM FLANGE, BRIGHT FLANGE, DEEP FLANGE, FAST FLANGE
EQ+FLNGR+DDL	PAN A FLANGE, KEYS FLANGE, PSYCHO FLANGE, SAMPLE AND HOLD
PHASER+REVRB	MEDIUM PHASE, BRIGHT PHASE, DEEP PHASE, FAST PHASE
PHASER+DDL	JUST A PHASE, CLAV PHASE, SUBTLE PHASE, WILD SOLO
EQ+VIBR+DDL	BLUE FLANGER, ORGAN VIBRATO, ANIMATOR, WILD VIBE
EQ+TREM+DDL	ROADS TREM, GUITAR TREM, SOLO TREM DDL, FILM FX
ROT.SPKR+REV	ROTORY OVERDRIVE, CLEAN 122, PRESSURE SWITCH, PATCH SEL SWITCH
44EQ+ROT+DDL	PATCH SELECT, MOD WHEEL, TREMOLO PATCH, VIBRATO PATCH
44ROTO+REVRB	PATCH SELECT, MOD WHEEL, TREMOLO PATCH, VIBRATO PATCH

Drive	Variations
VCF+DISTORT	TOUCH WOW, SOLO VCF, JIMI WAH, SYNTH FILTER
WAH+DIST+REV	SUMPN FOR NUTHIN, JERRYS PATCH, DOWN TIME, MUTRON LIVES
CMP+DIST+REV	SCREAMING LEAD, TUBE AMP IN ROOM, NUTHER VARIATION, WHEEL FEEDBACK
DIST+CHO+REV	SERIAL DIST+CHOR, PARALLEL EFFECTS, TRACKING FILTER, WAH-WAH ON PEDAL
GUITAR AMP1	POWER CHORDS, WOODSTOCK LEAD, MED CRUNCH, PUNCHY 12-INCH
GUITAR AMP2	COUNTRIFIED, TEXAS DIRT, OL BLUESY, SINGING SOLO
GUITAR AMP3	CLEAN AMP, LEAD SUSTAIN, VINTAGE TUBES, PRACTICE AMP
SPKR CABINET	4-12 GUITAR AMP, OPEN BACK AMP, AMP+DIRECT, STEREO ENHANCER
TUNABLE SPKR	BRITISH CLASSIC, 60S CAR RADIO, STRAIGHT SPKR, MID BOOST

Pitch	Variations
PITCH SHIFT	VOCAL SPREAD, WIDE SPREAD, VIBRATO SHIFT, PAIN
PITCH+DDL	CHIME FX, TAPE STOP FX, HOLY ASCEND DDL, CARTOON
FAST PITCHSH	SPREADER, DETUNE LFO, STRUNG OUT, OUT OF HAND

Dynamics	Variations
EQ+CMPRESSOR	VOCAL COMPRESSR, BASS COMPRESSOR, PEAK LIMITER, LIMITER
EXPANDER	NOISE GATE, MORE DYNAMICS, HYPER DYNAMICS, GUITAR EXPANDER
KEYED EXPNDR	TRIGGER GATE, PAD SHAPER, NO MIX TRIGGER, NO MIX SHAPER
INVRS EXPNDR	VOC SMOOTHER, REVERB SMOOTHER, GTR SMOOTHER, ULTRA SQUASH
DE-ESSER	HEAVY DE-ESSER, MILD DE-ESSER, MIDRANGE STRESS, MALE DE-ESSER
DUCKER	HEAVY, LIGHT, SLOW, FAST

EQ	Variations
PARAM EQ	LA CURVE, HYPED VOCALS, BASS BOOST, ASR SWEETENER
44PARAM EQ	LA CURVE, HYPED VOCALS, BASS BOOST, ASR SWEETENER
RUMBLE FILTR	LOW CUT, HI CUT, PHONE, INTERCOM
VAN DER POL	EXCITER, SIXTIES CURVE, HYPED CURVE, SERIOUS BOTTOM

Support

For technical support, updates, and additional information:

Website: ravegeneration.io

Email: support@ravegeneration.io

© 2026 Rave Generation. All rights reserved.

All product names, trademarks and registered trademarks are the property of their respective owners. Names are used only to identify hardware and software studied during the development of this plugin, and do not imply any affiliation with, endorsement by, sponsorship by or licensing from the trademark holders.