

**Question 1**

What do the following two code segments print for the cases  $x = 1$  and  $x = 10$ ?

i)	<pre>while (x &gt; 1) {     printf("%d", x);     x--; }</pre>	ii)	<pre>do {     printf("%d", x);     x--; } while (x &gt; 1);</pre>
----	---	-----	---

**Question 2**

- i) Write a C program to enter 4 module marks of a student from the keyboard and display the total of all four module marks.
- ii) Modify the program written in i) above to enter 4 module marks of 3 students and display their total marks.
- iii) Display the student with the highest total mark.

**Question 3**

Write a C++ program using *for* loops to display the following pattern on the screen.

```
*  
**  
***  
****  
*****  
*****  
*****  
*****  
*****  
***  
*
```

## Additional Exercises

### Question 1

Write for statements that print the following sequences of values

- a) 1, 2, 3, 4, 5, 6, 7
- b) 3, 8, 13, 18, 23
- c) 20, 14, 8, 2, -4, -10

### Question 2

A program is needed for Black Cabs Transport Company, to calculate the total amount a particular customer should pay for a given trip. The services provided by the cab service company are listed below.

Package No	Package Name
1	Comfort Journey
2	Budget cab Journey
3	Crowded Journey – Dual A/C
4	Crowded Journey – Single A/C

For *comfort Journey package*, Rs.150.00 is charged for the first kilometer and for each additional kilometer, Rs.175.00 will be charged. For a *Budget cab Journey package* each kilometer is charged at Rs. 100.00. For a *Crowded Journey – Dual A/C package* the first kilometer is charged at Rs. 130.00 and each remaining kilometer is charged at Rs.150.00. If the customer selected *Crowded Journey – Single A/C package*, the first kilometer is charged at Rs120.00 and for each remaining kilometer is charged at Rs. 130.00.

- (a) Write a C program to input the **package no** and **total distance of the tour in Kilometers** through the keyboard. The program should display corresponding total amount that the customer has to pay. (Hint: use nested selection statements.)

Ex: Package No: 2  
Total Distance: 5 Km  
Total Amount: Rs. 500

- (b) Modify your program to display an error message “Invalid Package Number” if the user inputs a wrong package number.
- (c) Modify the program to handle many customers. After displaying the total amount to pay by the first customer, your program should display the prompt “**Do you have more customers?**” If the user inputs “y” or “Y”, program should ask for the package no and total distance of the next customer. If the user inputs “n” or “N” program should terminate.