
Step by step guide to install Conda and Visomaster for RTX 50xx series

Prerequisite:


Install GIT: https://git-scm.com/downloads/win

Install Miniconda: https://www.anaconda.com/download/success



Installing Visomaster:

Execute the Anaconda prompt from the start menu shortcut. Navigate to the desired install folder:



Clone the GIT repository and navigate to VisoMaster folder:

- → git clone https://github.com/visomaster/VisoMaster.git
- → cd VisoMaster

```
(base) D:\rcd "Install guide"

(base) D:\Install guide>git clone https://github.com/visomaster/VisoMaster.git
Cloning into 'VisoMaster'...
remote: Enumerating objects: 3850, done.
remote: Counting objects: 100% (1052/1052), done.
remote: Compressing objects: 100% (139/139), done.
remote: Total 3850 (delta 985), reused 913 (delta 913), pack-reused 2798 (from 1)
Receiving objects: 100% (3850/3850), 23.05 MiB | 28.14 MiB/s, done.
Resolving deltas: 100% (2501/2501), done.

(base) D:\Install guide>cd VisoMaster

(base) D:\Install guide\VisoMaster>
```

If necessary, accept the ToS from Anaconda:

- → conda tos accept --override-channels --channel https://repo.anaconda.com/pkgs/main
- → conda tos accept --override-channels --channel https://repo.anaconda.com/pkgs/r
- → conda tos accept --override-channels --channel https://repo.anaconda.com/pkgs/msys2

```
CondaToSNonInteractiveError: Terms of Service have not been accepted for the following channels. Please accept or remove them before proceeding:

• https://repo.anaconda.com/pkgs/main

• https://repo.anaconda.com/pkgs/msys2

To accept a channel's Terms of Service, run the following and replace `CHANNEL` with the channel name/URL:

• conda tos accept --override-channels --channel CHANNEL

To remove channels with rejected Terms of Service, run the following and replace `CHANNEL` with the channel name/URL:

• conda config --remove channels CHANNEL


(base) D:\Install guide\VisoMaster>conda tos accept --override-channels --channel https://repo.anaconda.com/pkgs/main accepted Terms of Service for <a href="https://repo.anaconda.com/pkgs/main">https://repo.anaconda.com/pkgs/main</a>

(base) D:\Install guide\VisoMaster>conda tos accept --override-channels --channel https://repo.anaconda.com/pkgs/r accepted Terms of Service for <a href="https://repo.anaconda.com/pkgs/r">https://repo.anaconda.com/pkgs/r</a>

(base) D:\Install guide\VisoMaster>conda tos accept --override-channels --channel https://repo.anaconda.com/pkgs/msys2 accepted Terms of Service for <a href="https://repo.anaconda.com/pkgs/msys2">https://repo.anaconda.com/pkgs/msys2</a>
```

Update conda:

→ conda update -n base -c defaults conda



Create the new environment for VisoMaster:

→ conda create -n visomaster python=3.11.13 -y

```
(base) D:\Install guide\VisoMaster>conda create -n visomaster python=3.11.13 -y 3 channel Terms of Service accepted
Channels:
- defaults
Platform: win-64
Collecting package metadata (repodata.json): done
Solving environment: done
```

Activate the new environment:

→ conda activate visomaster

```
Anaconda Prompt-conda de × + v

(base) D:\Install guide\VisoMaster>conda activate VisoMaster

(VisoMaster) D:\Install guide\VisoMaster>
```

Install CUDA requirements:

→ conda install -c nvidia/label/cuda-12.9.1 cuda-runtime

```
(base) D:\Install guide\VisoMaster>conda activate VisoMaster

(VisoMaster) D:\Install guide\VisoMaster>conda install -c nvidia/label/cuda-12.9.0 cuda-runtime 3 channel Terms of Service accepted

Channels:

- nvidia/label/cuda-12.9.0

- defaults

Platform: win-64

Collecting package metadata (repodata.json): done

Solving environment: done
```

→ conda install nvidia::cudnn cuda-version=12


```
(VisoMaster) D:\Install guide\VisoMaster>conda install nvidia::cudnn cuda-version=12
3 channel Terms of Service accepted
Channels:
- defaults
- nvidia
Platform: win-64
Collecting package metadata (repodata.json): done
Solving environment: done

## Package Plan ##

environment location: D:\Miniconda\envs\VisoMaster
```

Install CMAKE:

→ conda install cmake



Installing the requirements:

Download the requirements_rtx50.txt file from my repository and put it in your VisoMaster root folder: https://github.com/Elricfae/VisoMaster---Modded

Or manually create the file and write this list inside:

```
--extra-index-url https://download.pytorch.org/whl/cu129
--extra-index-url https://pypi.nvidia.com/
numpy
opency-python
pillow
scikit-image
onnx
protobuf
psutil
onnxruntime-gpu==1.22.0
packaging
PySide6
kornia
tensorrt==10.13.2.6
tensorrt-cu12_libs==10.13.2.6
tensorrt-cu12_bindings==10.13.2.6
torch==2.8.0+cu129
torchvision==0.23.0+cu129
torchaudio==2.8.0+cu129
tqdm
ftfy
regex
pyvirtualcam
numexpr
onnxsim
requests
pyqt-toast-notification
qdarkstyle
pyqtdarktheme
```

→ pip install -r requirements_rtx50.txt

```
Anaconda Prompt-conda de × + ×

(VisoMaster) D:\Install guide\VisoMaster>pip install -r requirements_rtx50.txt


Looking in indexes: https://pypi.org/simple, https://pypi.ngc.nvidia.com, https://download.pyt//pypi.nvidia.com/

Collecting numpy (from -r requirements_rtx50.txt (line 3))

Downloading numpy-2.3.2-cp313-cp313-win_amd64.whl.metadata (60 kB)
```

Download the models:

→ python download_models.py




Close the Anaconda Prompt.

Download FFMPEG:

 $\hspace{2.5cm} \hspace{2.5cm} \hspace{2.5cm} \hspace{2.5cm} \hspace{2.5cm} \hspace{2.5cm} \underline{\hspace{1.5cm}} \hspace{2.5cm} \underline{\hspace{1.5cm}}\hspace{2.5cm} \underline{\hspace{1.5cm}} \hspace{2.5cm} \underline{\hspace{1.5cm}} \hspace{2.5cm} \underline{\hspace{1.5cm}} \hspace{2.5cm} \underline{\hspace{1.5cm}} \hspace{2.5cm} \underline{\hspace{1.5cm}}\hspace{2.5cm} \underline{\hspace{1.5cm}}\hspace{2.5cm} \underline{\hspace{1.5cm}}\hspace{2.5cm} \underline{\hspace{1.5cm}}\hspace{2.5cm} \underline{\hspace{1.5cm}}\hspace{2.5cm} \underline{\hspace{1.5cm}}\hspace{2.5cm} \underline{\hspace{1.5cm}}\hspace{2.5cm} \underline{\hspace{1.5cm}}\hspace{2.5cm} \underline{\hspace{$

Extract the ffmpeg.exe file in the \VisoMaster\dependencies folder



Add the dependencies folder to the system PATH:

Open a command line prompt in administrator privilege (Windows Start menu \rightarrow Type cmd \rightarrow Right-click on the Command Prompt app \rightarrow Run as administrator) and type (replace D:\Install guide\VisoMaster\dependencies with your dependencies folder path):

→ setx /M Path "%Path%;D:\Install guide\VisoMaster\dependencies"

```
Administrateur: Invite de commandes

Microsoft Windows [version 10.0.26100.4946]
(c) Microsoft Corporation. Tous droits réservés.

C:\Windows\System32>setx /M Path "%Path%;D:\Install guide\VisoMaster\dependencies"

RÉUSSITE : la valeur spécifiée a été enregistrée.

C:\Windows\System32>
```


Launch VisoMaster:

Open the anaconda prompt and re-activate the VisoMaster environment:

→ conda activate visomaster

Navigate to the VisoMaster folder and launch VisoMaster:

→ python main.py



Enjoy:

