




1. Скачиваем инсталлятор репозитория:



```
raven@raven-None: /etc/apt/sources.list.d
GNU nano 7.2 mysql.list
## THIS FILE IS AUTOMATICALLY CONFIGURED ##
# You may comment out entries below, but any other modifications may be lost.
# Use command 'dpkg-reconfigure mysql-apt-config' as root for modifications.
deb [signed-by=/usr/share/keyrings/mysql-apt-config.gpg] http://repo.mysql.com/apt/ubuntu/ noble mysql-apt-config
deb [signed-by=/usr/share/keyrings/mysql-apt-config.gpg] http://repo.mysql.com/apt/ubuntu/ noble mysql-8.4-lts
deb [signed-by=/usr/share/keyrings/mysql-apt-config.gpg] http://repo.mysql.com/apt/ubuntu/ noble mysql-tools
deb-src [signed-by=/usr/share/keyrings/mysql-apt-config.gpg] http://repo.mysql.com/apt/ubuntu/ noble mysql-8.4-lts
```

После `sudo apt update` && `sudo apt upgrade`

```
raven@raven-None: ~
raven@raven-None:~$ sudo apt install mysql-server
Чтение списков пакетов... Готово
Построение дерева зависимостей... Готово
Информация о состоянии... Готово
Следующие пакеты устанавливались автоматически и больше не требуются:
python3-compose python3-docker python3-dockerpty python3-docker python3-dotenv python3-texttable
python3-websocket ubuntu-fan
Для их удаления используйте «sudo apt autoremove».
Будут установлены следующие дополнительные пакеты:
libmecab2 mecab-ipadic mecab-ipadic-utf8 mecab-utils mysql-client mysql-common mysql-community-client
mysql-community-client-core mysql-community-client-plugins mysql-community-server mysql-community-server-core
Следующие ДОПОЛНИТЕЛЬНЫЕ пакеты будут установлены:
libmecab2 mecab-ipadic mecab-ipadic-utf8 mecab-utils mysql-client mysql-common mysql-community-client
mysql-community-client-core mysql-community-client-plugins mysql-community-server mysql-community-server-core
mysql-server
Обновлено 0 пакетов, установлено 12 новых пакетов, для удаления отмечено 0 пакетов, и 0 пакетов не обновлено.
Необходимо скачать 36,6 МВ архивов.
После данной операции объём занятого дискового пространства возрастёт на 262 МВ.
Хотите продолжить? [Д/н]
```

```
raven@raven-None: ~
● mysql.service - MySQL Community Server
   Loaded: loaded (/usr/lib/systemd/system/mysql.service; enabled; preset: enabled)
   Active: active (running) since Sun 2024-08-04 16:34:32 +05; 1min 3s ago
     Docs: man:mysqld(8)
           http://dev.mysql.com/doc/refman/en/using-systemd.html
  Process: 1578 ExecStartPre=/usr/share/mysql-8.4/mysql-systemd-start pre (code=exited, status=0/SUCCESS)
 Main PID: 2014 (mysqld)
    Status: "Server is operational"
   Tasks: 34 (limit: 9389)
  Memory: 469.7M (peak: 483.2M)
     CPU: 2.271s
    CGroup: /system.slice/mysql.service
            └─2014 /usr/sbin/mysqld

авг 04 16:34:29 raven-None systemd[1]: Starting mysql.service - MySQL Community Server...
авг 04 16:34:32 raven-None systemd[1]: Started mysql.service - MySQL Community Server.
```

```
raven@raven-None: ~
raven@raven-None:~$ sudo snap install mysql-workbench-community
mysql-workbench-community 8.0.36 от Tonin Bolzan (tonybolzan) установлен
raven@raven-None:~$
```

