Project Report

Title: Child Care Product Website

BACHELOR OF TECHNOLOGY

Computer science and Engineering

Submitted to

Dr. Mohammad Faiz LOVELY PROFESSIONAL UNIVERSITY PHAGWARA, PUNJAB



SUBMITTED BY :- Ravi Kumar Reg. No:- 12205577 Roll -No:- 51

ACKNOWLEDGEMENT

| I would like to express my greatest appreciation to the all individuals |
|---|
| who have helped and supported me throughout the project. |
| I am thankful to my Internet Programming mam (Dr. Mohammad Faiz) |
| for her ongoing support during the project, from initial advice, and |
| encouragement, which led to the final report of this project. |

DESIGN AND SOURCE CODE:-

Main HTML Code

```
<!DOCTYPE html>
<html>
   <meta name="viewport" content="width=device-width, initial-scale=1">
<title>Child Care Products </title>
   <link rel="icon" href="images/title.png" type="image/x-icon">
   <link rel="stylesheet" href="aks.css">
   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
   <link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.1.0/css/font-awesome.min.css"</pre>
rel="stylesheet">
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.13.0/css/all.css">
 <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.13.0/css/v4-</pre>
shims.css">
</head>
   <body>
       <header>
   <div class="main">
       <div class="logo">
           <a href=#logo><img src="baby_care_fk1id.jpg"></a>
       </div>
       <u1>
           <a class="other" href="HOMEPAGE.html"><i class="fas fa-</pre>
home"></i> Chlidren's world</a>
           <a class="other" href="link1.html">Register</a>
           <a class="other" href="#">Login</a>
           <a class="other" href=#wishlist>Place Order <i class="fa fa-
heart"></i></a>
           <input class="search" type="search" placeholder="search a category/product or</pre>
brand">
           <i class="fa fa-search" aria-hidden="true"></i></i>
       <div><a href="#cart"></a>
       </div></div>
       </header><br><br></
<div class="main2">
   Age<1</li>
   class="pop">Age 4-7
```

```
Age 7-10
   Age 11-12
   Offer Zone
   </div>
      <center class="#trackorder"> <img src="WhatsApp Image 2022-11-26 at 11.13.42.jpg"</pre>
alt="Image" height="400px" width="900px"></center>
      <br><br><br>></pr>
      <div class="some">
      <l
         <i class="#"></i><br>End of season sale
      </br>
   </br>
   <div class="container">
      <div class="row">
        <div class="column">
       <h1>40%-80%</h1>
        <a href="">CAMPUS</a>
        </div>
        <div class="column">
          <h1>Upto 40%
          </h1>
          <a href="">CANTINE</a>
        </div>
        <div class="column">
          <h1>Flat 60%
         </h1>
          <a href="">LIBRARY</a>
          <h1>flat 50%</h1>
        </div>
      </div>
      </br><br><br><br><br><br></br></br>
      <footer>
         <h2 style="color: chocolate;font-family: fantasy">
Categories</h3>
               Company Info
               About Us
               Contact Us
               Payment Method
               Shop near you ?
```

```
<h2 style="color: chocolate;font-family: fantasy">
                                                      </h3>
         class="son">
           Leave a comment
         </br>
      </br>
    </br>
           Become our franchasie
           F.A.Qs
         <h2 style="color: chocolate;font-family: fantasy"></h3>

    </footer>
 </body>
/html>
```

Sub-Main HTML Code

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>seek coding</title>
   <link rel="stylesheet" href="link2.css">
   <!---we had linked our css file---->
<body>
   <div class="full-page">
       <div class="navbar">
          <div>
              <a href='website.html'>Seek Coding</a>
          </div>
           <nav>
              <a href='#'>Home</a>
                  <a href='#'>About Us</a>
                  <a href='#'>Services</a>
                  <a href='#'>Contact</a>
                  <button class='loginbtn' onclick="document.getElementById('login-</pre>
form').style.display='block'" style="width:auto;">Login</button>
              </nav>
       </div>
       <div id='login-form'class='login-page'>
           <div class="form-box">
              <div class='button-box'>
                  <div id='btn'></div>
                  <button type='button'onclick='login()'class='toggle-btn'>Log In
```

```
<button type='button'onclick='register()'class='toggle-</pre>
btn'>Register</button>
                </div>
                <form id='login' class='input-group-login'>
                    <input type='text'class='input-field'placeholder='Email Id' required >
            <input type='password'class='input-field'placeholder='Enter Password' required>
            <input type='checkbox'class='check-box'><span>Remember Password</span>
            <button type='submit'class='submit-btn'>Log in
         </form>
         <form id='register' class='input-group-register'>
             <input type='text'class='input-field'placeholder='First Name' required>
             <input type='text'class='input-field'placeholder='Last Name ' required>
             <input type='email'class='input-field'placeholder='Email Id' required>
             <input type='password'class='input-field'placeholder='Enter Password' required>
             <input type='password'class='input-field'placeholder='Confirm</pre>
Password'
           required>
             <input type='checkbox'class='check-box'><span>I agree to the terms
and
                                                      conditions</span>
                    <button type='submit'class='submit-btn'>Register
             </form>
            </div>
        </div>
    </div>
    <script>
        var x=document.getElementById('login');
        var y=document.getElementById('register');
        var z=document.getElementById('btn');
        var y=document.getElementById('register');
        var z=document.getElementById('btn');
        function register()
            x.style.left='-400px';
            y.style.left='50px';
            z.style.left='110px';
        function login()
            x.style.left='50px';
            y.style.left='450px';
            z.style.left='0px';
    </script>
    <script>
        var modal = document.getElementById('login-form');
       window.onclick = function(event)
            if (event.target == modal)
                modal.style.display = "none";
```

Main CSS Code

```
margin: 0;
    padding: 0;
    font-family: Century Gothic;
header{
    background-color: darkcyan;
    height: 100px;
    background-size: cover;
    background-position: center;
ul{
    float:right;
    list-style-type: none;
    margin-top: 25px
ul li{
    display: inline-block;
ul li a.other{
   text-decoration: none;
    color: #fff;
    padding: 5px 20px;
    border: 1px solid transparent;
    transition: 0.6s ease;
ul li a.other:hover{
    background-color: white;
    color: black;
ul li.active a{
     background-color: white;
    color: black;
.logo img{
    border: 1px solid black;
    border-radius: 50%;
    float: left;
    width: 150px;
```

```
height: auto;
.main{
    max-width: 1300px;
    margin:auto;
.main2{
   /* max-width: 1200px; */
    margin: auto;
    padding-left: 100px;
    padding-bottom: 15px;
    padding-right: 100px;
    background-color: khaki;
    background-size: cover;
    background-position: center;
    height: 50px;
.cr{
    display:inline-block;
    background: linear-gradient(30deg,salmon,palegreen,lightsalmon,pink);
    background-color:bisque;
    background-position: center;
    }
.rc{
    border: 3px;
    border-style:groove;
    border-radius: 9px;
    border-bottom-color: deeppink;
border-top-color: cyan;
      margin-left: auto;
    margin-right: auto;
        padding-left: 200px;
    padding-right: 200px;
.pop{
    padding-left: 60px;
    padding-right: 60px;
    font-size: 20px;
    font-style: normal;
    font-family: "Comic Sans MS",sans-serif;
hr.new1{
    border-top: 2px dashed #DC143C;
.new2{
    font-size: 30px;
    text-align: center;
    color: #DA70D6;
```

```
text-shadow:1px 1px #2E8B57;
.new3{
   font-size: 16px;
   text-align: center;
    color: #2F4F4F;
.pro{
   display: flex;
   justify-content: space-between;
   background-color: #FFF0F5;
   position:relative;
.cap{
     padding-left: 200px;
    padding-right: 200px;
   font-family: "Parkavenue", cursive;
   font-weight: bold;
   font-size: 20px;
   text-align: center;
    }
.mig
{border: 3px;
   border-style:groove;
   border-radius: 13px;
    border-bottom-color:mediumaquamarine;
border-top-color:mediumpurple;
.some{
      margin: auto;
   padding-left: 100px;
   padding-bottom: 15px;
   padding-right: 100px;
   background-position: center;
   height: 70px;
   background-color: #4682B4;
   display: inline-block;
   background-size: cover;
.pubg{
   font-family: "Ink Free", cursive;
   font-size: 30px;
   text-align: center;
   background-color:#FFF8DC;
   color: #FF4500;
   font-weight:bold;
   text-shadow:1px 1px #BC8F8F;
footer{
   display: block;
```

```
background: linear-gradient(90deg,#141E30,#243B55);
    height: 400px;
    background-size: cover;
    background-position: center;
    border-top-left-radius: 9px;
    border-bottom-right-radius: 9px;
    border-top: solid;
    border-top-style: double;
    border-top-color: darkorange;
    border-top-width: thick;
.son{
    display: inline-block;
.done{
    display: list-item;
    padding: 8px;
    font-family: monospace;
    font-size: 18px;
    color: cornsilk;
.end{
    margin: auto;
    padding-left: 70px;
    padding-right: 120px;
    padding-top: 30px;
a.oth{
    font-family: monospace;
a:visited{
   color: bisque;
    font-family: monospace;
    text-decoration:none;
    text-decoration-line: none;
a:link{
    text-decoration: none;
.container{
    width: 80%;
    margin: auto;
    margin-bottom: 30px;
 .container h2{
    color: #ff8800;
    text-align: center;
    margin: 30px;
```

```
font-family: 'Arial Narrow Bold', sans-serif;
   letter-spacing: 5px;
.container h2::before, .container h2::after{
   content: "----";
   letter-spacing: -5px;
   font-weight: lighter;
   margin: 0 20px 0 10px;
.container .row{
   display: flex;
   justify-content: space-between;
.container .column{
  width: 32%;
  height: auto;
   position: relative;
  overflow: hidden;
.container .column img{
   width: 100%;
   height: auto;
.container .column a:last-child{
  position: absolute;
  display: block;
  width: 100%;
  height: 0;
  top: 99%;
  bottom: 0;
   left: 0;
   bottom: 0;
   background-color: #ff8800c0;
  text-align: center;
   padding-top: 14vw;
   font-size: 3vw;
   color: #ffffff;
   text-decoration: none;
.container .column:hover a:last-child{
   height: 100%;
   top: 0;
```

Sub-Main CSS Code


```
margin: 0;
    padding: 0;
    box-sizing: border-box;
.full-page
    height: 100%;
    width: 100%;
    background-image: linear-gradient(rgba(0,0,0,0.4),rgba(0,0,0,0.4)),url(images/bg-2.jpg);
    background-position: center;
    background-size: cover;
    position: absolute;
.navbar
    display: flex;
    align-items: center;
    padding: 20px;
    padding-left: 50px;
    padding-right: 30px;
    padding-top: 50px;
nav
    flex: 1;
    text-align: right;
nav ul
    display: inline-block;
    list-style: none;
nav ul li
    display: inline-block;
    margin-right: 70px;
nav ul li a
    text-decoration: none;
    font-size: 20px;
    color: white;
    font-family: sans-serif;
nav ul li button
```

```
font-size: 20px;
    color: white;
    outline: none;
    border: none;
    background: transparent;
    cursor: pointer;
    font-family: sans-serif;
nav ul li button:hover
    color: aqua;
nav ul li a:hover
    color: aqua;
    text-decoration: none;
    color: palevioletred;
    font-size: 28px;
#login-form
    display: none;
.form-box
    width:380px;
    height:480px;
    position:relative;
    margin:2% auto;
    background:rgba(0,0,0,0.3);
    padding:10px;
    overflow: hidden;
.button-box
    width:220px;
    margin:35px auto;
    position:relative;
    box-shadow: 0 0 20px 9px #ff61241f;
    border-radius: 30px;
.toggle-btn
    padding:10px 30px;
    cursor:pointer;
    background:transparent;
    border:0;
    outline: none;
```

```
position: relative;
#btn
{
    top: 0;
    left:0;
    position: absolute;
    width: 110px;
    height: 100%;
    background: #F3C693;
    border-radius: 30px;
    transition: .5s;
.input-group-login
    top: 150px;
    position:absolute;
    width:280px;
    transition:.5s;
.input-group-register
    top: 120px;
    position:absolute;
    width:280px;
    transition:.5s;
.input-field
    width: 100%;
    padding:10px 0;
    margin:5px 0;
    border-left:0;
    border-top:0;
    border-right:0;
    border-bottom: 1px solid #999;
    outline:none;
    background: transparent;
.submit-btn
    width: 85%;
    padding: 10px 30px;
    cursor: pointer;
    display: block;
    margin: auto;
    background: #F3C693;
    border: 0;
    outline: none;
    border-radius: 30px;
```

```
.check-box
    margin: 30px 10px 34px 0;
span
    color:#777;
    font-size:12px;
    bottom:68px;
    position:absolute;
#login
    left:50px;
#login input
    color:white;
    font-size:15;
#register
    left:450px;
#register input
    color:white;
    font-size: 15;
```

Result page/Output







Conclusion

India being the second largest growing economy with huge consumer class
has resulted in online market as one of the biggest pathway for a successful
start-up. Everything that was required with large efforts is coming at the fingertips.

Baby and child-care products market grew by 14% in current value terms in 2011.

There are many advantages also of online shopping for children i.e. the problem of
going to different shops for buying different products of children is solved. Everything
is available in one place. The size of the market will be high due to high demand for the
children essentials and less competition in this field. If implemented and managed properly,
it can be one of the leading child care selling E-commerce website in the world market.

From this Project I have learnt the real time applications of HTML and CSS.

This project has been a source to learn and bring our theoretical knowledge to the real-life world.