

```
sureshravi@DESKTOP-15EFPDA:~$ nano count.c
sureshravi@DESKTOP-15EFPDA:~$ gcc count.c -o
count
sureshravi@DESKTOP-15EFPDA:~$ ./count
PID: 571 Count: 1
PID: 572 Count: 1
PID: 572 Count: 2
PID: 571 Count: 2
PID: 572 Count: 3
PID: 571 Count: 3
PID: 571 Count: 4
PID: 572 Count: 4
PID: 571 Count: 5
PID: 572 Count: 5
sureshravi@DESKTOP-15EFPDA:~$ |
```

```
sureshravi@DESKTOP-15EFPDA:~$ nano parentchildpro.c
sureshravi@DESKTOP-15EFPDA:~$ gcc parentchildpro.c -o parentchildpro
sureshravi@DESKTOP-15EFPDA:~$ ./parentchildpro
Parent Process
PID = 631
Child Process
PID = 632
sureshravi@DESKTOP-15EFPDA:~$ |
```

```
sureshravi@DESKTOP-15EFPDA:~$ nano getpid.c
sureshravi@DESKTOP-15EFPDA:~$ gcc getpid.c -o getpid
sureshravi@DESKTOP-15EFPDA:~$ ./getpid
My Process ID (PID) = 564
sureshravi@DESKTOP-15EFPDA:~$ |
```

```
sureshravi@DESKTOP-15EFPDA:~$ nano syswait.c
sureshravi@DESKTOP-15EFPDA:~$ gcc syswait.c -o syswait
sureshravi@DESKTOP-15EFPDA:~$ ./syswait
Child Process Executing...
Child Finished
Parent Process Continous
sureshravi@DESKTOP-15EFPDA:~$ |
```

```
sureshravi@DESKTOP-15EFPDA:~$ nano exclp.c  
sureshravi@DESKTOP-15EFPDA:~$ gcc exclp.c -o exclp  
sureshravi@DESKTOP-15EFPDA:~$ ./exclp
```

```
sureshravi@DESKTOP-15EFPDA:~$ nano syswait.c
sureshravi@DESKTOP-15EFPDA:~$ gcc syswait.c -o syswait
sureshravi@DESKTOP-15EFPDA:~$ ./syswait
Child Process Executing...
Child Finished
Parent Process Continous
sureshravi@DESKTOP-15EFPDA:~$ |
```

